

Fonts and Alignment Filter Demonstration

Nandakumar Chandrasekhar

2026-05-25

This document showcases every feature provided by the `fonts-and-alignment` Lua filter. Each code block demonstrates the exact Markdown syntax used to produce the rendered output that follows, with consistent and faithful results across both LaTeX/PDF and HTML formats.

1 Inline Font Sizing Scale

Nine sizing hooks are provided to scale text elements relative to the document's base font size.

Size	Syntax	Output
tiny	<code>[Sample]{.pfa-text-3xs}</code>	Sample
scriptsize	<code>[Sample]{.pfa-text-2xs}</code>	Sample
footnotesize	<code>[Sample]{.pfa-text-xs}</code>	Sample
small	<code>[Sample]{.pfa-text-s}</code>	Sample
normal	<code>[Sample]{.pfa-text-normal}</code>	Sample
large	<code>[Sample]{.pfa-text-l}</code>	Sample
Large	<code>[Sample]{.pfa-text-xl}</code>	Sample
LARGE	<code>[Sample]{.pfa-text-2xl}</code>	Sample
huge	<code>[Sample]{.pfa-text-3xl}</code>	Sample

2 Block Font Sizing Scale

The same sizing classes can be applied globally to fenced div blocks.

2.1 Small Font Size

```
::: pfa-text-s
```

This entire paragraph renders at the `_small_` font size. Lorem ipsum dolor

↪ sit amet, consectetur adipiscing elit, sed do eiusmod tempor

↪ incididunt ut labore et dolore magna aliqua.

```
:::
```

This entire paragraph renders at the *small* font size. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

2.2 Normal Font Size

```
::: pfa-text-normal
```

This entire paragraph renders at the `_normal_` font size. Lorem ipsum dolor

↪ sit amet, consectetur adipiscing elit, sed do eiusmod tempor

↪ incididunt ut labore et dolore magna aliqua.

```
:::
```

This entire paragraph renders at the *normal* font size. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

2.3 Large Font Size

```
::: pfa-text-l
```

This entire paragraph renders at the `_large_` font size. Lorem ipsum dolor

↪ sit amet, consectetur adipiscing elit, sed do eiusmod tempor

↪ incididunt ut labore et dolore magna aliqua.

```
:::
```

This entire paragraph renders at the *large* font size. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

3 Font Weights, Shapes, and Families (Inline)

Every supported typographic style is available as an inline span constraint.

Style	Syntax	Output
Bold	[Sample]{.pfa-font-bold}	Sample
Medium	[Sample]{.pfa-font-medium}	Sample
Italic	[Sample]{.pfa-font-italic}	<i>Sample</i>
Slanted	[Sample]{.pfa-font-slanted}	<i>Sample</i>
Upright	[Sample]{.pfa-font-upright}	Sample
Emphasis	[Sample]{.pfa-font-emphasis}	<i>Sample</i>
Serif	[Sample]{.pfa-font-serif}	Sample
Sans-Serif	[Sample]{.pfa-font-sans}	Sample
Monospace	[Sample]{.pfa-font-mono}	Sample
Small Caps	[Sample]{.pfa-font-smallcaps}	SAMPLE
Normal	[Sample]{.pfa-font-normal}	Sample
Reset		

4 Font Weights, Shapes, and Families (Block)

The same classes can also be applied at the block level, allowing the specified typographic style to affect all enclosed sentences.

4.1 Bold Weight

```
::: pfa-font-bold
```

This entire paragraph renders using the `_bold_` font weight. Lorem ipsum

↪ dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor

↪ incididunt ut labore et dolore magna aliqua.

```
:::
```

This entire paragraph renders using the ***bold*** font weight. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

4.2 Sans-Serif Family

```
::: pfa-font-sans
```

This entire paragraph renders using the `_sans-serif_` font family. Lorem

↪ ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod

↪ tempor incididunt ut labore et dolore magna aliqua.

```
:::
```

This entire paragraph renders using the *sans-serif* font family. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

4.3 Small Caps Shape

```
::: pfa-font-smallcaps
```

This entire paragraph renders using the `_small caps_` font shape. Lorem

↪ ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod

↪ tempor incididunt ut labore et dolore magna aliqua.

```
:::
```

THIS ENTIRE PARAGRAPH RENDERS USING THE *SMALL CAPS* FONT SHAPE. LOREM IPSUM DOLOR SIT AMET, CONECTETUR ADIPISCING ELIT, SED DO EIUSMOD TEMPOR INCIDIDUNT UT LABORE ET DOLORE MAGNA ALIQUA.

5 Text Casing Transformations

Unlike standard web styling—which only changes how text looks on the screen—these casing classes permanently change the actual letters in your document. This guarantees that your uppercase or lowercase styling remains intact even if you copy and paste the text into another application.

5.1 Inline Casing

Casing	Syntax	Output
Uppercase	<code>[coerced]{.pfa-uppercase}</code>	COERCED
Lowercase	<code>[COERCED]{.pfa-lowercase}</code>	coerced

5.2 Block Casing

5.2.1 Lowercase

```
::: pfa-lowercase
THIS ENTIRE PARAGRAPH IS TRANSFORMED TO _LOWERCASE_. LOREM IPSUM DOLOR SIT
↪ AMET, CONSECTETUR ADIPISCING ELIT, SED DO EIUSMOD TEMPOR INCIDIDUNT UT
↪ LABORE ET DOLORE MAGNA ALIQUA.
:::
```

this entire paragraph is transformed to *lowercase*. lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

5.2.2 Uppercase

```
::: pfa-uppercase
this entire paragraph is transformed to _uppercase_. Lorem ipsum dolor sit
↪ amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
↪ labore et dolore magna aliqua.
:::
```

THIS ENTIRE PARAGRAPH IS TRANSFORMED TO *UPPERCASE*. LOREM IPSUM DOLOR SIT AMET, CONSECTETUR ADIPISCING ELIT, SED DO EIUSMOD TEMPOR INCIDIDUNT UT LABORE ET DOLORE MAGNA ALIQUA.

6 Inline Text Decorations

Underline and strikethrough variants are implemented through the `ulem` LaTeX package and mapped to their equivalent standard CSS properties, ensuring consistent rendering across output formats. These styles are supported only for inline elements.

Decoration	Syntax	Output
Single Underline	[Sample]{.pfa-text-underline}	<u>Sample</u>
Double Underline	[Sample]{.pfa-text-underline-double}	<u><u>Sample</u></u>
Dashed Underline	[Sample]{.pfa-text-underline-dashed}	<u>Sample</u>
Dotted Underline	[Sample]{.pfa-text-underline-dotted}	<u>Sample</u>
Wavy Underline	[Sample]{.pfa-text-underline-wave}	<u>Sample</u>
Strikethrough	[Sample]{.pfa-text-strikethrough}	Sample

Decoration	Syntax	Output
Marked Out	<code>[Sample]{.pfa-text-markout}</code>	Sample

Note: The `.pfa-text-strikeout` and `.pfa-text-markout` classes are both rendered as a standard horizontal strikeout. Although LaTeX (via the `ulem` package) provides multiple text-deletion styles, the “markout” variant is not supported in HTML/CSS. To ensure consistent rendering across both LaTeX and HTML outputs, the filter standardizes both classes to the same strikeout style.

7 Color Resolution

The `pfa-font-color` attribute natively parses standard CSS3 named colors, six-digit hexadecimal codes, and three-digit shorthand hex codes.

Input Type	Syntax	Output
CSS Named	<code>[Sample]{pfa-font-color="crimson"}</code>	Sample
Hex Full	<code>[Sample]{pfa-font-color="#2E8B57"}</code>	Sample
Hex Shorthand ¹	<code>[Sample]{pfa-font-color="#666"}</code>	Sample

Note: The `pfa-font-color` utility is an attribute, not a class, and should not be prefixed with a period (.).

7.1 Flexible Spelling of Named Colors

The rendering engine automatically sanitizes color inputs. Parsing is case-insensitive and ignores spaces, hyphens, and underscores. All syntax variations shown below successfully map to the standard CSS3 color `mediumvioletred`.

Naming Convention	Syntax	Output
Lowercase	<code>[Color]{pfa-font-color="mediumvioletred"}</code>	Color
Spaces	<code>[Color]{pfa-font-color="Medium Violet Red"}</code>	Color
Title Case	<code>[Color]{pfa-font-color="Medium Violet Red"}</code>	Color

¹Three-digit shorthand expands by doubling each digit (e.g., `#666` becomes `#666666`, and `#F0A` becomes `#FF00AA`). This only works if each color channel uses a repeated character; a full hex code like `#2E8B57` cannot be shortened.

Naming Convention	Syntax	Output
Kebab Case	<code>[Color]{pfa-font-color="medium-violet-red"}</code>	Color
Snake Case	<code>[Color]{pfa-font-color="medium_violet_red"}</code>	Color
Camel Case	<code>[Color]{pfa-font-color="mediumVioletRed"}</code>	Color
Pascal Case	<code>[Color]{pfa-font-color="MediumVioletRed"}</code>	Color
Screaming Snake Case	<code>[Color]{pfa-font-color="MEDIUM_VIOLET_RED"}</code>	Color
Uppercase	<code>[Color]{pfa-font-color="MEDIUMVIOLETRED"}</code>	Color

7.2 Block-Level Color Constraints with Inline Overrides

Colors applied to a block automatically inherit downward through the text hierarchy, though nested spans can explicitly override parent values.

```
::: {pfa-font-color="#666"}
```

The parent block carries a default color of dark slate gray. *[This inline span overrides the color to tomato red.]*`{pfa-font-color="tomato"}` The surrounding text continues in the parent color until the block closes.

```
:::
```

The parent block carries a default color of dark slate gray. **This inline span overrides the color to tomato red.** The surrounding text continues in the parent color until the block closes.

8 Text Alignment within Blocks

The `.pfa-text-*` utility wraps blocks in standard text environments.

8.1 Left-Aligned Text

```
::: pfa-text-left
```

This block of text is `_left-aligned_`. Lorem ipsum dolor sit amet,
 ↳ consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
 ↳ labore et dolore magna aliqua.

```
:::
```

This block of text is *left-aligned*. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

8.2 Centered Text

```
::: pfa-text-center
```

This block of text is *_centered_*. Lorem ipsum dolor sit amet, consectetur
↪ adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
↪ magna aliqua.
:::

This block of text is *centered*. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

8.3 Right-Aligned Text

```
::: pfa-text-right
```

This block of text is *_right-aligned_*. Lorem ipsum dolor sit amet,
↪ consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
↪ labore et dolore magna aliqua.
:::

This block of text is *right-aligned*. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

9 Ragged Alignment

The `.pfa-align-*` utility preserves and honors explicit line breaks (via backslash escapes).

In PDF engines, the `.pfa-text-*` and `.pfa-align-*` utilities differ in vertical spacing:

- `.pfa-text-*` mirrors LaTeX's structural `center`, `flushleft` and `flushright` environments, introducing distinct vertical margins around the block.
- `.pfa-align-*` mirrors inline `\centering`, `\raggedright` and `\raggedleft` declarations, flowing contextually with surrounding content.

Because HTML applies only `text-align` properties uniformly across both families, this structural spacing distinction applies only to PDF documents.

Choose `.pfa-text-*` when the aligned block operates as an isolated visual unit (e.g., a callout banner, a standalone announcement, or a centered pull quote). Choose `.pfa-align-*` when alignment rules should integrate natively into surrounding paragraph streams (e.g., a line-broken signature block, verse stanzas, or captioned figures).

9.1 Left-Aligned Ragged Text

```
::: pfa-align-left
This block of ragged text is _left-aligned_ while honoring explicit line
↪ breaks.\
Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
:::
```

This block of ragged text is *left-aligned* while honoring explicit line breaks.
Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

9.2 Center-Aligned Ragged Text

```
::: pfa-align-center
This block of ragged text is _centered_ while honoring explicit line
↪ breaks.\
Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
:::
```

This block of ragged text is *centered* while honoring explicit line breaks.
Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

9.3 Right-Aligned Ragged Text

```
::: pfa-align-right
This block of ragged text is _right-aligned_ while honoring explicit line
↪ breaks.\
Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
:::
```

This block of ragged text is *right-aligned* while honoring explicit line breaks.
Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

10 Block-Level Alignment

The `.pfa-block-*` utility positions an entire block container as a single cohesive unit while preserving the internal alignment settings of the text within it.

10.1 Left-Aligned Block Container

```
::: {.pfa-block-left}
The entire block container is _left-aligned_ while maintaining internal
↪ text structure.\
Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
:::
```

The entire block container is *left-aligned* while maintaining internal text structure.
Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

10.2 Center-Aligned Block Container

```
::: {.pfa-block-center}
```

The entire block container is `_center-aligned_` while maintaining internal
↪ text structure.\

Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

```
:::
```

The entire block container is *center-aligned* while maintaining internal text structure.

Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

10.3 Right-Aligned Block Container

```
::: {.pfa-block-right}
```

The entire block container is `_right-aligned_` while maintaining internal
↪ text structure.\

Lorem ipsum dolor sit amet, consectetur adipiscing elit,\
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

```
:::
```

The entire block container is *right-aligned* while maintaining internal text structure.

Lorem ipsum dolor sit amet, consectetur adipiscing elit,
sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

11 Combining Multiple Classes

Classes can be stacked seamlessly. Sizing, family, weight, color, and decoration definitions compose safely on both inline elements and structural blocks.

11.1 Inline Composition

Style	Syntax	Output
Bold Sans Display	<code>[Sample]{.pfa-font-bold .pfa-font-sans .pfa-text-l pfa-font-color="red"}</code>	Sample
Italic Mono Caption	<code>[Sample]{.pfa-font-italic .pfa-font-mono .pfa-text-s}</code>	<i>Sample</i>
Small-caps Underline	<code>[Sample]{.pfa-text-underline .pfa-font-smallcaps pfa-font-color="forestgreen"}</code>	<u>SAMPLE</u>

11.2 Block Composition

```
::: {.pfa-text-center .pfa-font-sans .pfa-font-bold .pfa-text-l
↪  pfa-font-color="midnightblue"}
```

A centered, bold, sans-serif, large, midnight-blue block assembled from
↪ five different features of the filter.

```
:::
```

A centered, bold, sans-serif, large, midnight-blue block assembled from five different features of the filter.

12 Legacy Short-Hand Aliases (Deprecated)

Warning: Legacy aliases are deprecated. They are retained strictly for backward compatibility and will be entirely removed in the next major release. New documents should use the `.pfa-*` namespaces going forward.

12.1 Font Weight, Shape, and Family Aliases

Legacy Classes	Short-Hand	New Classes
<code>.bold</code>	<code>.bf</code>	<code>.pfa-font-bold</code>
<code>.emphasis</code>	<code>.em</code>	<code>.pfa-font-emphasis</code>
<code>.italic</code>	<code>.it</code>	<code>.pfa-font-italic</code>
<code>.medium</code>	<code>.md</code>	<code>.pfa-font-medium</code>

Legacy Classes	Short-Hand	New Classes
.monospace	.tt	.pfa-font-mono
.normalfont	.nf	.pfa-font-normal
.sans	.sf	.pfa-font-sans
.serif	.rm	.pfa-font-serif
.slanted	.sl	.pfa-font-slanted
.smallcaps	.sc	.pfa-font-smallcaps
.upright	.up	.pfa-font-upright

12.2 Font Size Aliases

Legacy Classes	Modern Classes
.xsmall	.pfa-text-xs
.small	.pfa-text-s
.normal	.pfa-text-normal
.large	.pfa-text-l
.xlarge	.pfa-text-xl
.xxlarge	.pfa-text-2xl
.huge	.pfa-text-3xl

12.3 Alignment Aliases

Legacy Classes	New Classes
.center	.pfa-text-center
.flushleft	.pfa-text-left
.flushright	.pfa-text-right
.centering	.pfa-align-center
.raggedleft	.pfa-align-right
.raggedright	.pfa-align-left

12.4 Underline and Strikeout Aliases

Legacy Classes	Short-Hand	New Classes
.uline	.u	.pfa-text-underline
.uuline	.uu	.pfa-text-underline-double
.dashuline	.dau	.pfa-text-underline-dashed

Legacy Classes	Short-Hand	New Classes
<code>.dotuline</code>	<code>.dou</code>	<code>.pfa-text-uline-dotted</code>
<code>.uwave</code>	<code>.uw</code>	<code>.pfa-text-uline-wave</code>
<code>.sout</code>	<code>.so</code>	<code>.pfa-text-strikeout</code>
<code>.xout</code>	<code>.xo</code>	<code>.pfa-text-markout</code>