

Demonstration of Fonts and Alignment Filter for Pandoc

Nandakumar Chandrasekhar

2026-05-25

This document showcases every feature provided by the `fonts-and-alignment` Lua filter for Pandoc. Each code block demonstrates the exact Markdown syntax used to produce the rendered output that follows, with consistent results for both the LaTeX/PDF and HTML formats.

1 Inline and Block Invocations

The filter may be used *inline* or in *block* mode as shown in the two invocations below. Inline styling is used to style small portions of text, while block styling is used to style large blocks of text. This accords with Pandoc's syntax convention.

```
[This font is extra extra large.]{.pfa-text-2xl}
```

This font is extra extra large.

```
::: {.pfa-text-2xl}
This font is extra extra large.
:::
```

This font is extra extra large.

2 Inline Font Sizing Scale

Nine sizing hooks are provided to scale text elements relative to the document's base font size.

Size	Syntax	Output
tiny	[Sample]{.pfa-text-3xs}	Sample
scriptsize	[Sample]{.pfa-text-2xs}	Sample
footnotesize	[Sample]{.pfa-text-xs}	Sample
small	[Sample]{.pfa-text-s}	Sample
normal	[Sample]{.pfa-text-normal}	Sample
large	[Sample]{.pfa-text-l}	Sample
Large	[Sample]{.pfa-text-xl}	Sample
LARGE	[Sample]{.pfa-text-2xl}	Sample
huge	[Sample]{.pfa-text-3xl}	Sample

3 Block Font Sizing Scale

The same sizing classes can be applied globally to fenced div blocks.¹

3.1 Extra Small Font Size

```

::: {.pfa-text-xs}
[This paragraph renders at the _extra small_ font
↪ size]{pfa-font-color="blue"} [compared to the normal font
↪ size.]
:::

```

This paragraph renders at the *extra small* font size compared to the normal font size.

3.2 Normal Font Size

```

::: {.pfa-text-normal}
This paragraph renders at the _normal_ font size.
:::

```

This paragraph renders at the *normal* font size.

¹As explained later, `pfa-font-color` is an attribute and should not be prefixed with a period (.).

3.3 Large Font Size

```
::: {.pfa-text-l}
[This paragraph renders at the _large_ font size]{pfa-font-color="blue"}
↪ [compared to the normal font size.]{.pfa-text-normal
↪ pfa-font-color="red"}
:::
```

This paragraph renders at the *large* font size compared to the normal font size.

4 Font Weights, Shapes, and Families (Inline)

Every supported typographic style is available as an inline span.

Style	Syntax	Output
Bold	[Sample]{.pfa-font-bold}	Sample
Medium	[Sample]{.pfa-font-medium}	Sample
Italic	[Sample]{.pfa-font-italic}	<i>Sample</i>
Slanted	[Sample]{.pfa-font-slanted}	<i>Sample</i>
Upright	[Sample]{.pfa-font-upright}	Sample
Emphasis	[Sample]{.pfa-font-emphasis}	<i>Sample</i>
Serif	[Sample]{.pfa-font-serif}	Sample
Sans-Serif	[Sample]{.pfa-font-sans}	Sample
Monospace	[Sample]{.pfa-font-mono}	Sample
Small Caps	[Sample]{.pfa-font-smallcaps}	SAMPLE
Normal Reset	[Sample]{.pfa-font-normal}	Sample

5 Font Weights, Shapes, and Families (Block)

The same classes can also be applied at the block level, allowing the specified typographic style to affect all enclosed sentences.

5.1 Bold Weight

```
::: {.pfa-font-bold}
This paragraph renders using the _bold_ font weight.
:::
```

This paragraph renders using the *bold* font weight.

5.2 Sans-Serif Family

```
::: {.pfa-font-sans}
```

This paragraph renders using the `_sans-serif_` font family.

```
:::
```

This paragraph renders using the *sans-serif* font family.

5.3 Small Caps Shape

```
::: {.pfa-font-smallcaps}
```

This paragraph renders using the `_small caps_` font shape.

```
:::
```

THIS PARAGRAPH RENDERS USING THE *SMALL CAPS* FONT SHAPE.

6 Text Casing Transformations

Unlike standard web styling—which only changes how text looks on the screen—these casing classes permanently change the actual letters in your document. This guarantees that your uppercase or lowercase styling remains intact even if you copy and paste the text into another application.

6.1 Inline Casing

Casing	Syntax	Output
Uppercase	<code>[coerced]{.pfa-uppercase}</code>	COERCED
Lowercase	<code>[COERCED]{.pfa-lowercase}</code>	coerced

6.2 Block Casing

6.2.1 Lowercase

```
::: {.pfa-lowercase}
THIS PARAGRAPH IS TRANSFORMED TO _LOWERCASE_.
:::
```

this paragraph is transformed to *lowercase*.

6.2.2 Uppercase

```
::: {.pfa-uppercase}
this paragraph is transformed to _uppercase_.
:::
```

THIS PARAGRAPH IS TRANSFORMED TO *UPPERCASE*.

7 Inline Text Decorations

Underline and strikeout variants are implemented through the `ulem` LaTeX package and mapped to their equivalent standard CSS properties, ensuring consistent rendering across output formats. These styles are supported only for inline elements.

Decoration	Syntax	Output
Single Underline	[Sample]{.pfa-text-underline}	<u>Sample</u>
Double Underline	[Sample]{.pfa-text-underline-double}	<u><u>Sample</u></u>
Dashed Underline	[Sample]{.pfa-text-underline-dashed}	<u>Sample</u>
Dotted Underline	[Sample]{.pfa-text-underline-dotted}	<u>Sample</u>
Wavy Underline	[Sample]{.pfa-text-underline-wave}	<u>Sample</u>
Strikeout	[Sample]{.pfa-text-strikeout}	Sample

8 Color Resolution

The `pfa-font-color` attribute natively parses standard CSS3 named colors, six-digit hexadecimal codes, and three-digit shorthand hex codes.

Input Type	Syntax	Output
CSS Named	<code>[Sample]{pfa-font-color="crimson"}</code>	Sample
Hex Full	<code>[Sample]{pfa-font-color="#2E8B57"}</code>	Sample
Hex Shorthand ²	<code>[Sample]{pfa-font-color="#666"}</code>	Sample

Note: The `pfa-font-color` utility is an attribute, not a class, and should not be prefixed with a period (.).

8.1 Flexible Spelling of Named Colors

The rendering engine automatically sanitizes color inputs. Parsing is case-insensitive and ignores spaces, hyphens, and underscores. All syntax variations shown below successfully map to the standard CSS3 color `mediumvioletred`.

Naming Convention	Syntax	Output
Lowercase	<code>[Color]{pfa-font-color="mediumvioletred"}</code>	Color
Spaces	<code>[Color]{pfa-font-color="Medium Violet Red"}</code>	Color
Title Case	<code>[Color]{pfa-font-color="Medium Violet Red"}</code>	Color
Kebab Case	<code>[Color]{pfa-font-color="medium-violet-red"}</code>	Color
Snake Case	<code>[Color]{pfa-font-color="medium_violet_red"}</code>	Color
Camel Case	<code>[Color]{pfa-font-color="mediumVioletRed"}</code>	Color
Pascal Case	<code>[Color]{pfa-font-color="MediumVioletRed"}</code>	Color
Screaming Snake Case	<code>[Color]{pfa-font-color="MEDIUM_VIOLET_RED"}</code>	Color
Uppercase	<code>[Color]{pfa-font-color="MEDIUMVIOLETRED"}</code>	Color

8.2 Block-Level Color Constraints with Inline Overrides

Colors applied to a block automatically inherit downward through the text hierarchy, though nested spans can explicitly override parent values.

²Three-digit shorthand expands by doubling each digit (e.g., `#666` becomes `#666666`, and `#F0A` becomes `#FF00AA`). This only works if each color channel uses a repeated character; a full hex code like `#2E8B57` cannot be shortened.

```
::: {pfa-font-color="dark slate grey"}
```

The parent block carries a default color of dark slate gray. *[This inline span overrides the color to tomato red.]*{pfa-font-color="tomato"} The surrounding text continues in the parent color until the block closes.
:::

The parent block carries a default color of dark slate gray. **This inline span overrides the color to tomato red.** The surrounding text continues in the parent color until the block closes.

9 Text Alignment within Blocks

The `.pfa-text-*` utility wraps blocks in standard text environments.

9.1 Left-Aligned Text

```
::: {.pfa-text-left}
```

This block of text is `_left-aligned_`.
:::

This block of text is *left-aligned*.

9.2 Centered Text

```
::: {.pfa-text-center}
```

This block of text is `_centered_`.
:::

This block of text is *centered*.

9.3 Right-Aligned Text

```
::: {.pfa-text-right}
```

This block of text is `_right-aligned_`.
:::

This block of text is *right-aligned*.

10 Ragged Alignment

The `.pfa-align-*` utility preserves and honors explicit line breaks (via backslash escapes).

In PDF engines, the `.pfa-text-*` and `.pfa-align-*` utilities differ in vertical spacing:

- `.pfa-text-*` mirrors LaTeX's structural `center`, `flushleft` and `flushright` environments, introducing distinct vertical margins around the block.
- `.pfa-align-*` mirrors inline `\centering`, `\raggedright` and `\raggedleft` declarations, flowing contextually with surrounding content.

Because HTML applies only `text-align` properties uniformly across both families, this structural spacing distinction applies only to PDF documents.

Choose `.pfa-text-*` when the aligned block operates as an isolated visual unit (e.g., a callout banner, a standalone announcement, or a centered pull quote). Choose `.pfa-align-*` when alignment rules should integrate natively into surrounding paragraph streams (e.g., a line-broken signature block, verse stanzas, or captioned figures).

10.1 Left-Aligned Ragged Right Text

```
::: {.pfa-align-left}
This block of ragged text \
is _left-aligned_ \
while honoring explicit line breaks.
:::
```

This block of ragged text
is *left-aligned*
while honoring explicit line breaks.

10.2 Center-Aligned Ragged Both Text

```
::: {.pfa-align-center}
This block of ragged text \
is _centered_ \
while honoring explicit line breaks.
:::
```

This block of ragged text
is *centered*
while honoring explicit line breaks.

10.3 Right-Aligned Ragged Left Text

```
::: {.pfa-align-right}
This block of ragged text \
is _right-aligned_ \
while honoring explicit line breaks.
:::
```

This block of ragged text
is *right-aligned*
while honoring explicit line breaks.

11 Block-Level Alignment

The `.pfa-block-*` utility positions an entire block container as a single cohesive unit while preserving the internal alignment settings of the text within it.

11.1 Left-Aligned Block

```
::: {.pfa-block-left}
The entire block is _left-aligned_ \
while maintaining internal text alignment.
:::
```

The entire block is *left-aligned* while maintaining internal text alignment.

11.2 Center-Aligned Block

```
::: {.pfa-block-center}
The entire block is _center-aligned_ \
while maintaining internal text alignment.
:::
```

The entire block is *center-aligned* while maintaining internal text alignment.

11.3 Right-Aligned Block

```
::: {.pfa-block-right}
The entire block is _right-aligned_ \
while maintaining internal text alignment.
:::
```

The entire block is *right-aligned* while maintaining internal text alignment.

12 Combining Multiple Classes

Classes can be stacked seamlessly. Sizing, family, weight, color, and decoration definitions compose safely on both inline elements and structural blocks.

Individual styles are space-separated and enclosed in braces {}, for inline and block composition in accordance with Pandoc's syntax rules.

12.1 Inline Composition

Style	Syntax	Output
Bold Sans-serif	[Sample]{.pfa-font-bold .pfa-font-sans .pfa-text-l pfa-font-color="red"}	Sample

Style	Syntax	Output
Italic Mono	[Sample]{.pfa-font-italic .pfa-font-mono .pfa-text-s}	<i>Sample</i>
Small Caps, Underlined and Colored	[Sample]{.pfa-font-smallcaps .pfa-text-underline .pfa-font-color="forestgreen"}	<u>SAMPLE</u>

12.2 Block Composition

```
::: {.pfa-text-center .pfa-font-sans .pfa-font-bold .pfa-text-l
↪ pfa-font-color="midnightblue"}
```

A centered, bold, sans-serif, large, midnight-blue block assembled from
↪ five different features of the filter.

```
:::
```

A centered, bold, sans-serif, large, midnight-blue block assembled from five different features of the filter.

13 Legacy Short-Hand Aliases (Deprecated)

Warning: Legacy aliases are deprecated. They are retained strictly for backward compatibility and will be entirely removed in the next major release. New documents should use the .pfa-* namespaces going forward.

13.1 Font Weight, Shape, and Family Aliases

Legacy Classes	Short-Hand	New Classes
.bold	.bf	.pfa-font-bold
.emphasis	.em	.pfa-font-emphasis
.italic	.it	.pfa-font-italic
.medium	.md	.pfa-font-medium
.monospace	.tt	.pfa-font-mono
.normalfont	.nf	.pfa-font-normal
.sans	.sf	.pfa-font-sans
.serif	.rm	.pfa-font-serif
.slanted	.sl	.pfa-font-slanted

Legacy Classes	Short-Hand	New Classes
.smallcaps	.sc	.pfa-font-smallcaps
.upright	.up	.pfa-font-upright

13.2 Font Size Aliases

Legacy Classes	Modern Classes
.xsmall	.pfa-text-xs
.small	.pfa-text-s
.normal	.pfa-text-normal
.large	.pfa-text-l
.xlarge	.pfa-text-xl
.xxlarge	.pfa-text-2xl
.huge	.pfa-text-3xl

13.3 Alignment Aliases

Legacy Classes	New Classes
.center	.pfa-text-center
.flushleft	.pfa-text-left
.flushright	.pfa-text-right
.centering	.pfa-align-center
.raggedleft	.pfa-align-right
.raggedright	.pfa-align-left

13.4 Underline and Strikeout Aliases

Legacy Classes	Short-Hand	New Classes
.uline	.u	.pfa-text-underline
.uuline	.uu	.pfa-text-underline-double
.dashuline	.dau	.pfa-text-underline-dashed
.dotuline	.dou	.pfa-text-underline-dotted
.uwave	.uw	.pfa-text-underline-wave
.sout	.so	.pfa-text-strikeout
.xout	.xo	Removed in version 1.0.3