

AWS-DevOps Friday Quiz

1. Which Auto Scaling policy adjusts capacity based on a target metric like CPU utilization?

- A. Step scaling
- B. Simple scaling
- C. Target tracking scaling
- D. Scheduled scaling

Answer: C

2. In an ALB, which feature allows routing traffic based on URL path?

- A. Listener rules
- B. Target groups
- C. Cross-zone balancing
- D. Proxy protocol

Answer: A

3. Which CloudWatch feature allows you to execute automated actions when an alarm triggers?

- A. CloudWatch Logs
- B. CloudWatch Metric Streams
- C. CloudWatch Alarms
- D. Event Bridges

Answer: D

4. What is the durability of S3 Standard storage class?

- A. 99.99%
- B. 99.9%
- C. 99.999999999%
- D. 99.5%

Answer: C

5. Which VPC component allows instances in private subnets to access the internet?

- A. Internet Gateway
- B. NAT Gateway
- C. VPC Endpoint
- D. Transit Gateway

Answer: B

6. Which RDS feature enables automatic failover?

- A. RDS Optimized Writes
- B. RDS Custom

- C. Multi-AZ deployment
- D. Read replicas

Answer: C

7. ALB supports which type of load balancing?

- A. TCP only
- B. UDP only
- C. HTTP/HTTPS (Layer 7)
- D. ICMP

Answer: C

8. Your application runs on EC2 instances inside a private subnet. During peak traffic, users report slow responses. CloudWatch metrics show that the EC2 instances are healthy, but the database read queries are taking too long. You want to offload read traffic without modifying the main database endpoint.

Which AWS solution should you implement?

- A. Enable Multi-AZ on the RDS instance
- B. Create RDS Read Replicas and route read queries to them
- C. Increase the storage size of the RDS instance
- D. Migrate the database to DynamoDB

Answer: B

9. Which CloudWatch metric is available by default for EC2?

- A. Disk Read/Write
- B. Memory Utilization
- C. Network In/Out
- D. Application latency

Answer: C

10. What does VPC Peering NOT support?

- A. Transitive peering
- B. Cross-region communication
- C. Private IP routing
- D. One-to-one VPC peering

Answer: A

11. Which RDS engine supports Aurora Serverless v2?

- A. MariaDB
- B. MySQL
- C. SQL Server
- D. Oracle

Answer: B

12. Which S3 feature prevents deletion/modification of data for compliance?

- A. Versioning
- B. Lifecycle policies
- C. Object Lock
- D. Bucket ACL

Answer: C

13. ELB idle timeout is the time before closing a connection when?

- A. No SSL handshake happens
- B. No data is sent/received
- C. No health check response
- D. A target deregisters

Answer: B

14. In VPC, what does a route table control?

- A. DHCP options
- B. Security group rules
- C. Traffic flow for subnets
- D. NACL rules

Answer: C

15. Which Auto Scaling lifecycle hook lets you pause instance launch or termination?

- A. Scale pause
- B. Lifecycle scaling
- C. Cooldown hook
- D. Lifecycle hook

Answer: D

16. CloudWatch Logs Insights is mainly used for?

- A. Creating dashboards
- B. Analyzing log data using queries
- C. Alerting
- D. Archiving logs

Answer: B

17. S3 Intelligent-Tiering charges extra for?

- A. Uploads
- B. Transitions
- C. Monitoring
- D. Replication

Answer: C

18. Which RDS feature helps reduce read load on primary DB?

- A. Multi-AZ
- B. Read replicas
- C. Enhanced monitoring

D. Backtrack

Answer: B

19. Your company hosts an internal HR application inside a private subnet. The security team requires that traffic to an external SaaS HR analytics tool must never traverse the public internet, but must stay within AWS' private network.

Which solution meets this requirement?

A. Route traffic through an Internet Gateway

B. Route traffic through a NAT Gateway

C. Create an Interface VPC Endpoint using AWS PrivateLink

D. Peer the VPC with the SaaS provider's VPC

Answer: C

20. Which VPC feature inspects and filters traffic at Layer 7?

A. NACL

B. Security Group

C. AWS Network Firewall

D. Route Table

Answer: C

21. Jenkins pipeline as code is written using?

A. YAML

B. JSON

C. Groovy

D. Perl

Answer: C

22. A developer pushes 15 commits to the `main` branch by mistake. Before creating a pull request, your lead asks you to summarize all commits in a compact view to quickly check what was pushed without scrolling through full commit logs.

Which command should you use?

A. `git show --summary`

B. `git log --oneline`

C. `git status -v`

D. `git annotate`

Answer:

23. A Terraform resource with `count = 0` behaves as?

A. Creates one resource

B. Creates multiple resources

C. Does not create the resource

D. Throws an error

Answer: C

24. Your Jenkins agents do not have Docker installed, but your CI pipeline needs to build and test the application inside Docker containers. Jenkins should pull Docker images, run stages inside containers, and attach logs to the pipeline UI.

Which Jenkins plugin enables this?

- A. Kubernetes Plugin**
- B. Docker Pipeline Plugin**
- C. SSH Agent Plugin**
- D. Multibranch Pipeline Plugin**

Answer: B

25. Docker multi-stage builds mainly help with?

- A. Logging**
- B. Reducing image size**
- C. Networking**
- D. Container orchestration**

Answer: B

26. Jenkinsfile **agent any means?**

- A. Use docker agent**
- B. Use any available Jenkins node**
- C. Use master only**
- D. Use Kubernetes pod**

Answer: B

27. Terraform **terraform.tfstate contains?**

- A. Module outputs only**
- B. Variables only**
- C. Actual state of infrastructure**
- D. Git commit history**

Answer: C

28. GitHub Webhook triggers when?

- A. A file is zipped**
- B. An event like push or PR happens**
- C. A repo is downloaded**
- D. A collaborator leaves**

Answer: B

29. Docker volume stores data where?

- A. Inside the container filesystem**
- B. On the host system**
- C. In memory**
- D. On Docker Hub**

Answer: B

30. Jenkins Blue Ocean provides?

- A. Git branching
- B. Docker images
- C. Modern UI for pipelines
- D. AWS integration

Answer: C

31. Terraform module helps in?

- A. Logging
- B. Code reusability
- C. Secrets management
- D. CI/CD

Answer: B

32. Git **HEAD** refers to?

- A. First commit
- B. Latest commit checked out
- C. Last merge commit
- D. Remote branch

Answer: B

33. Docker **ENTRYPOINT** differs from **CMD** because **ENTRYPOINT**:

- A. Cannot run scripts
- B. Always gets overridden
- C. Is executed as fixed instruction
- D. Executes only on container stop

Answer: C

34. Jenkins shared libraries are stored in?

- A. Docker container
- B. Git repository
- C. Local filesystem only
- D. EC2 instance

Answer: B

35. Terraform **depends_on** is required when?

- A. Terraform crashes
- B. Implicit dependencies don't exist
- C. Variables fail validation
- D. Backend is remote

Answer: B

36. Docker compose file version depends on?

- A. OS
- B. Docker engine version

- C. Git version
- D. Terraform version

Answer: B

37. Git command to restore deleted file?

- A. git delete
- B. git revert
- C. git checkout HEAD -- filename
- D. git refresh

Answer: C

38. Terraform remote backend stores state where?

- A. Local disk
- B. Terraform Cloud or S3
- C. Jenkins workspace
- D. Docker image

Answer: B

39. Jenkins credential binding is used for?

- A. Storing Docker images
- B. Passing secrets to pipelines
- C. Building EC2 instances
- D. Running Kubernetes pods

Answer: B

40. A security audit asks how your microservices deployed via Docker maintain isolation even when running on the same host. They want to know which underlying OS features ensure resource isolation, process separation, and restricted access among containers.

Which mechanism provides this?

- A. Only chroot-based isolation
- B. Full virtual machines with hypervisors
- C. Linux namespaces combined with cgroups
- D. Hardware-level binary translation

Answer: C
