

# SE- Introduction to Web Technologies - HTML and CSS

Session 6: Box Model & Positioning Coverage: Margin, Padding, Border, Display properties, Position (relative, absolute, fixed). Demo: Create a profile-card layout.

Task :

Question :- 1

Create an HTML file that displays a Zomato-style restaurant card with a restaurant name, cuisine type, and rating. Use CSS to add margin, padding, and a visible border to the card so that each section is clearly separated.

Ans:-

```
<!DOCTYPE html>

<html>

<head>

  <title>Zomato Card</title>

  <style>

    .card{

      width: 300px;

      border: 2px solid black;

      padding: 20px;

      margin: 20px;

    }

  </style>

</head>

<body>

  <div class="card">
```

```
<h2>The Grand Thakar</h2>

<p>Cuisine: Gujarati Thali</p>

<p>Rating: ★ 4.5/5</p>

</div>

</body>

</html>
```

Question :- 2

Design a Flipkart-style product tile with an image, product name, and price. Use different display properties (block, inline-block, none) to control the layout of the product name and price, and hide the price when a specific CSS class is added.<br><br><em><strong>Hint:</strong> Try toggling the class in your HTML to see the effect.</em>

Ans:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Task 2: Flipkart Product Tile</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      background-color: #f1f3f6;

      padding: 40px;

      margin: 0;

    }

    .product-tile {
```

```
width: 220px;
background: #ffffff;
border: 1px solid white;
border-radius: 4px;
padding: 16px;
text-align: center;
display: inline-block;
vertical-align: top;
margin: 15px;
}
```

```
.product-tile:hover {
    background-color: bisque;
}
```

```
.product-image {
    width: 150px;
    height: 150px;
    display: block;
    margin: 0 auto 12px auto;
}
```

```
.product-name {
    font-size: 14px;
    font-weight: 400;
    color: #212121;
    margin: 8px 0;
}
```

```
.product-price {
    font-size: 16px;
    font-weight: bold;
    color: #388e3c;
    display: block;
    margin-top: 6px;
}

.hide-price {
    display: none;
}

</style>
</head>
<body>
    <div class="product-tile">
        
        <h4 class="product-name">Wireless ANC Headphones</h4>
        <div class="product-price">₹1,499</div>
    </div>
    <div class="product-tile">
        
        <h4 class="product-name">Sports Running Shoes</h4>
        <div class="product-price hide-price">₹2,999</div>
    </div>
</body>
</html>
```

Question :- 3

Build a fixed-position WhatsApp chat notification badge at the bottom right corner of the screen. Use position: fixed and appropriate margin and padding to ensure it stays visible even when scrolling.

Ans:-

```
<!DOCTYPE html>

<html>

<head>

  <title>WhatsApp Notification Badge</title>

  <style>

    .whatsapp{

      position: fixed;

      bottom: 20px;

      right: 20px;

      background-color: #25D366;

      color: white;

      width: 60px;

      height: 60px;

      border-radius: 50%;

      display: flex;

      justify-content: center;

      align-items: center;

      font-size: 30px;

    }

    .badge{

      position: absolute;
```

```
    top: -5px;
    right: -5px;
    background-color: red;
    color: white;
    width: 22px;
    height: 22px;
    border-radius: 50%;
    text-align: center;
    font-size: 12px;
    font-weight: bold;
}
```

```
</style>
```

```
<link rel="stylesheet"
```

```
  href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.1/css/all.min.css">
```

```
</head>
```

```
<body>
```

```
  <div class="whatsapp">
```

```
    <i class="fa-brands fa-whatsapp"></i>
```

```
    <div class="badge">
```

```
      5
```

```
    </div>
```

```
  </div>
```

```
</body>
```

```
</html>
```

#### Question :- 4

Create a BookMyShow movie poster grid where each poster uses position: relative. Add a 'New' badge to the top-left corner of one poster using position: absolute, so it overlays the image correctly.<br><br><em><strong>Hint:</strong> Use top and left properties with position: absolute inside a relatively positioned parent.</em>

Ans:-

```
<!DOCTYPE html>

<html>

<head>

  <title>BookMyShow Poster Grid</title>

  <style>

    .poster{

      position: relative;

      width: 250px;

      display: inline-block;

      margin: 20px;

    }

    .poster img{

      width: 100%;

      border-radius: 10px;

    }

    .new-badge{

      position: absolute;

      top: 10px;
```

```
        left: 10px;

        background-color: red;

        color: white;

        padding: 5px 10px;

        border-radius: 5px;

        font-weight: bold;

    }

</style>

</head>

<body>

    <div class="poster">

        <div class="new-badge">NEW</div>

        

    </div>

</body>

</html>
```

Question :- 5

Refactor your CSS for any one of the above tasks to reduce repeated margin and padding values by using a reusable CSS class. Explain in a comment how this improves maintainability.

Ans:-

```
<!DOCTYPE html>

<html>

<head>

    <title>Reusable CSS Class Example</title>

    <style>
```

```
/* Reusable Class */

.box{

    margin: 20px;

    padding: 20px;

    border: 2px solid black;

    border-radius: 10px;

}


.restaurant{

    background-color: #fff3cd;

}


.product{

    background-color: #d1ecf1;

}


</style>
</head>
<body>

<div class="box restaurant">

    <h2>The Grand Thakar</h2>

    <p>Cuisine: Gujarati Thali</p>

    <p>Rating: ★ 4.5/5</p>

</div>

<div class="box product">

    <h2>Lenovo LOQ 15IAX9</h2>

    <p>Price: ₹65,999</p>
```

</div>

</body>

</html>