




Nalog	HUMER_GRUPE_1 · NAMJEŠTAJ MARIO vi.M	Ploča	2800 × 2070 × 18 mm · obrez 10 mm
Materijal	IV000090 IVERAL BIJELI NK W908 ST2 18	God	NE
Winstore	W908ST2-18 · na stanju 0 kom	Slaganje	poprecno/kolone/fill/w · kerf 5 mm
		Potvrdio	— PRIJEDLOG, nije potvrđeno

Ploča 1 od 1 smjer poprečno · komada 7 · rezova 13 · iskorištenje 50,7 % · dijelova 2,94 m² · KORISNI OSTATAK 1037 × 2070



Kantiranje: ABS 1 = TR000168 ABS 1/22 BIJELI NK ABS 2 = TR000536 ABS 1/44 BIJELA NK

▲ puni = ABS · △ prazni = melamin



Nalog	HUMER_GRUPE_1 · NAMJEŠTAJ MARIO vi.M	Ploča	2800 × 2070 × 18 mm · obrez 10 mm
Materijal	IV000090 IVERAL BIJELI NK W908 ST2 18	God	NE
Winstore	W908ST2-18 · na stanju 0 kom	Slaganje	poprecno/kolone/fill/w · kerf 5 mm
		Potvrdio	— PRIJEDLOG, nije potvrđeno

#	Naziv	Duž.	Šir.	Kom	God	ABS 1	ABS 2	Napomena
1	POLICA_LA1	940	350	2			2DA 2KA	LA1/2>930x340 · sirova mjera sloja
2	POLICA_LA2	940	350	2				LA2/2>930x340 · sirova mjera sloja
3	bok	800	400	1		2DA 2KA		
4	NIZ A (2 fronti)	817	497	1				NIZ A (2) · reže se po skici majke
5	MAJKA M1 (12 x 600x120)	1495	600	1		2DA		M1 12x600x120 · reže se po skici majke

Po traci: 1DA / 2DA = jedna / dvije duže stranice, 1KA / 2KA = kraće stranice (ABS); 1DP / 2DP i 1KP / 2KP = melamin (PVC).
ABS 1, ABS 2 ... MEL 1 = trake iz legende na listovima; ista oznaka stoji uz trokutić na crtežu kad ih je više.

PLOČE 1 kom 2800 × 2070 × 18 mm	POVRŠINA SVIH PLOČA 5,80 m² dijelova 2,94 m² · iskorištenje 50,7 %	POVRŠINA ZA NAPLATU 3,65 m² korisni ostatak odbijen (≥ 400 mm, ≥ 1 m²)
---	--	--

IV000090 IVERAL BIJELI NK W908 ST2 18 MM · Winstore W908ST2-18 (na stanju 0 kom)
listova 1 · rezova 13 · korisni ostaci: 1037 × 2070 mm

Kantiranje po traci (Σ stranica × kom + nadmjera 10 %)


Oznaka	Ident	Naziv trake	Količina m	Pretinac	Na roli m
ABS 1	TR000168	ABS 1/22 BIJELI NK	25,62	—	—
ABS 2	TR000536	ABS 1/44 BIJELA NK	5,59	—	—

PRIJEDLOG — slaganje nije potvrđeno (D-75); nacrt nije za pilu dok ga netko ne potvrdi.




Veći komad se reže po ovoj skici (kerf pile između komada); trake i CNC obrada su po komadima, etiketa komada nosi oznaku (A2/3, IZ M1, LA1/2).

SKLOP LIJEPLJENJA LA — 2 slojeva, konačna 930 × 340, 36 mm; slojevi se režu na sirovu mjeru (+10), kant na sklopu



- | | | | | |
|---|------------|---------------|-------------------|------------------------|
| 1 | POLICA_LA1 | 930 × 340 × 2 | reže se 940 × 350 | etiketa: LA1/2>930x340 |
| 2 | POLICA_LA2 | 930 × 340 × 2 | reže se 940 × 350 | etiketa: LA2/2>930x340 |

NIZ GODA A — 2 fronti, smjer okomito, kerf 5 mm, majka 817 × 497 × 1 kom



- | | | | |
|----|--------|---------------|---------------|
| A1 | FR1_A1 | 406 × 497 × 1 | etiketa: A1/2 |
| A2 | FR2_A2 | 406 × 497 × 1 | etiketa: A2/2 |



MAJKA M1 — 12 × komad 600 × 120, 1 majka, kerf 5 mm; kant na majci: ABS-ISTI / ABS-ISTI

1 120 × 600	2 120 × 600	3 120 × 600	4 120 × 600	5 120 × 600	6 120 × 600	7 120 × 600	8 120 × 600	9 120 × 600	10 120 × 600	11 120 × 600	12 120 × 600	600 mm
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	------------------------------------	------------------------------------	------------------------------------	--------

1495 mm

clan letvica

600 × 120 × 12 etiketa: IZ M1