


Candidate Fig. 5 asset pack: PAR1 control and autosomal PHR-compatible pedigree patches

Strict nb=1 sweepGA 1:1 no-scaffold primary path; axes are native assembly coordinates parsed from source names.

A PAR1 positive control: paternal chrX p maps to chrY p

PAN027 paternal (hap2) vs PAN011 (father)


Displayed query window: chrX:12,265-512,265



B PAN027 autosomal candidate: chr9 q terminal patch mostly chr3 q

PAN027 paternal (hap2) vs PAN011 (father)


Displayed query window: chr9:135,984,825-136,204,825



C Superseded PAN028 chr3q side-fragment strict path

PAN028 maternal (hap1) vs PAN027 (mother)

Displayed query window: chr3:199,453,840-199,733,840



D Selected finite candidate set

Deliberately selected review set; not a genome-wide rediscovery run.

panel	role	primary evidence	side fragments	low-confidence
A	PAR1 positive control	chrYp chrX:12,265-155,863 (not_available); chrYp chrX:201,864-207,115 (within_community); chrYp chrX:341,912-343,936 (not_available)	none emphasized	none emphasized
B	PAN027 chr9q candidate	chr3q chr9:136,151,769-136,177,266 (within_community); chr3q chr9:136,177,266-136,181,091 (within_community); chr3q chr9:136,181,091-136,196,011 (within_community); chr3q chr9:136,203,284-136,204,332 (within_community)	chr16q chr9:136,032,742-136,033,949 (within_community); chr15q chr9:136,196,011-136,203,284 (cross_community)	chr20q chr9:136,204,332-136,204,825 (cross_community)
C	PAN028 chr3q side-fragment panel		chr7p chr3:199,496,793-199,524,762 (within_community); chr16q chr3:199,704,163-199,707,729 (within_community); chr20q chr3:199,707,729-199,733,150	none emphasized

