

**LAPORAN
WORKSHOP BASIS
DATA LANJUT**

Politeknik Caltex Riau

**TUGAS
Single Row Function**

**Dosen/PLP :
Wawan Yunanto, S.Kom., M.T.
Rian Ardi Wibowo, S.Tr.Kom**

**Identitas :
Nama Lengkap : Arya
Pangestu
NIM : 2457301020
Kelas : 2 SI E**

**PRODI SISTEM INFORMASI
JURUSAN TEKNOLOGI INFORMASI**

TUGAS PRAKTIKUM

Singel Row Function

A. Latihan Praktikum Bagian 1

- Fungsi Umum

1. SELECT NVL (15, 18) FROM DUAL

NVL(15,18)	
15	
1 rows returned in 0.02 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11	

2. SELECT NVL ('Hello' , ' Hello') FROM DUAL

NVL('HELLO','HELLO')	
Hello	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11	

3. INSERT INTO AGENTS (
AGENT_CODE,
AGENT_NAME,
WORKING_AREA,
COMMISSION,
PHONE,
COUNTRY
) VALUES (
'A014',
'Karto Tuyeng',
NULL,
0.11,
'0761-66878',
'INDONESIA'
);

4. SELECT
AGENT_CODE,

```

AGENT_NAME,
NVL(WORKING_AREA, 'INI AWALNYA KOSONG')
FROM AGENTS;

```

AGENT_CODE	AGENT_NAME	CEK_DATA
A012	Lucida	San Jose
A014	Karto Tuyeng	INI AWALNYA KOSONG
A013	Badu Atai	Pekanbaru
A015	Ottong Sunartong	Pekanbaru

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

5. SELECT AGENT_CODE, AGENT_NAME, NVL2 (WORKING_AREA, 'TIDAK KOSONG' , 'KOSONG') AS CEK_DATA FROM AGENTS

AGENT_CODE	AGENT_NAME	CEK_DATA
A012	Lucida	TIDAK KOSONG
A014	Karto Tuyeng	KOSONG
A013	Badu Atai	TIDAK KOSONG
A015	Ottong Sunartong	TIDAK KOSONG

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

6. SELECT AGENT_CODE, AGENT_NAME, COUNTRY, COMMISSION, DECODE (COMMISSION, 0.11, 'Rendah' , 0.15 , 'Tinggi' , 'Sedang') AS DATA FROM AGENTS

AGENT_CODE	AGENT_NAME	COUNTRY	COMMISSION	DATA
A012	Lucida	USA	.12	Sedang
A014	Karto Tuyeng	INDONESIA	.11	Rendah
A013	Badu Atai	INDONESIA	.15	Tinggi
A015	Ottong Sunartong	INDONESIA	.13	Sedang

4 rows returned in 0.00 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

Jelaskan Apa yang terjadi pada data A014 = Data A014 akan menghasilkan nilai "Rendah" karena kolom COMMISSION-nya bernilai 0.11 dan DECODE mengkategorikannya sebagai Rendah.

7. SELECT AGENT_CODE, AGENT_NAME, COUNTRY, COMMISSION, DECODE (COMMISSION, 0.11, 'Rendah' , 0.15 , 'Tinggi' , 'Sedang') AS COMMCATEGORY FROM AGENTS

AGENT_CODE	AGENT_NAME	COUNTRY	COMMISSION	COMMCATEGORY
A012	Lucida	USA	.12	Sedang
A014	Karto Tuyeng	INDONESIA	.11	Rendah
A013	Badu Atai	INDONESIA	.15	Tinggi
A015	Ottong Sunartong	INDONESIA	.13	Sedang

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id
 bdl_arya
 en
 Copyright © 1999, 2024, Oracle and/or its affiliates.
 Oracle APEX

Jelaskan apa yang terjadi pada output perintah diatas =
 Query tersebut menampilkan data agen dan menambahkan kolom baru COMMCATEGORY. Nilai kolom ini ditentukan oleh DECODE: komisi 0.11 menjadi “Rendah”, komisi 0.15 menjadi “Tinggi”, dan selain itu dikategorikan sebagai “Sedang”.

- Fungsi Karakter

1. SELECT AGENT_CODE, AGENT_NAME,
 LOWER(AGENT_NAME) AS Huruf_Kecil
 FROM AGENTS;

AGENT_CODE	AGENT_NAME	HURUF_KECIL
A012	Lucida	lucida
A014	Karto Tuyeng	karto tuyeng
A013	Badu Atai	badu atai
A015	Ottong Sunartong	ottong sunartong

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id
 bdl_arya
 en
 Copyright © 1999, 2024, Oracle and/or its affiliates.
 Oracle APEX 24.2.11

2. SELECT AGENT_CODE, AGENT_NAME,
 LOWER(AGENT_NAME) AS HKecil,
 UPPER(AGENT_NAME) AS HBesar
 FROM AGENTS;

AGENT_CODE	AGENT_NAME	HKECIL	HBESAR
A012	Lucida	lucida	LUCIDA
A014	Karto Tuyeng	karto tuyeng	KARTO TUYENG
A013	Badu Atai	badu atai	BADU ATAI
A015	Ottong Sunartong	ottong sunartong	OTTONG SUNARTONG

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id
 bdl_arya
 en
 Copyright © 1999, 2024, Oracle and/or its affiliates.
 Oracle APEX 24.2.11

3. SELECT AGENT_CODE, AGENT_NAME,
 LOWER(AGENT_NAME) AS HKecil,
 INITCAP(LOWER(AGENT_NAME)) AS CAPITALIZE
 FROM AGENTS;

AGENT_CODE	AGENT_NAME	HKECIL	CAPITALIZE
A012	Lucida	lucida	Lucida
A014	Karto Tuyeng	karto tuyeng	Karto Tuyeng
A013	Badu Atai	badu atai	Badu Atai
A015	Ottong Sunartong	ottong sunartong	Ottong Sunartong

4 rows returned in 0.01 seconds [Download](#)

 pangestu24si@mahasiswa.pcr.ac.id  bdl_arya  en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

4. SELECT AGENT_CODE,
AGENT_NAME,
CONCAT(AGENT_NAME, WORKING_AREA) AS N_AGENT_Name
FROM AGENTS;

AGENT_CODE	AGENT_NAME	N_AGENT_NAME
A012	Lucida	LucidaSan Jose
A014	Karto Tuyeng	Karto Tuyeng
A013	Badu Atai	Badu AtaiPekanbaru
A015	Ottong Sunartong	Ottong SunartongPekanbaru

4 rows returned in 0.00 seconds [Download](#)

 pangestu24si@mahasiswa.pcr.ac.id  bdl_arya  en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

5. SELECT AGENT_CODE, AGENT_NAME,
SUBSTR(AGENT_NAME, 1, 4) AS N_AGENT_Name
FROM AGENTS;

AGENT_CODE	AGENT_NAME	N_AGENT_NAME
A012	Lucida	Luci
A014	Karto Tuyeng	Kart
A013	Badu Atai	Badu
A015	Ottong Sunartong	Otto

4 rows returned in 0.00 seconds [Download](#)

 pangestu24si@mahasiswa.pcr.ac.id  bdl_arya  en Copyright © 1999, 2024, Oracle and/or its affiliates.

6. SELECT AGENT_CODE,
WORKING_AREA,
LENGTH(WORKING_AREA) AS L_WA,
LENGTH(COUNTRY) AS L_C
FROM AGENTS;

AGENT_CODE	WORKING_AREA	L_WA
A012	San Jose	8
A014	-	-
A013	Pekanbaru	9
A015	Pekanbaru	9

4 rows returned in 0.02 seconds [Download](#)

 pangestu24si@mahasiswa.pcr.ac.id  bdl_arya  en Copyright © 1999, 2024, Oracle and/or its affiliates.

```

7. SELECT AGENT_CODE,
       WORKING_AREA,
       LENGTH(TRIM(WORKING_AREA)) AS L_WA,
       COUNTRY,
       LENGTH(TRIM(COUNTRY)) AS L_C
FROM AGENTS;

```

AGENT_CODE	WORKING_AREA	L_WA	COUNTRY
A012	San Jose	8	USA
A014	-	-	INDONESIA
A013	Pekanbaru	9	INDONESIA
A015	Pekanbaru	9	INDONESIA

4 rows returned in 0.02 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

Apa perbedaan luaran antara sintaks 6 dan 7. Mengapa bisa terjadi?
 = Perbedaannya terletak pada trim yang digunakan dimana Query pertama menghitung panjang teks apa adanya, termasuk spasi di awal/akhir. Query kedua menghitung panjang teks setelah spasi awal dan akhir dibuang oleh TRIM, jadi hasilnya bisa lebih pendek.

```

8. SELECT AGENT_CODE, WORKING_AREA, INSTR (WORKING_AREA, 'a') FROM
AGENTS

```

AGENT_CODE	WORKING_AREA	INSTR(WORKING_AREA,'a')
A012	San Jose	2
A014	-	-
A013	Pekanbaru	4
A015	Pekanbaru	4

4 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

```

9. SELECT CUST_FIRST_NAME,
       LPAD(CUST_FIRST_NAME, 45, '*')
FROM CUSTOMERS;

```

CUST_FIRST_NAME	LPAD(CUST_FIRST_NAME,45,'*')
Hal	*****Hal
Hannah	*****Hannah
Hannah	*****Hannah
Margret	*****Margret
Harry Mean	*****Harry Mean

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

```

10. SELECT CUST_FIRST_NAME,
       RPAD(CUST_FIRST_NAME, 45, '*')
FROM CUSTOMERS;

```

CUST_FIRST_NAME	RPAD(CUST_FIRST_NAME,45,'*')
Hal	Hal*****
Hannah	Hannah*****
Hannah	Hannah*****
Margret	Margret*****
Harry Mean	Harry Mean*****

Apa perbedaan antara LPAD dan RPAD?

= LPAD adalah left padding yang berarti area penambahannya berada di kiri sedangkan RPAD yaitu right padding yang berarti arean penambahannya berada di kanan

```
11. SELECT CUST_FIRST_NAME,
      REPLACE(CUST_FIRST_NAME, 'a', 'i'),
      TRIM('S' FROM CUST_FIRST_NAME)
FROM CUSTOMERS;
```

CUST_FIRST_NAME	REPLACE(CUST_FIRST_NAME,'A','I')	TRIM('S'FROMCUST_FIRST_NAME)
Hal	Hil	Hal
Hannah	Hinnih	Hannah
Hannah	Hinnih	Hannah
Margret	Mirgret	Margret
Harry Mean	Hirry Mein	Harry Mean

Jelaskan apa yang terjadi dari perintah ini? Jelaskan fungsi REPLACE dalam sintak diatas!

= Yang terjadi ialah nama pelanggan dengan huruf a diganti dengan i. Lalu fungsi REPLACE yaitu Mengganti semua huruf 'a' dalam CUST_NAME menjadi 'i'.

B. Tugas Praktikum Bagian 1

1. Tampilkan CUST_NAME dalam huruf kapital semua dan huruf kecil semua

```

94 SELECT CUST_FIRST_NAME,
95        UPPER(CUST_FIRST_NAME) AS HURUF_BESAR,
96        LOWER(CUST_FIRST_NAME) AS HURUF_KECIL
97 FROM CUSTOMERS;
98
99

```

CUST_FIRST_NAME	HURUF_BESAR	HURUF_KECIL
Hal	HAL	hal
Hannah	HANNAH	hannah
Hannah	HANNAH	hannah
Margret	MARGRET	margret
Harry Mean	HARRY MEAN	harry mean

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

2. Ubah semua huruf vokal CUST_NAME menjadi huruf “i”

```

99 SELECT
100     CUST_FIRST_NAME,
101     REPLACE(
102         REPLACE(
103             REPLACE(
104                 REPLACE(CUST_FIRST_NAME, 'a', 'i'),
105                 'e', 'i'),
106             'o', 'i'),
107         'u', 'i'),
108     'A', 'I') AS NAMA_VOKAL_JADI_I
109 FROM CUSTOMERS;
110
111

```

CUST_FIRST_NAME	NAMA_VOKAL_JADI_I
Hal	Hil
Hannah	Hinnih
Hannah	Hinnih
Margret	Mirgrit
Harry Mean	Hirry Miin
Margrit	Mirgrit

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

3. Tampilkan AGENT_NAME dari huruf ke-2 sampai huruf ke-6


```

112 SELECT
113     AGENT_NAME,
114     SUBSTR(AGENT_NAME, 2, 5) AS POTONGAN
115 FROM AGENTS;
116
117
118

```

AGENT_NAME	POTONGAN
Lucida	ucida
Karto Tuyeng	arto
Badu Atai	adu A
Ottong Sunartong	ttong

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

4. Tampilkan posisi huruf 'e' pertama dalam AGENT_NAME

```

117 SELECT
118     AGENT_NAME,
119     INSTR(AGENT_NAME, 'e') AS POSISI_E
120 FROM AGENTS;
121
122

```

AGENT_NAME	POSISI_E
Lucida	0
Karto Tuyeng	10
Badu Atai	0
Ottong Sunartong	0

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

5. Gabungkan CUST_CITY, WORKING_AREA, CUST_CODE, dan CUST_NAME dalam satu kolom

```

122 SELECT
123     CUST_TERRITORY || ' - ' ||
124     CUST_LANGUAGE || ' - ' ||
125     CUST_CODE || ' - ' ||
126     CUST_FIRST_NAME AS DATA_GABUNG
127 FROM CUSTOMERS;
128
129
130

```

DATA_GABUNG
GERMANY - d - 326 - Hal
GERMANY - d - 327 - Hannah
GERMANY - d - 328 - Hannah
ITALY - i - 333 - Margret

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Oracle APEX 24.2.11

C. Latihan Praktikum Bagian II

- Fungsi Numerik

1. `SELECT ROUND(45.7776383, 2) FROM DUAL;`

ROUND(45.7776383,2)	
45.78	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

2. `SELECT ROUND(45.2246383, 2) FROM DUAL;`

ROUND(45.2246383,2)	
45.22	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

Apa perbedaan antara nomor 1 dan 2 ?

= Sintaks 1: angka dibulatkan ke atas karena 3 angka di belakang lebih besar, sedangkan

Sintaks 2: angka dibulatkan ke bawah karena digit berikutnya kecil.

3. `SELECT TRUNC(45.7776383, 2) FROM DUAL;`

TRUNC(45.7776383,2)	
45.77	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

4. `SELECT TRUNC(45.2246383, 2) FROM DUAL;`

TRUNC(45.2246383,2)	
45.22	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

5. `SELECT MOD(8,2) FROM DUAL;`

MOD(8,2)
0
1 rows returned in 0.00 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

6. SELECT MOD(8,3) FROM DUAL;

MOD(8,3)
2
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

Apa perbedaan hasil sintak 5 dan 6 ?

= Sintaks 1 yang berarti sisa pembagian 0 dan Sintaks 2 merupakan sisa bagian 2

7. SELECT CEIL(2.7), FLOOR(2.7) FROM DUAL;

CEIL(2.7)	FLOOR(2.7)
3	2
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

8. SELECT CEIL(2.7689), FLOOR(2.7689) FROM DUAL;

CEIL(2.7689)	FLOOR(2.7689)
3	2
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

9. SELECT POWER(9,2), POWER(9,3) FROM DUAL;

POWER(9,2)	POWER(9,3)
81	729
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

10. SELECT LN(4), LOG(4,3) FROM DUAL;

LN(4)	LOG(4,3)
1.38629436111989061883446424291635313614	.792481250360578090726869471973908254388
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.	

- Fungsi Tanggal

1. SELECT MONTHS_BETWEEN('10/2/2023','10/2/2022') FROM DUAL;

MONTHS_BETWEEN('10/2/2023','10/2/2022')
12
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

2. SELECT MONTHS_BETWEEN('10/2/2022','10/2/2023') FROM DUAL;

MONTHS_BETWEEN('10/2/2022','10/2/2023')
-12
1 rows returned in 0.00 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

Perbedaan antara sintak 1 dan 2?

= Nomor 1: tahun 2023 – 2022 menghasilkan positif, sedangkan Nomor 2: tahun 2022 – 2023 menghasilkan negatif

3. SELECT ADD_MONTHS('10/2/2022','2') FROM DUAL;

ADD_MONTHS('10/2/2022','2')
12/2/2022
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

4. SELECT ADD_MONTHS('3/22/2022','5') FROM DUAL;

ADD_MONTHS('3/22/2022','5')
8/22/2022
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

5. `SELECT NEXT_DAY('10/2/2023','Monday') FROM DUAL;`

NEXT_DAY('10/2/2023','MONDAY')	
10/9/2023	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

6. `SELECT NEXT_DAY('10/2/2023','Sunday') FROM DUAL;`

NEXT_DAY('10/2/2023','SUNDAY')	
10/8/2023	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

7. `SELECT NEXT_DAY('10/2/2023', 2) FROM DUAL;`

NEXT_DAY('10/2/2023',2)	
10/9/2023	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

Perbedaan antara nomor 5 dengan ini

= Sintaks ke 5 menggunakan nama hari yaitu Monday, sedangkan sintaks ini menggunakan angka yang menunjukkan hari dari 1 - 7. Disini 2 yang berarti menunjukkan hari senin yang berawal dari 1 (minggu), 2(senin)

8. `SELECT NEXT_DAY('10/2/2023', 1) FROM DUAL;`

NEXT_DAY('10/2/2023',1)	
10/8/2023	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

Perbedaan antara nomor 6 dengan ini

= Sintaks ke 6 menggunakan nama hari yaitu Sunday, sedangkan sintaks ini menggunakan angka yang menunjukkan hari dari 1 - 7. Disini 1 yang berarti menunjukkan hari Minggu yang berawal dari 1 (minggu), 2(senin)

9. `SELECT LAST_DAY('3/22/2022') FROM DUAL`

LAST_DAY('3/22/2022')
3/31/2022
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

10. SELECT SYSDATE FROM DUAL

SYSDATE
11/22/2025
1 rows returned in 0.00 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

11. SELECT LAST_DAY(SYSDATE) FROM DUAL

LAST_DAY(SYSDATE)
11/30/2025
1 rows returned in 0.00 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

12. SELECT ROUND(MONTHS_BETWEEN(SYSDATE, '3/22/2020'), 2) FROM DUAL

ROUND(MONTHS_BETWEEN(SYSDATE,'3/22/2020'),2)
68
1 rows returned in 0.01 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

13. SELECT SYSTIMESTAMP FROM DUAL

SYSTIMESTAMP
22-NOV-25 06:23:58.912177 AM +00:00
1 rows returned in 0.00 seconds Download
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

14. SELECT ROUND(SYSDATE, 'MONTH') FROM DUAL

ROUND(SYSDATE,'MONTH')	
12/1/2025	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

15. SELECT ROUND(SYSDATE, 'YEAR') FROM DUAL

ROUND(SYSDATE,'YEAR')	
1/1/2026	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

16. SELECT TRUNC(SYSDATE, 'MONTH') FROM DUAL

TRUNC(SYSDATE,'MONTH')	
11/1/2025	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

17. SELECT TRUNC(SYSDATE, 'YEAR') FROM DUAL

TRUNC(SYSDATE,'YEAR')	
1/1/2025	
1 rows returned in 0.00 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

• Konversi Tipe Data

1. SELECT TO_CHAR(1210.73, '\$9,999.00') FROM DUAL

TO_CHAR(1210.73,'\$9,999.00')	
\$1,210.73	
1 rows returned in 0.01 seconds Download	
pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates. Or	

2. SELECT AGENT_NAME, TO_CHAR(COMMISSION, '\$9,999.00') FROM AGENTS

AGENT_NAME	TO_CHAR(COMMISSION,'\$9,999.00')
Lucida	\$12
Karto Tuyeng	\$11
Badu Atai	\$15
Ottong Sunartong	\$13

3. SELECT ORDER_ID, ORDER_TOTAL, TO_CHAR(ORDER_TOTAL, '999,9'),
TO_CHAR(ORDER_TOTAL, '99,999'), TO_CHAR(ORDER_TOTAL, '\$9,999.00') FROM
ORDERS

ORDER_ID	ORDER_TOTAL	TO_CHAR(ORDER_TOTAL,'999,9')	TO_CHAR(ORDER_TOTAL,'99,999')	TO_CHAR(ORDER_TOTAL,'\$9,999.00')
2458	78279.6	#####	78,280	#####
2397	42283.2	#####	42,283	#####
2454	6653.4	665,3	6,653	\$6,653.40
2354	46257	#####	46,257	#####

Jelaskan perbedaan hasil dari perintah ini? Mengapa bisa berbeda!

= Perintah tersebut bisa berbeda karena fungsi TO_CHAR mengubah data numerik menjadi representasi string berdasarkan aturan.

4. SELECT TO_DATE('2022-10-22', 'YYYY-MM-DD') FROM DUAL

TO_DATE('2022-10-22','YYYY-MM-DD')
10/22/2022
1 rows returned in 0.01 seconds Download


5. SELECT TO_DATE('20221022', 'YYYYMMDD') FROM DUAL

TO_DATE('20221022','YYYYMMDD')
10/22/2022
1 rows returned in 0.00 seconds Download

6. SELECT TO_DATE('20221022', 'YYYY-MM-DD') FROM DUAL

TO_DATE('20221022','YYYY-MM-DD')
10/22/2022
1 rows returned in 0.00 seconds Download

7. SELECT TO_DATE('20221022', 'MM-DD-YYYY') FROM DUAL



Jelaskan apa yang terjadi jika dieksekusikan?

=Karena nilai yang diinterpretasikan untuk bulan adalah **20**, dan nilai bulan yang valid hanya dari 01 hingga 12

D. Tugas Praktikum Bagian II

1. Pada poin 2.2 fungsi tanggal, terdapat 4 sintaks nomor 14-17 yang menggunakan fungsi ROUND dan TRUNC. Jelaskan fungsi dan perbedaan dari perintah tersebut, berdasarkan pilihan MONTH dan YEAR
 - a. Nomor 14
Membulatkan ke hari pertama bulan terdekat. Karena tanggal 22 November sudah melewati tanggal 15 (titik tengah bulan), maka dibulatkan ke bulan berikutnya (1 Desember 2025).
 - b. Nomor 15
Membulatkan ke hari pertama tahun terdekat. Karena bulan November sudah melewati bulan Juli (titik tengah tahun), maka dibulatkan ke tahun berikutnya (1 Januari 2026).
 - c. Nomor 16
Memotong tanggal ke hari pertama bulan saat ini (1 November 2025).
 - d. Nomor 17
Memotong tanggal ke hari pertama tahun saat ini (1 Januari 2025).
2. Badu lahir tanggal 27 Maret 1996. Tuliskanlah perintah SQL yang menampilkan umur Badu tersebut

```
SELECT TRUNC(MONTHS_BETWEEN(SYSDATE, '27-MAR-1996') / 12) AS Umur_Bedu  
FROM DUAL;
```

```
1 SELECT TRUNC(MONTHS_BETWEEN(SYSDATE, 'MAR-27-1996') / 12) AS Umur_Bedu FROM DUAL;
```

Results Explain Describe Saved SQL History

UMUR_BEDU
29

1 rows returned in 0.00 seconds Download

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

3. Ubahlah String “2 january 2022” menjadi date!

SELECT TO_DATE('2 January 2022', 'DD MONTH YYYY') FROM DUAL;

```
6 SELECT TO_DATE('2 January 2022', 'DD MONTH YYYY') FROM DUAL;
```

Results Explain Describe Saved SQL History

TO_DATE('2JANUARY2022','DDMONTHYYYY')
1/2/2022

1 rows returned in 0.00 seconds Download

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

4. Berapa sisa pembagian dari 18976 jika dibagi dengan 34? Tampilkan dengan menggunakan perintah SQL!

SELECT MOD(18976, 34) AS Sisa_Pembagian FROM DUAL;

```
8 SELECT MOD(18976, 34) AS Sisa_Pembagian FROM DUAL;
```

Results Explain Describe Saved SQL History

SISA_PEMBAGIAN
4

1 rows returned in 0.01 seconds Download

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

5. Terdapat angka berikut “4536,87272653” bulatkan angka tersebut menjadi:

- a. 1 angka di belakang koma dengan pembulatan ke atas

SELECT ROUND(4536.87272653, 1) FROM DUAL;

```
1 SELECT ROUND(4536.87272653, 1) FROM DUAL;
```

Results Explain Describe Saved SQL History

ROUND(4536.87272653,1)
4536.9

1 rows returned in 0.00 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

- b. Tanpa ada angka di belakang koma dengan pembulatan ke atas
`SELECT ROUND(4536.87272653) FROM DUAL;`

ROUND(4536.87272653)
4537

1 rows returned in 0.00 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.

- c. Tanpa ada angka di belakang koma dengan pembulatan ke bawah
`SELECT TRUNC(4536.87272653) FROM DUAL;`

```
1 SELECT TRUNC(4536.87272653) FROM DUAL;
```

Results Explain Describe Saved SQL History

TRUNC(4536.87272653)
4536

1 rows returned in 0.01 seconds [Download](#)

pangestu24si@mahasiswa.pcr.ac.id bdl_arya en Copyright © 1999, 2024, Oracle and/or its affiliates.