INDOROSTER GLOBAL

INTERNATIONAL EXPORT CATALOG ARTISAN ARCHITECTURAL BREEZE BLOCKS

Precision Handcrafted Screen Walls & Ventilation Blocks — Direct Workshop Supply from Plered, Purwakarta, Indonesia

Origin & Workshop:	Plered, Purwakarta, West Java, Indonesia (Traditional Stonemasonry Center)
Production Method:	Individually handcrafted & compacted using specialized high-precision steel moulds by Purwakarta artisans
Three Authentic Natural Mixes:	**1. Natural Grey:** Fine Crushed Rock Stone Ash + High-Grade Cement **2. Pure White:** Premium Dolomite Powder + Cement **3. Warm Terracotta:** Natural Red Gravel Powder + Cement
Edge Tolerance:	Strict 90° square-edge precision for minimalist tight joint architectural installations
Commercial Terms:	**EXW (Ex Works)** — IndoRoster Workshop, Plered, Purwakarta
Packaging:	Secure palletized wooden crating with corner edge protection & heavy-duty strapping, ready for freight pickup
Export Sales Desk:	WhatsApp: **+62 813-8970-9847** | Email: **indoroster.official@gmail.com**

NOTICE FOR INTERNATIONAL ARCHITECTS, CONTRACTORS & IMPORTERS:
IndoRoster supplies container-load quantities directly from our workshop. Under **EXW (Ex Works)** terms, we prepare, inspect, palletize, and bundle your order with heavy-duty export strapping ready for pick-up by your appointed freight forwarder or logistics partner. Domestic transit from our workshop to Tanjung Priok Port (IDJKT) is approximately 2.5 hours.

About IndoRoster & Authentic Craftsmanship

Plered Stonemasonry Heritage — Handcrafted with Cement-Bound Natural Minerals

Founded in 2019 in Citeko, Plered, Purwakarta, West Java, **IndoRoster** honors the time-tested masonry heritage of Plered. Every single breeze block is **handcrafted by skilled local artisans using specialized steel moulds**, manually compacted to eliminate air voids and deliver exceptional structural density. Unlike mass-manufactured lightweight foam blocks, our blocks provide the genuine weight, acoustic dampening, and tactile soul of authentic solid stone aggregates.

Authentic Material Composition (Fine Stone Ash & Crushed Minerals)

Variant Name	Mineral Composition & Formula	Visual & Architectural Character
Natural Grey (Fine Stone Ash)	Pure fine crushed rock stone ash (abu batu halus) bound with premium Portland cement.	Contemporary industrial matte concrete finish. High density, superior weather resistance, perfect for modern tropical brutalism.
Pure White (Dolomite)	Natural crushed dolomite mineral powder bound with high-grade cement.	Bright, clean architectural off-white aesthetic. Smooth surface texture favored in minimalist Mediterranean & coastal villa screens.
Terracotta (Gravel Powder)	Specially milled red gravel powder (serbuk gravel merah) bound with cement.	Rich, warm earthen terracotta tone with authentic mineral depth. Non-brittle, non-crumbling, ideal for tropical resort facades.

Technical Specifications & Craftsmanship Standards

Parameter	IndoRoster Specification	Architectural Benefit
Moulding Method	Hand-compacted in custom-machined steel moulds by local artisans	Crisp, sharp 90° profile edges for minimal 5-8 mm mortar joints.
Standard Dimensions	200 × 200 × 100 mm (approx. 7.87 × 7.87 × 3.93 in)	Standard international modular grid for effortless layout drafting.
Unit Weight	Approx. 3.8 – 4.2 kg (8.4 – 9.2 lbs) per piece	Solid self-weight provides superior stability for tall screen walls.
Wall Area Coverage	25 pieces per square meter (approx. 2.3 pcs / sq ft)	Convenient estimation for container and pallet staging.
Production Capacity	6,000+ units per 6-day cycle (~30,000+ pcs/month)	Consistent capacity to fulfill Full Container Load (FCL) orders.

Export Collection: Featured Breeze Block Patterns

Selected High-Demand Architectural Screen Blocks (Standard 20×20×10 cm)

Product Code & Motif	Pattern Description & Architectural Use	Dimensions & Coverage	Available Mineral Finishes
R-001 **Motif MMC**	Modern geometric multi-cut ventilation pattern. Highly popular for exterior boundary walls, privacy balconies, and facade screens.	200 × 200 × 100 mm Weight: ~4.0 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-002 **Motif Kapal (Nautical)**	Aerodynamic diagonal louvre design. Provides directional airflow while shielding interior spaces from direct horizontal rainfall.	200 × 200 × 100 mm Weight: ~4.2 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-003 **Motif Nako LB 1**	Minimalist continuous horizontal slot screen. Ideal for brutalist facades, contemporary villa privacy fencing, and parking structure screens.	200 × 200 × 100 mm Weight: ~3.9 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-004 **Motif Diamond / Ketupat**	Timeless Mid-Century Modern rhombus geometry. When stacked, creates a continuous dramatic diamond lattice wall favored in resort villas.	200 × 200 × 100 mm Weight: ~3.8 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-005 **Motif Bintang (Four-Point Star)**	Iconic tropical architecture motif. Enhances natural daylight dispersion with delicate star-shaped apertures and strong structural perimeter.	200 × 200 × 100 mm Weight: ~4.1 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-006 **Motif Kotak Minimalis (Cube)**	Clean four-quadrant square aperture. Universal aesthetic compatible with modern residential, industrial chic cafes, and commercial lobbies.	200 × 200 × 100 mm Weight: ~3.9 kg 25 pcs / m²	• Fine Stone Ash Grey • Pure Dolomite White • Gravel Terracotta
R-CUSTOM **Bespoke Architectural Moulds**	Custom motif development based on client CAD / 3D models. Minimum Order Quantity (MOQ): 1,000 units. Handcrafted steel tooling fabricated in Plered.	Custom dimensions or standard 200×200 mm	• Custom Natural Mixes • Custom Textures

**Note: Over 90+ additional patterns are available in our archive. Contact our export desk for pattern availability or custom mould inquiries.*

Commercial Terms (EXW) & Packaging

Straightforward, Transparent Workshop-Direct International Procurement

1. Trade Terms: EXW (Ex Works — Workshop Gate)

All international sales orders from IndoRoster are quoted and invoiced on an **EXW (Ex Works)** basis from our workshop in **Citeko, Plered, Purwakarta, West Java, Indonesia**.

• **Seller's Responsibility:** Handcraft blocks to agreed dimensions, perform individual piece quality control, package goods onto reinforced wooden pallets/crates with edge protectors, and make goods available for pickup at our workshop gate.

• **Buyer's Responsibility:** Arrange inland trucking from Purwakarta to departure port (Port of Tanjung Priok, Jakarta), any destination-specific phytosanitary/fumigation if required, export customs documentation, ocean freight booking, cargo insurance, and import clearance.

2. Ocean Container Estimation Guide (20ft GP Container)

Parameter	1×20' General Purpose (GP) Container
Estimated Quantity	**2,400 – 2,800 units** (approx. 96 – 112 m² wall coverage)
Gross Cargo Weight	Approx. 10.5 – 12.0 metric tons (safely within container payload limits)
Packaging Unit	10 to 12 heavy-duty wooden pallets / crates (~240 units per pallet)
Palletizing Standard	Heavy-duty timber pallets, corner edge boards, PET plastic strapping, and weather-resistant stretch wrap
Port of Departure Reference	Port of Tanjung Priok (IDJKT), Jakarta (approx. 85 km / 2.5 hours domestic haul)

3. How to Order: Step-by-Step International Process

Step 1: Inquire & Pattern Selection — Review our catalog, select pattern codes (e.g., R-001, R-004), choose natural material mix (Fine Stone Ash Grey, Dolomite White, Gravel Terracotta), and specify required quantities.

Step 2: Proforma Invoice (PI) & EXW Quotation — We issue a formal commercial proforma invoice in USD with itemized unit pricing, pallet packaging, and estimated production lead time.

Step 3: Payment Confirmation — International wire transfer (T/T). 50% deposit required upon order confirmation to commence artisanal production.

Step 4: Quality Inspection & Balance Payment — Upon production completion, high-resolution photo/video inspection reports are sent. Remaining 50% balance is settled prior to pickup.

Step 5: Workshop Collection — Your appointed forwarder/truck collects the palletized cargo directly from our Purwakarta workshop for transit to port.

READY TO INQUIRE FOR EXPORT ORDERS?
Contact our dedicated international export desk directly:

WhatsApp: +62 813-8970-9847
Email: indoroster.official@gmail.com
Website: https://indoroster.com/export
Location: Citeko, Plered, Purwakarta, West Java 41162, Indonesia