

REQUEST FOR QUOTATION

# Task Chair Family OC-100, Three Back Heights

Complete, assembled swivel task chairs with recline, gas-lift height adjustment and fixed loop arms.

|            |                                                |            |                              |
|------------|------------------------------------------------|------------|------------------------------|
| RFQ number | RFQ-2026-0418                                  | Issue date | 25 Sep 2026                  |
| Buyer      | Northwind Workspace (fictional), Portland, OR  | Quote due  | 16 Oct 2026, 17:00 PT        |
| Contact    | Sourcing team<br>sourcing@northwind.example    | Validity   | Quote valid 90 days          |
| Incoterms  | FOB origin port, and DDP Portland as an option | Payment    | 30% deposit, 70% against B/L |

## Line items

| Line | Part no. | Variant   | Overall height  | Qty breaks        | First delivery                   |
|------|----------|-----------|-----------------|-------------------|----------------------------------|
| 1    | OC-100-H | High back | 1030 to 1080 mm | 100 / 500 / 2,000 | Pilot 20 units, then 60 days ARO |
| 2    | OC-100-M | Mid back  | 930 to 980 mm   | 100 / 500 / 2,000 | Pilot 20 units, then 60 days ARO |
| 3    | OC-100-L | Low back  | 830 to 880 mm   | 100 / 500 / 2,000 | Pilot 20 units, then 60 days ARO |

## Scope of work

[AI] Supply fully assembled (or knock-down, supplier to propose) office task chairs in three back heights that share one seat, base, gas lift, mechanism and arm. Scope includes tooling for any molded parts, sourcing of purchased components, upholstery, assembly, testing to the standards in Doc C, packaging and export documentation. Quote each variant and quantity break separately, with tooling (NRE) as its own line.

## Package contents

| Doc | Title                                            | Format                             |
|-----|--------------------------------------------------|------------------------------------|
| A   | RFQ cover (this page)                            | PDF                                |
| B   | Product specification: views and key dimensions  | PDF, p.2                           |
| C   | Component specification, standards and packaging | PDF, p.3                           |
| D   | Supplier quote response form                     | PDF, p.4                           |
| E   | Dimension drawing, office_chair.dwg              | DWG 2007, 2D (attached separately) |
| F   | Data provenance and open items (internal)        | PDF, p.5                           |

## How to respond


[AI] Return Doc D with your catalogue model number if you already make a comparable chair, photos of it, and any exceptions. A close existing model with a changed back height is welcome and usually cheaper than new tooling. Questions to sourcing@northwind.example by 07 Oct 2026.

Field sources: [CAD] read from the DWG · [ENG] engineer or buyer input (placeholder values in this sample) · [AI] drafted by AI. Tags are hidden in the supplier copy.

DOC B

## Product Specification: Views and Key Dimensions

Front, side and top views reproduced from the DWG as vector geometry. The ghosted outline in the side view is the reclined back position. All dimensions in mm.



| Dimension (as labelled on drawing)               | High            | Mid       | Low             | Source |
|--------------------------------------------------|-----------------|-----------|-----------------|--------|
| Overall height                                   | 1030–1080       | 930–980   | 830–880         | [CAD]  |
| Seat height (floor to seat top)                  | 460–510         | 460–510   | 460–510         | [CAD]  |
| Back height above seat                           | 570             | 550       | 540             | [CAD]  |
| Lumbar zone height                               | 260             | 260       | 260             | [CAD]  |
| Upper back section                               | 340–345         | 320–325   | 310–315         | [CAD]  |
| Height labelled 730–735 (likely arm top)         | 730–735         | 730–735   | 730–735         | [CAD]  |
| Overall width / seat width                       | not dimensioned | 580 / 480 | 580 / 480       | [CAD]  |
| Width between arms                               | not dimensioned | 430       | not dimensioned | [CAD]  |
| Seat depth                                       | 405             | 405       | 405             | [CAD]  |
| Overall depth, upright to reclined               | 660–860         | 620–820   | 540–740         | [CAD]  |
| Gas lift stroke (derived from seat height range) | 50              | 50        | 50              | [CAD]  |
| Recline travel at top of back (derived)          | ~200            | ~200      | ~200            | [CAD]  |

DOC C

# Component Specification, Standards and Packaging

None of this is in the DWG. Values below are typical placeholders the buyer would confirm in the platform before sending.

## Components (shared across all three variants)

| Component          | Requirement                                                                                           | Source |
|--------------------|-------------------------------------------------------------------------------------------------------|--------|
| 5-star base        | Glass-filled nylon (PA6 GF30) or polished aluminum. Supplier to state diameter; drawing shows 5 legs. | [ENG]  |
| Casters            | 5x twin-wheel, 50 mm, hard floor (PU tread) and carpet options; 11 mm stem.                           | [ENG]  |
| Gas lift           | Class 4 cylinder, 50 mm stroke to meet 460–510 seat height, EN 16955 certified.                       | [ENG]  |
| Mechanism          | Synchro-tilt with tension knob and upright lock, recline to match ghosted side view.                  | [ENG]  |
| Seat               | Molded PP shell, cold-cure PU foam 45 to 50 kg/m³, 60 mm thick, upholstered.                          | [ENG]  |
| Back (per variant) | Frame plus mesh or upholstered pad. Only back height differs between H / M / L.                       | [ENG]  |
| Arms               | Fixed loop arms, PP over steel core. Confirm whether arms move with seat (see Doc F flags).           | [ENG]  |
| Upholstery         | Polyester fabric, min. 100,000 Martindale rubs, buyer colour standard to follow.                      | [ENG]  |

## Standards and testing

- [ENG] ANSI/BIFMA X5.1 general-purpose office chair tests, third-party lab report per variant (or one report plus back-height justification).
- [ENG] EN 1335 dimensions and safety if the chair will also be sold in Europe.
- [ENG] CAL TB 117-2013 smolder resistance for upholstered parts.
- [AI] Certificate of conformance and material declarations (RoHS, REACH SVHC) with each shipment.
- [AI] Pre-shipment inspection at AQL 2.5 major / 4.0 minor, buyer may send a third-party inspector.

## Packaging and shipping

- [AI] One chair per 5-ply carton, knock-down with base, arms and back packed separately, hardware bagged and labeled.
- [AI] Carton passes ISTA 3A (parcel) drop test. State carton size and chairs per 40' HQ container.
- [AI] Carton label: part number, variant, colour, PO number, gross weight. Assembly sheet in each box.

## Commercial terms

[AI] Tooling paid by the buyer becomes buyer property and is marked as such. Any change to foam, fabric, mechanism or gas lift supplier after approval of the pilot needs written notice and re-approval.

DOC D

# Supplier Quote Response Form

Return by 16 Oct 2026. Prices in USD, FOB origin port unless stated.

|                        |  |               |                                                          |
|------------------------|--|---------------|----------------------------------------------------------|
| Supplier name          |  | Quote ref.    |                                                          |
| Contact / email        |  | Origin port   |                                                          |
| Closest existing model |  | BIFMA report? | <input type="checkbox"/> Yes <input type="checkbox"/> No |

## Unit pricing

| Variant            | 100 | 500 | 2,000 | Lead time (days) | MOQ |
|--------------------|-----|-----|-------|------------------|-----|
| OC-100-H High back |     |     |       |                  |     |
| OC-100-M Mid back  |     |     |       |                  |     |
| OC-100-L Low back  |     |     |       |                  |     |

## Tooling and one-time costs

| Item                         | Cost | Owner                                                            | Notes |
|------------------------------|------|------------------------------------------------------------------|-------|
| Seat shell mold              |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |
| Back frame molds (H / M / L) |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |
| Arm mold                     |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |
| Base mold (if not stock)     |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |
| Testing (BIFMA / TB117)      |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |
| Samples (3 variants)         |      | <input type="checkbox"/> Buyer <input type="checkbox"/> Supplier |       |

## Logistics

|                              |                                                                      |
|------------------------------|----------------------------------------------------------------------|
| Carton size and gross weight |                                                                      |
| Chairs per 40' HQ            |                                                                      |
| Knock-down or assembled      | <input type="checkbox"/> KD <input type="checkbox"/> Fully assembled |

## Exceptions and cost-down suggestions

Authorized signature

Name and title

Date

DOC F · INTERNAL, NOT SENT TO SUPPLIERS

## Data Provenance and Open Items

What the platform found in office\_chair.dwg: an AutoCAD 2007 file, units set to millimetres, holding a 2D catalogue-style dimension drawing (front, side and top views) of three chair variants. About 3,000 lines and arcs, 44 dimension labels, no 3D solids, no blocks, no title block, no material or finish data. A layer named “dwgmodels.com” suggests it came from a free CAD library, so it describes the chair’s envelope, not a manufacturable design.

| Read from the DWG                                                                                                                                                                                                                                   | Derived from DWG values                                                                                                                                                                                 | Needs engineer / buyer                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• 3 variants and their views</li><li>• Overall, seat and back heights</li><li>• Seat and overall width</li><li>• Seat depth and recline depth</li><li>• Units (mm)</li><li>• Vector views for Doc B</li></ul> | <ul style="list-style-type: none"><li>• 50 mm gas lift stroke</li><li>• ~200 mm recline travel</li><li>• Shared seat/base across variants</li><li>• 5-star base, fixed loop arms (from views)</li></ul> | <ul style="list-style-type: none"><li>• All materials and components</li><li>• Foam, fabric, colour</li><li>• Standards and test plan</li><li>• Quantities, dates, terms</li><li>• Base diameter, caster size</li></ul> |

### Flags raised during generation

| Flag | What the platform noticed                                                                                                           | Resolution                                                                  |
|------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| Open | Dimensions are plain text placed next to lines, not associative DIMENSION entities, so values were matched to features by position. | Engineer to confirm the Doc B table against the drawing.                    |
| Open | Height labelled 730–735 varies by only 5 mm while seat height varies by 50 mm. If it is arm height, arms do not move with the seat. | Confirm what it measures and whether arms are seat-mounted.                 |
| Open | High-back variant has no width dimensions.                                                                                          | Assumed same 580 / 480 as the other two; confirm.                           |
| Open | No base diameter, caster size or overall weight in the file.                                                                        | Left for supplier to state on the quote form.                               |
| Info | File looks like a downloaded library model, not an in-house design.                                                                 | Fine for a sourcing RFQ of a standard chair; not enough for custom tooling. |

### What this means for the product

A DWG like this is enough to generate the RFQ structure, the drawing sheet and the dimension table. For an assembly bought as a finished product, most of the RFQ is a component and standards spec that the engineer has to fill in; the value is in prompting for those fields and flagging inconsistencies, as above.