

NAME: ACHEAPONG PANIN DARKWAH
ID : 81152028
COHORT : B

MariaDB [(none)]> create database EliteVidoeDatabase;
Query OK, 1 row affected (0.003 sec)

MariaDB [(none)]> use EliteVidoeDatabase;
Database changed

MariaDB [EliteVidoeDatabase]> CREATE TABLE Membership (
-> Mem_Num varchar(3) primary key,
-> Fname varchar(225) not null,
-> Lname varchar(225) not null,
-> Mem_City varchar(225) not null,
-> Mem_State varchar(225) not null,
-> Mem_Zip varchar(225),
-> Mem_Balance int(10) not null
->);

MariaDB [EliteVidoeDatabase]> CREATE TABLE Rental (
-> Rent_num varchar(4) primary key,
-> Rent_date varchar(225) not null,
-> Mem_Num varchar(3) not null,
-> constraint fk_member foreign key (Mem_Num) references Membership(Mem_Num)
->);
Query OK, 0 rows affected (0.036 sec)

MariaDB [EliteVidoeDatabase]> CREATE TABLE Price (
-> Price_code varchar(6) primary key,
-> Price_Description varchar(225),
-> Price_RentFee decimal(10,2),
-> Price_DailyLateFee int(10)
->);
Query OK, 0 rows affected (0.035 sec)

MariaDB [EliteVidoeDatabase]> CREATE TABLE Movie (
-> Movie_Num varchar(4) primary key,
-> Movie_Year varchar(4) not null,
-> Movie_Title varchar(225) not null,
-> Movie_Cost decimal(10,2) not null,
-> Movie_Genre varchar(225) not null,
-> Price_code varchar(5),
-> constraint fk_pricecode foreign key (Price_code) references
Price(Price_code)
->);
Query OK, 0 rows affected (0.017 sec)

MariaDB [EliteVidoeDatabase]> CREATE TABLE Video (
-> Vid_Num varchar(5) primary key,

```

-> Vid_indate varchar(225),
-> Movie_Num varchar(4),
-> constraint fk_MovieNum foreign key (Movie_Num) references Movie(Movie_Num)
-> );

```

Query OK, 0 rows affected (0.041 sec)

```

MariaDB [EliteVidoeDatabase]> CREATE TABLE DetailRental (
-> Rent_Num varchar(4),
-> Vid_Num varchar(5),
-> Detail_Fee varchar(225),
-> Detail_Duedate varchar(225) not null,
-> detail_Returndate varchar(225),
-> Detail_DailyLateFee int(10),
-> constraint pk_detailrental primary key (Rent_Num, Vid_Num),
-> constraint fk_rent foreign key (Rent_Num) references Rental(Rent_num)
-> );

```

Query OK, 0 rows affected, 1 warning (0.060 sec)

MariaDB [EliteVidoeDatabase]> show tables;

```

+-----+
| Tables_in_elitevidoedatabase |
+-----+
| detailrental                  |
| membership                    |
| movie                         |
| price                         |
| rental                        |
| video                         |
+-----+

```

6 rows in set (0.032 sec)

```

MariaDB [EliteVidoeDatabase]> ALTER TABLE Membership ADD Mem_Street varchar(225)
not null;

```

Query OK, 0 rows affected (0.019 sec)

Records: 0 Duplicates: 0 Warnings: 0

```

MariaDB [EliteVidoeDatabase]> INSERT INTO Membership (Mem_Num, Fname, Lname,
Mem_Street, Mem_City, Mem_State, Mem_Zip, Mem_Balance) VALUES
-> (102, 'Tami', 'Dawson', '2632 Takli Circle', 'Norene',
'TN', '37136', 11),
-> (103, 'Curt', 'Knight', '4025 Cornell Court', 'Flatgap',
'KY', '41219', 6),
-> (104, 'Jamal', 'Melendez', '788 East 145th Avenue', 'Quebeck',
'TN', '38579', 0),
-> (105, 'Iva', 'Mcclain', '6045 Musket Ball Circle', 'Summit',
'KY', '42783', 15),
-> (106, 'Miranda', 'Parks', '4469 Maxwell Place', 'Germantown',
'TN', '38183', 0),
-> (107, 'Rosario', 'Elliott', '7578 Danner Avenue', 'Columbia',

```

```

'TN', '38402', 5),
-> (108, 'Mattie', 'Guy', '4390 Evergreen Street', 'Lily',
'KY', '40740', 0),
-> (109, 'Clint', 'Ochoa', '1711 Elm Street', 'Greeneville',
'TN', '37745', 10),
-> (110, 'Lewis', 'Rosales', '4524 Southwind Circle', 'Counce',
'TN', '38326', 0),
-> (111, 'Stacy', 'Mann', '2789 East Cook Avenue', 'Murfreesboro',
'TN', '37132', 8),
-> (112, 'Luis', 'Trujillo', '7267 Melvin Avenue', 'Heiskell',
'TN', '37754', 3),
-> (113, 'Minnie', 'Gonzales', '6430 Vasili Drive', 'Williston',
'TN', '38076', 0);
Query OK, 12 rows affected (0.012 sec)
Records: 12 Duplicates: 0 Warnings: 0

```

```

MariaDB [EliteVidoeDatabase]> INSERT INTO Rental (Rent_num, Rent_date, Mem_Num)
VALUES
-> (1001, '01-MAR-16', 103),
-> (1002, '01-MAR-16', 105),
-> (1003, '02-MAR-16', 102),
-> (1004, '02-MAR-16', 110),
-> (1005, '02-MAR-16', 111),
-> (1006, '02-MAR-16', 107),
-> (1007, '02-MAR-16', 104),
-> (1008, '03-MAR-16', 105),
-> (1009, '03-MAR-16', 111);
Query OK, 9 rows affected (0.005 sec)
Records: 9 Duplicates: 0 Warnings: 0

```

```

MariaDB [EliteVidoeDatabase]> INSERT INTO Price (Price_code, Price_Description,
Price_RentFee, Price_DailyLateFee) VALUES
-> (1, 'Standard', 2, 1),
-> (2, 'New Release', 3.5, 3),
-> (3, 'Discount', 1.5, 1),
-> (4, 'Weekly Special', 1, 0.5);
Query OK, 4 rows affected (0.004 sec)
Records: 4 Duplicates: 0 Warnings: 0

```

```

MariaDB [EliteVidoeDatabase]> INSERT INTO Movie (Movie_Num, Movie_Year,
Movie_Title, Movie_Cost, Movie_Genre, Price_code) VALUES
-> (1234, 2014, 'The Cesar Family Christmas', 39.95, 'FAMILY', 2),
-> (1235, 2011, 'Smokey Mountain Wildlife', 59.95, 'ACTION', 1),
-> (1236, 2015, 'Richard Goodhope', 59.95, 'DRAMA', 2),
-> (1237, 2014, 'Beatnik Fever', 29.95, 'COMEDY', 2),
-> (1238, 2015, 'Constant Companion', 89.95, 'DRAMA', NULL),
-> (1239, 2005, 'Where Hope Dies', 25.49, 'DRAMA', 3),
-> (1245, 2012, 'Time to Burn', 45.49, 'ACTION', 1),
-> (1246, 2013, 'What He Doesn\'t Know', 58.29, 'COMEDY', 1);

```

Query OK, 8 rows affected (0.005 sec)
Records: 8 Duplicates: 0 Warnings: 0

MariaDB [EliteVidoeDatabase]> INSERT INTO Video (Vid_Num, Vid_indate, Movie_Num)
VALUES

```
-> (54321, '18-JUN-15', 1234),  
-> (54324, '18-JUN-15', 1234),  
-> (54325, '18-JUN-15', 1234),  
-> (34341, '22-JAN-14', 1235),  
-> (34342, '22-JAN-14', 1235),  
-> (34366, '02-MAR-16', 1236),  
-> (34367, '02-MAR-16', 1236),  
-> (34368, '02-MAR-16', 1236),  
-> (34369, '02-MAR-16', 1236),  
-> (44392, '21-OCT-15', 1237),  
-> (44397, '21-OCT-15', 1237),  
-> (59237, '14-FEB-16', 1237),  
-> (61388, '25-JAN-14', 1239),  
-> (61353, '28-JAN-13', 1245),  
-> (61354, '28-JAN-13', 1245);
```

Query OK, 15 rows affected (0.004 sec)
Records: 15 Duplicates: 0 Warnings: 0

MariaDB [EliteVidoeDatabase]> INSERT INTO DetailRental (Rent_Num, Vid_Num,
Detail_Fee, Detail_Duedate, Detail_ReturnDate, Detail_DailyLateFee) VALUES

```
-> (1001, 34342, 2, '04-MAR-16', '02-MAR-16', NULL),  
-> (1001, 61353, 2, '04-MAR-16', '03-MAR-16', 1),  
-> (1002, 59237, 3.5, '04-MAR-16', '04-MAR-16', 3),  
-> (1003, 54325, 3.5, '04-MAR-16', '09-MAR-16', 3),  
-> (1003, 61369, 2, '06-MAR-16', '09-MAR-16', 1),  
-> (1003, 61388, 0, '06-MAR-16', '09-MAR-16', 1),  
-> (1004, 44392, 3.5, '05-MAR-16', '07-MAR-16', 3),  
-> (1004, 34367, 3.5, '05-MAR-16', '07-MAR-16', 3),  
-> (1004, 34341, 2, '07-MAR-16', '07-MAR-16', 1),  
-> (1005, 34342, 2, '07-MAR-16', '05-MAR-16', 1),  
-> (1005, 44397, 3.5, '05-MAR-16', '05-MAR-16', 3),  
-> (1006, 34366, 3.5, '05-MAR-16', '04-MAR-16', 3),  
-> (1006, 61367, 2, '07-MAR-16', NULL, 1),  
-> (1007, 34368, 3.5, '05-MAR-16', NULL, 3),  
-> (1008, 34369, 3.5, '05-MAR-16', '05-MAR-16', 3),  
-> (1009, 54324, 3.5, '05-MAR-16', NULL, 3),  
-> (1001, 34366, 3.5, '04-MAR-16', '02-MAR-16', 3);
```

Query OK, 17 rows affected (0.006 sec)
Records: 17 Duplicates: 0 Warnings: 0

Question 3

t line 1

MariaDB [EliteVidoeDatabase]> SELECT Movie_Num FROM Movie WHERE Movie_Num = '1245';

```
+-----+
| Movie_Num |
+-----+
| 1245      |
+-----+
```

1 row in set (0.024 sec)

MariaDB [EliteVidoeDatabase]> UPDATE Movie SET Movie_Year = '2010' WHERE Movie_Num = '1245';

Query OK, 1 row affected (0.006 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [EliteVidoeDatabase]> SELECT * FROM Movie WHERE Movie_Num = '1245';

```
+-----+-----+-----+-----+-----+-----+
| Movie_Num | Movie_Year | Movie_Title | Movie_Cost | Movie_Genre | Price_code |
+-----+-----+-----+-----+-----+-----+
| 1245      | 2010      | Time to Burn | 45.49      | ACTION      | 1          |
+-----+-----+-----+-----+-----+-----+
```

1 row in set (0.003 sec)

Question 4

MariaDB [EliteVidoeDatabase]> select Movie_Genre from Movie where Movie_Genre = 'ACTION';

```
+-----+
| Movie_Genre |
+-----+
| ACTION      |
| ACTION      |
+-----+
```

2 rows in set (0.004 sec)

MariaDB [EliteVidoeDatabase]> update Movie set Price_Code = '3' where Movie_Genre = 'ACTION';

Query OK, 2 rows affected (0.020 sec)

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [EliteVidoeDatabase]> select Movie_Genre from Movie where Movie_Genre = 'ACTION';

```
+-----+
| Movie_Genre |
+-----+
| ACTION      |
| ACTION      |
+-----+
```

2 rows in set (0.002 sec)

Question 5

MariaDB [EliteVidoeDatabase]> select Price_Rentfee from Price;

Price_Rentfee
2.00
3.50
1.50
1.00

4 rows in set (0.005 sec)

MariaDB [EliteVidoeDatabase]> update Price set Price_Rentfee = Price_Rentfee + 0.50;

Query OK, 4 rows affected (0.004 sec)

Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [EliteVidoeDatabase]> select Price_Rentfee from Price;

Price_Rentfee
2.50
4.00
2.00
1.50

4 rows in set (0.001 sec)

Question 6

MariaDB [EliteVidoeDatabase]> select Movie_Title, Movie_Year,Movie_Genre from Movie;

Movie_Title	Movie_Year	Movie_Genre
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.005 sec)

Question 7

SELECT Movie_Year, Movie_Title, Movie_Cost FROM Movie ORDER BY Movie_Year DESC;

Movie_Year	Movie_Title	Movie_Cost
------------	-------------	------------

2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.004 sec)

Question 8

MariaDB [EliteVidoeDatabase]> SELECT Movie_Title, Movie_Year,Movie_Genre FROM movie ORDER BY Movie_Genre ASC, Movie_year DESC;

Movie_Title	Movie_Year	Movie_Genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.002 sec)

Question 9

SELECT Movie_Num, Movie_Title, Price_code FROM Movie WHERE Movie_Title LIKE 'R%';

Movie_Num	Movie_Title	Price_code
1236	Richard Goodhope	2

Question 10

SELECT Movie_Title, Movie_Year, Movie_Cost FROM Movie WHERE Movie_Title LIKE '%hope%';

Movie_Title	Movie_Year	Movie_Cost
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

Question 11

SELECT Movie_Title, Movie_Year, Movie_Genre FROM Movie where Movie_Genre = 'ACTION';

Movie_Title	Movie_Year	Movie_Genre
-------------	------------	-------------

Movie_Title	Movie_Year	Movie_Genre
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION

Question 12

SELECT Movie_Num, Movie_Title, Movie_Cost from Movie WHERE Movie_Cost > 40;

Movie_Num	Movie_Title	Movie_Cost
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time to Burn	45.49
1246	What He Doesn't Know	58.29

Question 13

SELECT Movie_Num, Movie_Title, Movie_Cost, Movie_Genre FROM Movie WHERE (Movie_Genre = 'ACTION' OR Movie_Genre = 'COMEDY') AND Movie_Cost < 50 ORDER BY Movie_Genre ASC;

Movie_Num	Movie_Title	Movie_Cost	Movie_Genre
1245	Time to Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY

Question 14

MariaDB [eliteviedoedatabase]> SELECT Mem_Num,FName,LName, Mem_Street, Mem_State, Mem_Balance FROM Membership WHERE Mem_State ='TN' AND Mem_Balance < 5 AND Mem_Street LIKE '%Avenue';

Mem_Num	FName	LName	Mem_Street	Mem_State	Mem_Balance
104	Jamal	Melendez	788 East 145th Avenue	TN	0
112	Luis	Trujillo	7267 Melvin Avenue	TN	3

Question 15

SELECT Movie_Genre, COUNT(*) AS Number_of_Movies FROM Movie GROUP BY Movie_Genre;

Movie_Genre	Number_of_Movies
ACTION	2
COMEDY	2
DRAMA	3
FAMILY	1

+-----+-----+

Question 16

```
SELECT ROUND(AVG(Movie_Cost),4) AS Average_Movie_Cost FROM Movie;
```

Average_Movie_Cost
51.1275

Question 17

```
SELECT Movie_Genre, ROUND(AVG(Movie_Cost), 2) AS Average_Cost FROM Movie GROUP BY Movie_Genre;
```

Movie_Genre	Average_Cost
ACTION	52.72
COMEDY	44.12
DRAMA	58.46
FAMILY	39.95

Question 18

```
SELECT m.Movie_Title, m.Movie_Genre, p.Price_Description, p.Price_RentFee FROM Movie AS m JOIN Price AS p ON m.Price_code = p.Price_code WHERE m.Price_code IS NOT NULL;
```

Movie_Title	Movie_Genre	Price_Description	Price_RentFee
What He Doesn't Know	COMEDY	Standard	2.50
The Cesar Family Christmas	FAMILY	New Release	4.00
Richard Goodhope	DRAMA	New Release	4.00
Beatnik Fever	COMEDY	New Release	4.00
Smokey Mountain Wildlife	ACTION	Discount	2.00
Where Hope Dies	DRAMA	Discount	2.00
Time to Burn	ACTION	Discount	2.00

Question 19

```
SELECT m.Movie_Genre, ROUND(AVG(Price_RentFee),2) AS 'Average Rental Fee' FROM Movie AS m JOIN Price AS P ON m.Price_code = p.Price_code WHERE m.Price_code IS NOT NULL GROUP BY m.Movie_Genre;
```

Movie_Genre	Average Rental Fee
ACTION	2.00
COMEDY	3.25
DRAMA	3.00
FAMILY	4.00

+-----+-----+

Question 20

```
SELECT Movie_Title, ROUND(m.Movie_Cost / p.Price_RentFee, 2) AS 'Breakeven Rentals'
FROM Movie AS m JOIN Price AS P ON m.Price_code = p.Price_code WHERE M.Price_code
IS NOT NULL;
```

Movie_Title	Breakeven Rentals
What He Doesn't Know	23.32
The Cesar Family Christmas	9.99
Richard Goodhope	14.99
Beatnik Fever	7.49
Smokey Mountain Wildlife	29.98
Where Hope Dies	12.75
Time to Burn	22.75

Question 21

```
SELECT Movie_Title, Movie_Year FROM Movie WHERE Price_Code IS NOT NULL;
```

Movie_Title	Movie_Year
What He Doesn't Know	2013
The Cesar Family Christmas	2014
Richard Goodhope	2015
Beatnik Fever	2014
Smokey Mountain Wildlife	2011
Where Hope Dies	2005
Time to Burn	2010

Question 22

```
SELECT Movie_Title, Movie_Genre, Movie_Cost FROM Movie WHERE Movie_Cost BETWEEN
'44.99' AND '49.99';
```

Movie_Title	Movie_Genre	Movie_Cost
Time to Burn	ACTION	45.49

Question 23

```
SELECT m.Movie_Title, p.Price_Description, p.Price_RentFee, m.Movie_Genre FROM
Movie m JOIN Price p ON m.Price_code = p.Price_code WHERE m.Movie_Genre IN
('FAMILY', 'COMEDY', 'DRAMA');
```

Movie_Title	Price_Description	Price_RentFee	Movie_Genre
The Cesar Family Christmas	New Release	4.00	FAMILY

Richard Goodhope	New Release	4.00	DRAMA
Beatnik Fever	New Release	4.00	COMEDY
Where Hope Dies	Discount	2.00	DRAMA
What He Doesn't Know	Standard	2.50	COMEDY

Question 24

```
SELECT DISTINCT m.Mem_Num, m.Fname, m.Lname, m.Mem_Balance FROM Membership m JOIN
Rental r ON m.Mem_Num = r.Mem_Num;
```

Mem_Num	Fname	Lname	Mem_Balance
102	Tami	Dawson	11
103	Curt	Knight	6
104	Jamal	Melendez	0
105	Iva	Mcclain	15
107	Rosario	Elliott	5
110	Lewis	Rosales	0
111	Stacy	Mann	8

Question 25

```
SELECT MIN(mem_balance) as "Minimum Balance", MAX (mem_balance) as "Maximum
Balance", ROUND (AVG (mem_balance),2) as "Average Balance" from (SELECT DISTINCT
membership.mem_num, membership.mem_balance from membership JOIN rental ON
membership.mem_num = rental.mem_num) AS unique_members;
```

Minimum Balance	Maximum Balance	Average Balance
0	15	6.43

Question 26

```
SELECT r.Rent_num, r.Rent_date, dr.Vid_Num, m.Movie_Title, dr.Detail_Duedate,
dr.Detail_ReturnDate
```

```
FROM Rental r
```

```
JOIN DetailRental dr ON r.Rent_num = dr.Rent_Num
```

```
JOIN Video v ON dr.Vid_Num = v.Vid_Num
```

```
JOIN Movie m ON v.Movie_Num = m.Movie_Num
```

```
WHERE dr.Detail_ReturnDate > dr.Detail_Duedate
```

```
ORDER BY r.Rent_num, m.Movie_Title;
```

Rent_num	Rent_date	Vid_Num	Movie_Title	Detail_Duedate	Detail_ReturnDate
1003	02-MAR-16	54325	The Cesar Family Christmas	04-MAR-16	09-MAR-16
1003	02-MAR-16	61388	Where Hope Dies	06-MAR-16	

[illegible]

Question 27

Rent_num	Rent_date	Movie_Title	Detail_Fee
1001	01-MAR-16	Smokey Mountain Wildlife	2
1001	01-MAR-16	Richard Goodhope	3.5
1001	01-MAR-16	Time to Burn	2
1002	01-MAR-16	Beatnik Fever	3.5
1004	02-MAR-16	Smokey Mountain Wildlife	2
1005	02-MAR-16	Smokey Mountain Wildlife	2
1005	02-MAR-16	Beatnik Fever	3.5
1006	02-MAR-16	Richard Goodhope	3.5
1008	03-MAR-16	Richard Goodhope	3.5

Question 28

movie_num	movie_genre	movie_cost	Average_Cost	Percent_Difference
1235	ACTION	59.95	52.72	13.71
1245	ACTION	45.49	52.72	-13.71
1246	COMEDY	58.29	44.12	32.12
1237	COMEDY	29.95	44.12	-32.12
1236	DRAMA	59.95	58.46	2.54
1239	DRAMA	25.49	58.46	-56.40
1238	DRAMA	89.95	58.46	53.86
1234	FAMILY	39.95	39.95	0.00