

Laporan Praktikum PSW 1

Judul Components dan Props pada React



Nama :Christofel Adventus Siagian
NIM :41425032
Program Studi :D-IV TEKNOLOGI REKAYASA PERANGKAT LUNAK

**FAKULTAS VOKASI
INSTITUT TEKNOLOGI DEL**

```

Microsoft Windows [Version 10.0.26200.6899]
(c) Microsoft Corporation. All rights reserved.

C:\kuliah\semester 1\Pengembangan Situs Web I\week 11\praktikum\psw1_d4trpl_w11s02_41425032>pnpm create vite
|
o Project name:
| components-and-props
o Select a framework:
| React
o Select a variant:
| JavaScript
o Use rolldown-vite (Experimental)?:
| No
* Install with pnpm and start now?
| > Yes / No
_

```

```

Microsoft Windows [Version 10.0.26200.6899]
(c) Microsoft Corporation. All rights reserved.

C:\kuliah\semester 1\Pengembangan Situs Web I\week 11\praktikum\psw1_d4trpl_w11s02_41425032>pnpm create vite
|
o Project name:
| components-and-props
o Select a framework:
| React
o Select a variant:
| JavaScript
o Use rolldown-vite (Experimental)?:
| No
o Install with pnpm and start now?
| Yes
o Scaffolding project in C:\kuliah\semester 1\Pengembangan Situs Web I\week 11\praktikum\psw1_d4trpl_w11s02_41425032\components-and-props...
|
o Installing dependencies with pnpm...
WARN Request took 13603ms: https://registry.npmjs.org/vite
WARN Request took 20154ms: https://registry.npmjs.org/@types%2freact
WARN Request took 32749ms: https://registry.npmjs.org/react-dom
WARN Request took 34474ms: https://registry.npmjs.org/react
WARN Request took 37862ms: https://registry.npmjs.org/eslint-plugin-react-hooks
WARN 15 other warnings
Packages: +155
Progress: resolved 199, reused 147, downloaded 6, added 153, done

dependencies:
+ react 19.2.0
+ react-dom 19.2.0

devDependencies:
+ @eslint/js 9.39.1
+ @types/react 19.2.2
+ @types/react-dom 19.2.2
+ @vitejs/plugin-react 5.1.0
+ eslint 9.39.1
+ eslint-plugin-react-hooks 5.2.0 (7.0.1 is available)
+ eslint-plugin-react-refresh 0.4.24
+ globals 16.5.0
+ vite 7.2.0

Warning
Ignored build scripts: esbuild.
Run "pnpm approve-builds" to pick which dependencies should be
allowed to run scripts.

```




```


Done in 2m 31.5s using pnpm v10.20.0
|
o Starting dev server...

> components-and-props@0.0.0 dev C:\kuliah\semester 1\Pengembangan Situs Web I\week 11\praktikum\psw1_d4trpl_w11s02_41425032\components-and-props
> vite

VITE v7.2.0 ready in 1600 ms
➔ Local:   http://localhost:5173/
➔ Network: use --host to expose
➔ press h + enter to show help



```







The image shows a Visual Studio Code editor window with the Explorer sidebar on the left. The Explorer sidebar shows a project structure with folders like 'components-and-props', 'node_modules', 'public', and 'src'. The 'src' folder is expanded, showing files like 'App.css', 'App.jsx', 'index.css', and 'main.jsx'. The 'main.jsx' file is selected and its content is displayed in the main editor area. The code in 'main.jsx' is as follows:



```
1 import { StrictMode } from 'react'
2 import { createRoot } from 'react-dom/client'
3 import './index.css'
4 import App from './App.jsx'
5
6 createRoot(document.getElementById('root')).render(
7   <StrictMode>
8     <App />
9   </StrictMode>,
10 )
11
```



The image shows a Visual Studio Code editor window with the Explorer sidebar on the left. The Explorer sidebar shows a project structure with folders like 'components-and-props', 'node_modules', 'public', and 'src'. The 'src' folder is expanded, showing files like 'App.css', 'App.jsx', 'index.css', and 'main.jsx'. The 'main.jsx' file is selected and its content is displayed in the main editor area. The code in 'main.jsx' is as follows:

```
1 import { StrictMode } from 'react'
2 import { createRoot } from 'react-dom/client'
3 import App from './App.jsx'
4
5 createRoot(document.getElementById('root')).render(
6   <StrictMode>
7     <App />
8   </StrictMode>,
9 )
10
```





This screenshot shows the Visual Studio Code editor with the file explorer on the left. The project structure is as follows:




- COMPONENTS-AND-PROPS
 - node_modules
 - public
 - src
 - assets
 - components
 - header.jsx (selected)
- App.jsx
- main.jsx
- .gitignore
- eslint.config.js
- index.html
- package.json
- pnpm-lock.yaml
- README.md
- vite.config.js


The breadcrumb navigation at the top of the editor shows: `src > components > header.jsx > Header`. The code in `header.jsx` is:

```
1 export default function Header(){
2   return <h1>Belajar React Bersama D4TRPL</h1>;
3 }
```


This screenshot shows the Visual Studio Code editor with the file explorer on the left. The project structure is the same as the first screenshot. The breadcrumb navigation at the top of the editor shows: `src > App.jsx > default`. The code in `App.jsx` is:

```
1 import Header from "../components/header";
2
3 function App() {
4   return (
5     <div>
6       <Header />
7     </div>
8   );
9 }
10
11 export default App
```





```
src > components > header.jsx > Header
1  export default function Header() {
2      return <h1 style={{
3          backgroundColor: '#000000ff',
4          color: 'white',
5          textAlign: 'center',
6          padding: '1px 0',
7          marginTop: '20px'
8      }}>Belajar React Bersama D4TRPL</h1>;
9  }
```




```
src > App.jsx > ...
1  import Header from "../components/header";
2  import Footer from "../components/footer";
3  import List from "../components/List";
4
5  function App() {
6      return (
7          <div>
8              <Header />
9              <List />
10             <Footer />
11          </div>
12      );
13  }
14
15  export default App
```



Tugas

1. Membuat sebuah laporan mengenai langkah-langkah pada praktikum ini dan menunjukkan bahwa Anda telah berhasil membuat sebuah aplikasi React.
2. Buatlah laporan tersebut dalam bentuk pdf.
3. Tugas
 - Buatlah sebuah aplikasi menggunakan framework React untuk menghasilkan tampilan website seperti mockup berikut:



Code

```
File Edit Selection View Go Run Terminal Help components-and-props
EXPLORE
  components-and-props
    components
      Overview.jsx
      PersonalHeader.jsx
      SkillExperience.jsx
      App.jsx
      main.jsx
      .gitignore
      eslint.config.js
      index.html
      package.json
      prpm-lock.yaml
      README.md
      siganteng anak UGM.JPG
      vite.config.js
src > components > Overview.jsx > Overview
1 export default function Overview() {
2   return (
3     <div style={{ padding: '0 40px', marginBottom: '20px' }}>
4       <h3 style={{
5         textAlign: 'center',
6         borderBottom: '1px solid #000',
7         paddingBottom: '5px',
8         textTransform: 'uppercase'
9       }}>
10        Overview
11      </h3>
12      <p style={{ lineHeight: '1.6' }}>
13        Saya adalah web Developer, Senang belajar teknologi, IT/Non IT, Project based.
14        Basket? Ivl gass
15      </p>
16    </div>
17  );
18 }
```

```
File Edit Selection View Go Run Terminal Help components-and-props
EXPLORE
  components-and-props
    components
      Overview.jsx
      PersonalHeader.jsx
      SkillExperience.jsx
      App.jsx
      main.jsx
      .gitignore
      eslint.config.js
      index.html
      package.json
      prpm-lock.yaml
      README.md
      siganteng anak UGM.JPG
      vite.config.js
src > components > PersonalHeader.jsx > PersonalHeader
1 export default function PersonalHeader() {
2   return (
3     <div style={{
4       textAlign: 'center',
5       padding: '20px',
6       borderBottom: '2px solid #ccc',
7       marginBottom: '20px'
8     }}>
9       <br>
11       <h2 style={{margin: '5px 0'}}>Christofel adventus siagian</h2>
12       <p style={{margin: '0', fontStyle: 'italic', color: '#555'}}>CEO of mekari company's</p>
13     </div>
14   );
15 }
```

```
File Edit Selection View Go Run Terminal Help components-and-props
components-and-props SkillExperience.js
import { useState } from 'react'
import { SkillExperience } from './components/SkillExperience'

export default function SkillExperience() {
  const [skill, setSkill] = useState('')
  const [experience, setExperience] = useState('')

  const handleSubmit = (e) => {
    e.preventDefault()
    setSkill(experience)
    setExperience('')
  }

  const experienceList = [
    'Senior Backend at Google',
    'Senior Backend at Google',
    'Senior Backend at Google'
  ]

  const skillList = [
    'Java',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl'
  ]

  const skillStyle = {
    display: 'flex',
    justify-content: 'space-around',
    padding: '10px',
    margin: '10px 0'
  }

  const titleStyle = {
    text-align: 'center',
    border: '1px solid black',
    padding: '5px',
    margin: '10px 0'
  }

  return (
    <div style={skillStyle}>
      <div style={titleStyle}>Skill Experience</div>
      <div style={skillStyle}>
        <input type="text" value={skill} />
        <input type="text" value={experience} />
        <button type="button" value="Submit" />
      </div>
      <div style={skillStyle}>
        <div style={titleStyle}>Skill List</div>
        <div style={skillStyle}>
          {skillList.map((skill, index) => (
            <div style={skillStyle}>
              <span style={skillStyle}>{skill}</span>
            </div>
          ))}
        </div>
      </div>
    </div>
  )
}
```

```
File Edit Selection View Go Run Terminal Help components-and-props
components-and-props SkillExperience.js
import { useState } from 'react'
import { SkillExperience } from './components/SkillExperience'

export default function SkillExperience() {
  const [skill, setSkill] = useState('')
  const [experience, setExperience] = useState('')

  const handleSubmit = (e) => {
    e.preventDefault()
    setSkill(experience)
    setExperience('')
  }

  const experienceList = [
    'Senior Backend at Google',
    'Senior Backend at Google',
    'Senior Backend at Google'
  ]

  const skillList = [
    'Java',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl'
  ]

  const skillStyle = {
    display: 'flex',
    justify-content: 'space-around',
    padding: '10px',
    margin: '10px 0'
  }

  const titleStyle = {
    text-align: 'center',
    border: '1px solid black',
    padding: '5px',
    margin: '10px 0'
  }

  return (
    <div style={skillStyle}>
      <div style={titleStyle}>Skill Experience</div>
      <div style={skillStyle}>
        <input type="text" value={skill} />
        <input type="text" value={experience} />
        <button type="button" value="Submit" />
      </div>
      <div style={skillStyle}>
        <div style={titleStyle}>Skill List</div>
        <div style={skillStyle}>
          {skillList.map((skill, index) => (
            <div style={skillStyle}>
              <span style={skillStyle}>{skill}</span>
            </div>
          ))}
        </div>
      </div>
    </div>
  )
}
```

```
File Edit Selection View Go Run Terminal Help components-and-props
components-and-props SkillExperience.js
import { useState } from 'react'
import { SkillExperience } from './components/SkillExperience'

export default function SkillExperience() {
  const [skill, setSkill] = useState('')
  const [experience, setExperience] = useState('')

  const handleSubmit = (e) => {
    e.preventDefault()
    setSkill(experience)
    setExperience('')
  }

  const experienceList = [
    'Senior Backend at Google',
    'Senior Backend at Google',
    'Senior Backend at Google'
  ]

  const skillList = [
    'Java',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl',
    'Python',
    'JavaScript',
    'C++',
    'C#',
    'Go',
    'Ruby',
    'PHP',
    'Perl'
  ]

  const skillStyle = {
    display: 'flex',
    justify-content: 'space-around',
    padding: '10px',
    margin: '10px 0'
  }

  const titleStyle = {
    text-align: 'center',
    border: '1px solid black',
    padding: '5px',
    margin: '10px 0'
  }

  return (
    <div style={skillStyle}>
      <div style={titleStyle}>Skill Experience</div>
      <div style={skillStyle}>
        <input type="text" value={skill} />
        <input type="text" value={experience} />
        <button type="button" value="Submit" />
      </div>
      <div style={skillStyle}>
        <div style={titleStyle}>Skill List</div>
        <div style={skillStyle}>
          {skillList.map((skill, index) => (
            <div style={skillStyle}>
              <span style={skillStyle}>{skill}</span>
            </div>
          ))}
        </div>
      </div>
    </div>
  )
}
```

keluaran

components-and-props

localhost:5173

Summarize



Christofel adventus siagian
CEO of mekari company's

OVERVIEW

Saya adalah web Developer, Senang belajar teknologi, IT/Non IT, Project based. Basket? 1v1 gass

Skill

- HTML (Expert)
- CSS (Beginner)
- JavaScript (Beginner)

Pengalaman

- pernah bekerja di Google
- menjadi mahasiswa terbaik
- Kontributor Open Source

Copyright 2025 by Yang mulia Christofel