

Ques-C Program to Calculate Average Using Arrays?

```
#include <stdio.h>

int main(){

    int n, i;

    float num[100], sum=0.0, average;

    printf("Enter the numbers of data: ");

    scanf("%d",&n);

    while (n>100 || n<=0)

    {

        printf("Error! number should in range of (1 to 100).\n");

        printf("Enter the number again: ");

        scanf("%d",&n);

    }

    for(i=0; i<n; ++i)

    {

        printf("%d. Enter number: ",i+1);

        scanf("%f",&num[i]);

        sum+=num[i];

    }

    average=sum/n;

    printf("Average = %.2f",average);

    return 0;

}
```

ques2-C Program to Find Largest Element of an Array?

```
#include <stdio.h>

int main(){

    int i,n;

    float arr[100];

    printf("Enter total number of elements(1 to 100): ");

    scanf("%d",&n);

    printf("\n");

    for(i=0;i<n;++i) /* Stores number entered by user. */
    {

        printf("Enter Number %d: ",i+1);

        scanf("%f",&arr[i]);

    }

    for(i=1;i<n;++i) /* Loop to store largest number to arr[0] */
    {

        if(arr[0]<arr[i]) /* Change < to > if you want to find smallest
element*/

            arr[0]=arr[i];

    }

    printf("Largest element = %.2f",arr[0]);

    return 0;

}
```

Ques3-C Program to Add Two Matrix Using Multi-dimensional Array?

```
#include <stdio.h>

int main(){

    int r,c,a[100][100],b[100][100],sum[100][100],i,j;

    printf("Enter number of rows (between 1 and 100): ");

    scanf("%d",&r);

    printf("Enter number of columns (between 1 and 100): ");

    scanf("%d",&c);

    printf("\nEnter elements of 1st matrix:\n");

    /* Storing elements of first matrix entered by user. */

    for(i=0;i<r;++i)

        for(j=0;j<c;++j)

        {

            printf("Enter element a%d%d: ",i+1,j+1);

            scanf("%d",&a[i][j]);

        }

    /* Storing elements of second matrix entered by user. */

    printf("Enter elements of 2nd matrix:\n");

    for(i=0;i<r;++i)

        for(j=0;j<c;++j)

        {
```

```

        printf("Enter element a%d%d: ", i+1, j+1);

        scanf("%d", &b[i][j]);

    }

/*Adding Two matrices */

    for(i=0; i<r; ++i)
        for(j=0; j<c; ++j)
            sum[i][j] = a[i][j] + b[i][j];

/* Displaying the resultant sum matrix. */

    printf("\nSum of two matrix is: \n\n");

    for(i=0; i<r; ++i)
        for(j=0; j<c; ++j)
        {
            printf("%d  ", sum[i][j]);

            if(j==c-1)
                printf("\n\n");
        }

    return 0;
}

```

Ques4-C Program to Multiply to Matrix Using Multi-dimensional Arrays?

```
#include <stdio.h>

int main()
{
    int a[10][10], b[10][10], mult[10][10], r1, c1, r2, c2, i, j, k;

    printf("Enter rows and column for first matrix: ");
    scanf("%d%d", &r1, &c1);

    printf("Enter rows and column for second matrix: ");
    scanf("%d%d",&r2, &c2);

    /* If colum of first matrix in not equal to row of second matrix, asking
    user to enter the size of matrix again. */

    while (c1!=r2)
    {
        printf("Error! column of first matrix not equal to row of
second.\n");

        printf("Enter rows and column for first matrix: ");
        scanf("%d%d", &r1, &c1);

        printf("Enter rows and column for second matrix: ");
        scanf("%d%d",&r2, &c2);
    }

    /* Storing elements of first matrix. */

    printf("\nEnter elements of matrix 1:\n");
```

```

    for(i=0; i<r1; ++i)
    for(j=0; j<c1; ++j)
    {
        printf("Enter elements a%d%d: ",i+1,j+1);
        scanf("%d",&a[i][j]);
    }

/* Storing elements of second matrix. */
    printf("\nEnter elements of matrix 2:\n");
    for(i=0; i<r2; ++i)
    for(j=0; j<c2; ++j)
    {
        printf("Enter elements b%d%d: ",i+1,j+1);
        scanf("%d",&b[i][j]);
    }

/* Initializing elements of matrix mult to 0.*/
    for(i=0; i<r1; ++i)
    for(j=0; j<c2; ++j)
    {
        mult[i][j]=0;
    }

/* Multiplying matrix a and b and storing in array mult. */
    for(i=0; i<r1; ++i)

```

```
    for(j=0; j<c2; ++j)
    for(k=0; k<c1; ++k)
    {
        mult[i][j]+=a[i][k]*b[k][j];
    }

/* Displaying the multiplication of two matrix. */
    printf("\nOutput Matrix:\n");
    for(i=0; i<r1; ++i)
    for(j=0; j<c2; ++j)
    {
        printf("%d  ",mult[i][j]);
        if(j==c2-1)
            printf("\n\n");
    }

    return 0;
}
```