# **Experiment-4**

Student Name: Pankaj Tayal UID: 23BCS13706

Branch: CSE Section/Group: KRG-3B

Semester: 5th Date of Performance: 12/09/25

Subject Name: ADBMS Subject Code: 23CSP-333

To find the closure, candidate keys, prime attributes and highest normal form using the given relation and functional dependencies.

## **Question 1**

$$R(ABCD), FDs = {AB -> C, C -> D, D -> A}$$

#### Solution

Closure:

 $AB+ = \{A, B, C, D\}$  $BC+ = \{B, C, A, D\}$ 

 $BD+ = \{B, D, A, C\}$ 

Candidate Key: AB, BD, BC Prime Attributes: {A, B, C, D} Non-Prime Attributes: {}

Normal Form: It cannot be BCNF as C is a SK(C -> D). All determinants have prime attributes,

so the relation is in 3NF.

#### **Ouestion 2**

$$R(ABCDE)$$
,  $FDs = \{A -> D, B -> A, BC -> D, AC -> BE\}$ 

#### Solution

Closure:

 $A + = \{A, D\}$ 

 $B+ = \{B, A, D\}$ 

 $C+=\{C\}$ 

 $BC+ = \{B, C, A, D, E\}$ 

 $AC+ = \{A, B, C, D, E\}$ 

Candidate Key: AC, BC Prime Attributes: {A, B, C}



Non-Prime Attributes: {D, E}

Normal Form: Partial dependency exists (A -> D). Hence relation is in 1NF.

## **Question 3**

$$R(ABCDE)$$
,  $FDs = \{B -> A, A -> C, BC -> D, AC -> BE\}$ 

#### Solution

Closure:

$$B+ = \{A, B, C, D, E\}$$

$$A+=\{A, C, B, D, E\}$$

Candidate Key: A, B
Prime Attributes: {A, B}

Non-Prime Attributes: {C, D, E}

Normal Form: All determinants are either CK or SK. So this relation is in BCNF.

## **Ouestion 4**

$$R(ABCDEF)$$
,  $FDs = \{A \rightarrow BCD, BC \rightarrow DE, B \rightarrow D, D \rightarrow A\}$ 

#### Solution

Closure:

$$A+ = \{A, B, C, D, E\}$$

$$AF+ = \{A, F, B, C, D, E\}$$

$$DF+ = \{D, F, B, C, A, E\}$$

$$BF+ = \{B, F, C, A, D, E\}$$

Candidate Key: AF, DF, BF Prime Attributes: {A, D, B, F}

Non-Prime Attributes: {C, E}

Normal Form: Partial dependency exists (A -> BCD). Hence relation is in 1NF.

#### **Question 5**

$$FDs = \{X \rightarrow Y, WZ \rightarrow X, WZ \rightarrow Y, Y \rightarrow W, Y \rightarrow X, Y \rightarrow Z\}$$

## Solution

Closure:

$$Y + = \{Y, X, W, Z\}$$

$$X+ = \{X, Y, W, Z\}$$

$$WZ+=\{W,Z,X,Y\}$$

Candidate Key: Y, X, WZ Prime Attribute: {X, Y, W, Z} Non-Prime Attributes: { }

Normal Form: All determinants are CK. Highest NF = BCNF.

## **Question 6**

R(ABCDEF),  $FDs = \{A -> BC, A -> D, D -> E, BC -> D\}$ 

#### Solution

Closure:

 $A+ = \{A, B, C, D, E\}$  $AF+ = \{A, B, C, D, E, F\}$ 

Candidate Key: AF
Prime Attributes: {A, F}

Non-Prime Attributes: {B, C, D, E}

Normal Form: A -> BC introduces partial dependency (A is part of key AF and BC is non-prime).

Hence highest NF = 1NF.