



codechef

Report generated by Tenable Nessus™

Thu, 06 Feb 2025 13:54:01 India Standard Time

TABLE OF CONTENTS

Vulnerabilities by Plugin

• 91634 (42) - HyperText Transfer Protocol (HTTP) Redirect Information.....	4
• 11219 (13) - Nessus SYN scanner.....	6
• 10107 (8) - HTTP Server Type and Version.....	8
• 10386 (8) - Web Server No 404 Error Code Check.....	10
• 24260 (8) - HyperText Transfer Protocol (HTTP) Information.....	12
• 43111 (8) - HTTP Methods Allowed (per directory).....	18
• 19506 (1) - Nessus Scan Information.....	22

Vulnerabilities by Plugin

91634 (42) - HyperText Transfer Protocol (HTTP) Redirect Information

Synopsis

The remote web server redirects requests to the root directory.

Description

The remote web server issues an HTTP redirect when requesting the root directory of the web server.

This plugin is informational only and does not denote a security problem.

Solution

Analyze the redirect(s) to verify that this is valid operation for your web server and/or application.

Risk Factor

None

Plugin Information

Published: 2016/06/16, Modified: 2017/10/12

Plugin Output

codechef.com (tcp/80/www)

```
Request       : http://codechef.com/
HTTP response  : HTTP/1.1 301 Moved Permanently
Redirect to    : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/2052/www)

```
Request       : http://codechef.com:2052/
HTTP response  : HTTP/1.1 301 Moved Permanently
Redirect to    : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/2082/www)

```
Request      : http://codechef.com:2082/
HTTP response : HTTP/1.1 301 Moved Permanently
Redirect to   : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/2086/www)

```
Request      : http://codechef.com:2086/
HTTP response : HTTP/1.1 301 Moved Permanently
Redirect to   : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/2095/www)

```
Request      : http://codechef.com:2095/
HTTP response : HTTP/1.1 301 Moved Permanently
Redirect to   : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/8080/www)

```
Request      : http://codechef.com:8080/
HTTP response : HTTP/1.1 301 Moved Permanently
Redirect to   : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

codechef.com (tcp/8880/www)

```
Request      : http://codechef.com:8880/
HTTP response : HTTP/1.1 301 Moved Permanently
Redirect to   : https://codechef.com/
Redirect type  : 30x redirect
```

Note that Nessus did not receive a 200 OK response from the last examined redirect.

11219 (13) - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/01/13

Plugin Output

codechef.com (tcp/80/www)

```
Port 80/tcp was found to be open
```

codechef.com (tcp/443/www)

```
Port 443/tcp was found to be open
```

codechef.com (tcp/2052/www)

```
Port 2052/tcp was found to be open
```

codechef.com (tcp/2053/www)

```
Port 2053/tcp was found to be open
```

codechef.com (tcp/2082/www)

Port 2082/tcp was found to be open

codechef.com (tcp/2083/www)

Port 2083/tcp was found to be open

codechef.com (tcp/2086/www)

Port 2086/tcp was found to be open

codechef.com (tcp/2087/www)

Port 2087/tcp was found to be open

codechef.com (tcp/2095/www)

Port 2095/tcp was found to be open

codechef.com (tcp/2096/www)

Port 2096/tcp was found to be open

codechef.com (tcp/8080/www)

Port 8080/tcp was found to be open

codechef.com (tcp/8443/www)

Port 8443/tcp was found to be open

codechef.com (tcp/8880/www)

Port 8880/tcp was found to be open

10107 (8) - HTTP Server Type and Version

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

codechef.com (tcp/80/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/443/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/2052/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/2082/www)


```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/2086/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/2095/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/8080/www)

```
The remote web server type is :  
cloudflare
```

codechef.com (tcp/8880/www)

```
The remote web server type is :  
cloudflare
```

10386 (8) - Web Server No 404 Error Code Check

Synopsis

The remote web server does not return 404 error codes.

Description

The remote web server is configured such that it does not return '404 Not Found' error codes when a nonexistent file is requested, perhaps returning instead a site map, search page or authentication page.

Nessus has enabled some counter measures for this. However, they might be insufficient. If a great number of security holes are produced for this port, they might not all be accurate.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2000/04/28, Modified: 2022/06/17

Plugin Output

codechef.com (tcp/80/www)

```
CGI scanning will be disabled for this host because the host responds
to requests for non-existent URLs with HTTP code 301
rather than 404. The requested URL was :
```

```
http://codechef.com/NeA403fcqNLT.html
```

codechef.com (tcp/443/www)

```
CGI scanning will be disabled for this host because the host responds
to requests for non-existent URLs with HTTP code 301
rather than 404. The requested URL was :
```

```
https://codechef.com/NeA403fcqNLT.html
```

codechef.com (tcp/2052/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:2052/NeA403fcqNLT.html>

codechef.com (tcp/2082/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:2082/NeA403fcqNLT.html>

codechef.com (tcp/2086/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:2086/NeA403fcqNLT.html>

codechef.com (tcp/2095/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:2095/NeA403fcqNLT.html>

codechef.com (tcp/8080/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:8080/NeA403fcqNLT.html>

codechef.com (tcp/8880/www)

CGI scanning will be disabled for this host because the host responds to requests for non-existent URLs with HTTP code 301 rather than 404. The requested URL was :

<http://codechef.com:8880/NeA403fcqNLT.html>

24260 (8) - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/01/30, Modified: 2024/02/26

Plugin Output

codechef.com (tcp/80/www)

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : no

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 06 Feb 2025 08:05:24 GMT

Content-Type: text/html

Content-Length: 167

Connection: keep-alive

Cache-Control: max-age=3600

Expires: Thu, 06 Feb 2025 09:05:24 GMT

Location: https://codechef.com/

Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com

\/report\/v4?s=4WbUpDU%2Bp%2BK5VqmpvECTEPdg8AqElag5aKtvZfg7SLNHYu

%2B6oOi2%2FmR3JdQvVd0h6aY3GrM7uJ3G9Aekm8mRJeYa6RZEOIaCH4hlrggpQFxFuAT8ihGYAEFkmy1kdLQ0%3D"}]}, "group": "cf-nel", "max_age": 604800}

NEL: {"success_fraction": 0, "report_to": "cf-nel", "max_age": 604800}

Server: cloudflare

CF-RAY: 90d9a28e7a4e80b8-BOM

alt-svc: h3=":443"; ma=86400

```
server-timing: cfL4;desc=""
proto=TCP&rtt=32034&min_rtt=32034&rtt_var=16017&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=303&deliver

Response Body :

<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

codechef.com (tcp/443/www)

```
Response Code : HTTP/1.1 429 Too Many Requests

Protocol version : HTTP/1.1
HTTP/2 TLS Support: Yes
HTTP/2 Cleartext Support: No
SSL : yes
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

    Date: Thu, 06 Feb 2025 08:05:22 GMT
    Content-Type: text/html; charset=UTF-8
    Transfer-Encoding: chunked
    Connection: close
    accept-ch: Sec-CH-UA-Bitness, Sec-CH-UA-Arch, Sec-CH-UA-Full-Version, Sec-CH-UA-Mobile, Sec-CH-UA-Model, Sec-CH-UA-Platform-Version, Sec-CH-UA-Full-Version-List, Sec-CH-UA-Platform, Sec-CH-UA-Bitness, UA-Arch, UA-Full-Version, UA-Mobile, UA-Model, UA-Platform-Version, UA-Platform, UA-critical-ch: Sec-CH-UA-Bitness, Sec-CH-UA-Arch, Sec-CH-UA-Full-Version, Sec-CH-UA-Mobile, Sec-CH-UA-Model, Sec-CH-UA-Platform-Version, Sec-CH-UA-Full-Version-List, Sec-CH-UA-Platform, Sec-CH-UA-UA-Bitness, UA-Arch, UA-Full-Version, UA-Mobile, UA-Model, UA-Platform-Version, UA-Platform, UA-cross-origin-embedder-policy: require-corp
    cross-origin-opener-policy: same-origin
    cross-origin-resource-policy: same-origin
    origin-agent-cluster: ?1
    permissions-policy: accelerometer=(),autoplay=(),browsing-topics=(),camera=(),clipboard-read=(),clipboard-write=(),geolocation=(),gyroscope=(),hid=(),interest-cohort=(),magnetometer=(),microphone=(),payment=(),publickey-credentials-get=(),screen-wake-lock=(),serial=(),sync-xhr=(),usb=()
    referrer-policy: same-origin
    x-content-options: nosniff
    x-frame-options: SAMEORIGIN
    cf-mitigated: challenge
    cf-chl-out: 23ipb50xNXl4IEKeBmDEtWt9E4dMgJwYU7BRR6Ui0tHnpqv2CJMZG
+fz1Y2iGgJd5+mUevjaJ4+LTPyJ3cagdLOx8gGc45OKMk0UNG6/cbE+e5pExLMuUx2cAuGEiP1EWDlSPTsuG8bX3oFMgjqtPw==
$NUWlMhXfSZWfd5L9eQkZNQ==
    Cache-Control: private, max-age=0, no-store, no-cache, must-revalidate, post-check=0, pre-check=0
    Expires: Thu, 01 Jan 1970 00:00:01 GMT
    Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=xnYhOuilRPvYs2r5LyJ%2Ft543ReD9%2Fiv935q13N7BT1c5Cibenly9BfuLeptH1xjXYW3oKfbjaCpPEakvI1H3MkXnL9kbWZJTI790f1PRFSqsIMlByUbfZtkFhG%2BajVw%3D"}],"group":"cf-nel" [...]}
```

codechef.com (tcp/2052/www)

```
Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
```

```

SSL : no
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

    Date: Thu, 06 Feb 2025 08:05:26 GMT
    Content-Type: text/html
    Content-Length: 167
    Connection: keep-alive
    Cache-Control: max-age=3600
    Expires: Thu, 06 Feb 2025 09:05:26 GMT
    Location: https://codechef.com/
    Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=IocZcu%2Fa36V5C5B0uNkgWghS6hv%2BH1qsdibtSAjLu%2BUfFjUTmteSpcZe19iGCqPvTdY%2FnbBzEHrJG%2BQ4UMK2%2FSzz9tpd0vcDVzW9nMGVrt176ixLLp6YhJ2X7nR0BcuRtMDcYA%3D%3D"}],"group":"cf-nel","max_age":604800}
    NEL: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
    Server: cloudflare
    CF-RAY: 90d9a29a4ee14707-BOM
    alt-svc: h3=":443"; ma=86400
    server-timing: cfL4;desc=""
    proto=TCP&rtt=24649&min_rtt=24649&rtt_var=12324&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver

Response Body :

<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>

```

codechef.com (tcp/2082/www)

```

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : no
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

    Date: Thu, 06 Feb 2025 08:05:24 GMT
    Content-Type: text/html
    Content-Length: 167
    Connection: keep-alive
    Cache-Control: max-age=3600
    Expires: Thu, 06 Feb 2025 09:05:24 GMT
    Location: https://codechef.com/
    Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=oIaAMvtX491Um709%2BtsG%2FujWTGQnSCFzjbdOE5l3rot0Mndsbt1J9l9xlIe0oozU1tCv9dfZO%2BN1CUcNc9wPV%2FkLVFc2ksfRF0a33DgVsTFNsc10OVZD%2Byk49NNglcdWuQWE%2FA%3D%3D"}],"group":"cf-nel","max_age":604800}
    NEL: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
    Server: cloudflare
    CF-RAY: 90d9a28bd9e5303f-BOM
    alt-svc: h3=":443"; ma=86400
    server-timing: cfL4;desc=""
    proto=TCP&rtt=25242&min_rtt=25242&rtt_var=12621&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver

Response Body :

<html>
<head><title>301 Moved Permanently</title></head>
<body>

```

```
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

codechef.com (tcp/2086/www)

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : no

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

```
Date: Thu, 06 Feb 2025 08:05:25 GMT
Content-Type: text/html
Content-Length: 167
Connection: keep-alive
Cache-Control: max-age=3600
Expires: Thu, 06 Feb 2025 09:05:25 GMT
Location: https://codechef.com/
Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report
/v4?s=LLYVTT40q8r%2BF00F%2FfKlWOemg6bS%2FKMHA2JZY1czV93ZFKCHPKcJ7zaGFq%2Fs
%2F2cGsi6e2F5MyszuMwUTVwyRVKCx99pxvnVH0C77CW0mTJdhJ5nTXHFe2JFkZgJUJHyt0%2Fxy0A%3D%3D"}],"group":"cf-
nel","max_age":604800}
NEL: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
Server: cloudflare
CF-RAY: 90d9a2910f0d46b9-BOM
alt-svc: h3=":443"; ma=86400
server-timing: cfL4;desc=""
proto=TCP&rtt=28043&min_rtt=28043&rtt_var=14021&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver
```

Response Body :

```
<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

codechef.com (tcp/2095/www)

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : no

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

```
Date: Thu, 06 Feb 2025 08:05:26 GMT
Content-Type: text/html
Content-Length: 167
Connection: keep-alive
Cache-Control: max-age=3600
Expires: Thu, 06 Feb 2025 09:05:26 GMT
```

```
Location: https://codechef.com/
Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com
/report/v4?s=ijyhEWNUBCHpDfmhRV12yDio9wC4H7AWjz5LK5LI0XooMzu
%2FEg8IgixEwdSBHdCy5A6%2FPVi988zHg123miVAq6e7zdcasEUGp12es5Y78U3DPqLUW2eVEDgGdlM7EEm%2FYcN1Jg%3D
%3D"}],"group":"cf-nel","max_age":604800}
NEL: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
Server: cloudflare
CF-RAY: 90d9a2975caf4472-BOM
alt-svc: h3=":443"; ma=86400
server-timing: cfL4;desc=""
proto=TCP&rtt=35473&min_rtt=35473&rtt_var=17736&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver
```

Response Body :

```
<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

codechef.com (tcp/8080/www)

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : no
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

```
Date: Thu, 06 Feb 2025 08:05:25 GMT
Content-Type: text/html
Content-Length: 167
Connection: keep-alive
Cache-Control: max-age=3600
Expires: Thu, 06 Feb 2025 09:05:25 GMT
Location: https://codechef.com/
Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?
s=EljbNBSZIsq9lsQdyQMnhutgrrIr8xOQLukdVwadi7tmplpR3CXgKSDu0NSYoSqeepUq81VB9dpWy7ftTbhKRyx
%2FCHvduS75kjKL5d%2F2muuxTnRMwsNcVhRYgww64PuOKgV68A%3D%3D"}],"group":"cf-nel","max_age":604800}
NEL: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
Server: cloudflare
CF-RAY: 90d9a2943971303f-BOM
alt-svc: h3=":443"; ma=86400
server-timing: cfL4;desc=""
proto=TCP&rtt=30519&min_rtt=30519&rtt_var=15259&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver
```

Response Body :

```
<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

codechef.com (tcp/8880/www)

Response Code : HTTP/1.1 301 Moved Permanently

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : no

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 06 Feb 2025 08:05:27 GMT
Content-Type: text/html
Content-Length: 167
Connection: keep-alive
Cache-Control: max-age=3600
Expires: Thu, 06 Feb 2025 09:05:27 GMT
Location: https://codechef.com/
Report-To: {"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=FWvMfiDeHI3mKHa4Abo3OWKEY2A6Ovz7%2FkQxdlXYXbXIEkokoXlDL%2Ffh7ThrWiBGDM3sDdlTISRnQmsZ8XRWDv6sGAKJa2VEEU2iF07t3bshH3Ad3k3lmeekJfs0MnFiLGWng%3D%3D"}], "group": "cf-nel", "max_age": 604800}
NEL: {"success_fraction": 0, "report_to": "cf-nel", "max_age": 604800}
Server: cloudflare
CF-RAY: 90d9a29d7c2a47cb-BOM
alt-svc: h3=":443"; ma=86400
server-timing: cfL4;desc="?
proto=TCP&rtt=34589&min_rtt=34589&rtt_var=17294&sent=1&recv=3&lost=0&retrans=0&sent_bytes=0&recv_bytes=308&deliver

Response Body :

```
<html>
<head><title>301 Moved Permanently</title></head>
<body>
<center><h1>301 Moved Permanently</h1></center>
<hr><center>cloudflare</center>
</body>
</html>
```

43111 (8) - HTTP Methods Allowed (per directory)

Synopsis

This plugin determines which HTTP methods are allowed on various CGI directories.

Description

By calling the OPTIONS method, it is possible to determine which HTTP methods are allowed on each directory.

The following HTTP methods are considered insecure:

PUT, DELETE, CONNECT, TRACE, HEAD

Many frameworks and languages treat 'HEAD' as a 'GET' request, albeit one without any body in the response. If a security constraint was set on 'GET' requests such that only 'authenticatedUsers' could access GET requests for a particular servlet or resource, it would be bypassed for the 'HEAD' version. This allowed unauthorized blind submission of any privileged GET request.

As this list may be incomplete, the plugin also tests - if 'Thorough tests' are enabled or 'Enable web applications tests' is set to 'yes'

in the scan policy - various known HTTP methods on each directory and considers them as unsupported if it receives a response code of 400, 403, 405, or 501.

Note that the plugin output is only informational and does not necessarily indicate the presence of any security vulnerabilities.

See Also

<http://www.nessus.org/u?d9c03a9a>

<http://www.nessus.org/u?b019cbdb>

[https://www.owasp.org/index.php/Test_HTTP_Methods_\(OTG-CONFIG-006\)](https://www.owasp.org/index.php/Test_HTTP_Methods_(OTG-CONFIG-006))

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/12/10, Modified: 2022/04/11

Plugin Output

codechef.com (tcp/80/www)

Based on tests of each method :

- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :

/

- Invalid/unknown HTTP methods are allowed on :

/

codechef.com (tcp/443/www)

Based on tests of each method :

- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :

/

- Invalid/unknown HTTP methods are allowed on :

/

codechef.com (tcp/2052/www)

Based on tests of each method :

- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :

/

- Invalid/unknown HTTP methods are allowed on :

/

codechef.com (tcp/2082/www)

Based on tests of each method :

- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK

```
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :  
  
/  
  
- Invalid/unknown HTTP methods are allowed on :  
  
/
```

codechef.com (tcp/2086/www)

```
Based on tests of each method :  
  
- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND  
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX  
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS  
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT  
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK  
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :  
  
/  
  
- Invalid/unknown HTTP methods are allowed on :  
  
/
```

codechef.com (tcp/2095/www)

```
Based on tests of each method :  
  
- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND  
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX  
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS  
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT  
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK  
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :  
  
/  
  
- Invalid/unknown HTTP methods are allowed on :  
  
/
```

codechef.com (tcp/8080/www)

```
Based on tests of each method :  
  
- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND  
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX  
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS  
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT  
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK  
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :  
  
/  
  
- Invalid/unknown HTTP methods are allowed on :  
  
/
```

Based on tests of each method :

- HTTP methods ACL BASELINE-CONTROL BCOPY BDELETE BMOVE BPROPFIND
BPROPPATCH CHECKIN CHECKOUT COPY DEBUG DELETE GET HEAD INDEX
LABEL LOCK MERGE MKACTION MKCOL MKWORKSPACE MOVE NOTIFY OPTIONS
ORDERPATCH PATCH POLL POST PROPFIND PROPPATCH PUT REPORT
RPC_IN_DATA RPC_OUT_DATA SEARCH SUBSCRIBE UNCHECKOUT UNLOCK
UNSUBSCRIBE UPDATE VERSION-CONTROL X-MS-ENUMATTS are allowed on :

/

- Invalid/unknown HTTP methods are allowed on :

/

19506 (1) - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2024/12/31

Plugin Output

codechef.com (tcp/0)

Information about this scan :

```
Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202502051440
Scanner edition used : Nessus Home
Scanner OS : WINDOWS
Scanner distribution : win-x86-64
Scan type : Normal
```

```
Scan name : codechef
Scan policy used : Web Application Tests
Scanner IP : 192.168.36.141
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 49.741 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : enabled
Web application tests : enabled
Web app tests - Test mode : single
Web app tests - Try all HTTP methods : no
Web app tests - Maximum run time : 5 minutes.
Web app tests - Stop at first flaw : CGI
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/2/6 13:01 India Standard Time (UTC +05:30)
Scan duration : 3143 sec
Scan for malware : no
```