180

190

MSSubClass: Identifies the type of dwelling involved in the sale.

```
1-STORY 1946 & NEWER ALL STYLES
20
         1-STORY 1945 & OLDER
30
40
         1-STORY W/FINISHED ATTIC ALL AGES
45
         1-1/2 STORY - UNFINISHED ALL AGES
         1-1/2 STORY FINISHED ALL AGES
50
60
         2-STORY 1946 & NEWER
         2-STORY 1945 & OLDER
70
75
         2-1/2 STORY ALL AGES
80
         SPLIT OR MULTI-LEVEL
         SPLIT FOYER
85
90
         DUPLEX - ALL STYLES AND AGES
         1-STORY PUD (Planned Unit Development) - 1946 & NEWER
120
150
         1-1/2 STORY PUD - ALL AGES
160
         2-STORY PUD - 1946 & NEWER
```

MSZoning: Identifies the general zoning classification of the sale.

PUD - MULTILEVEL - INCL SPLIT LEV/FOYER

2 FAMILY CONVERSION - ALL STYLES AND AGES

```
Α
         Agriculture
C
         Commercial
F۷
         Floating Village Residential
Ι
         Industrial
         Residential High Density
RH
         Residential Low Density
RL
         Residential Low Density Park
RP
         Residential Medium Density
RM
```

LotFrontage: Linear feet of street connected to property

LotArea: Lot size in square feet

Street: Type of road access to property

Grvl Gravel Pave Paved

Alley: Type of alley access to property

Grvl Gravel Pave Paved

NA No alley access

LotShape: General shape of property

Reg Regular IR1 Slightly irregular IR2 Moderately Irregular

IR3 Irregular

LandContour: Flatness of the property

Lvl Near Flat/Level

Bnk Banked - Quick and significant rise from street grade to building

HLS Hillside - Significant slope from side to side

Low Depression

Utilities: Type of utilities available

AllPub All public Utilities (E,G,W,& S)

NoSewr Electricity, Gas, and Water (Septic Tank)

NoSeWa Electricity and Gas Only

ELO Electricity only

LotConfig: Lot configuration

Inside Inside lot

```
Corner Corner lot CulDSac Cul-de-sac
```

FR2 Frontage on 2 sides of property FR3 Frontage on 3 sides of property

LandSlope: Slope of property

Gtl Gentle slope Mod Moderate Slope Sev Severe Slope

Neighborhood: Physical locations within Ames city limits

Blmngtn Bloomington Heights
Blueste Bluestem
BrDale Briardale
BrkSide Brookside
ClearCr Clear Creek
CollgCr College Creek
Crawfor Crawford

Crawfor Crawford Edwards Edwards Gilbert Gilbert

IDOTRR Iowa DOT and Rail Road

MeadowV Meadow Village Mitchel Mitchell Names North Ames

Names North Ames
NoRidge Northridge
NPkVill Northpark Villa
NridgHt Northridge Heights
NWAmes Northwest Ames

OldTown Old Town

SWISU South & West of Iowa State University

Sawyer Sawyer West SawyerW Sawyer West Somerst Somerset StoneBr Stone Brook Timber Timberland Veenker Veenker

Condition1: Proximity to various conditions

Artery Adjacent to arterial street Feedr Adjacent to feeder street

Norm Normal

RRNn Within 200' of North-South Railroad RRAn Adjacent to North-South Railroad

PosN Near positive off-site feature--park, greenbelt, etc.

PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad

Condition2: Proximity to various conditions (if more than one is present)

Artery Adjacent to arterial street Feedr Adjacent to feeder street

Norm Normal

RRNn Within 200' of North-South Railroad RRAn Adjacent to North-South Railroad

PosN Near positive off-site feature--park, greenbelt, etc.

PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad

BldgType: Type of dwelling

1Fam Single-family Detached

2FmCon Two-family Conversion; originally built as one-family dwelling

Duplx Duplex

TwnhsE Townhouse End Unit

TwnhsI Townhouse Inside Unit

```
HouseStyle: Style of dwelling
        1Story
                   One story
        1.5Fin
                   One and one-half story: 2nd level finished
        1.5Unf
                   One and one-half story: 2nd level unfinished
        2Story
                   Two story
                   Two and one-half story: 2nd level finished Two and one-half story: 2nd level unfinished
        2.5Fin
        2.5Unf
        SFoyer
                   Split Foyer
        SLvl
                   Split Level
```

OverallQual: Rates the overall material and finish of the house

```
Very Excellent
9
         Excellent
8
         Very Good
7
         Good
6
         Above Average
5
         Average
4
         Below Average
3
         Fair
2
         Poor
1
         Very Poor
```

OverallCond: Rates the overall condition of the house

```
10
          Very Excellent
9
          Excellent
8
          Very Good
7
          Good
6
4
3
2
          Above Average
          Average
          Below Average
          Fair
          Poor
1
          Very Poor
```

YearBuilt: Original construction date

YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)

RoofStyle: Type of roof

Flat Flat
Gable Gable
Gambrel Gabrel (Barn)
Hip Hip
Mansard Mansard
Shed Shed

RoofMatl: Roof material

ClyTile Clay or Tile
CompShg Standard (Composite) Shingle
Membran Membrane
Metal Metal
Roll Roll
Tar&Grv Gravel & Tar
WdShake Wood Shakes
WdShngl Wood Shingles

Exterior1st: Exterior covering on house

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face

```
CBlock Cinder Block
CemntBd Cement Board
HdBoard Hard Board
ImStucc Imitation Stucco
MetalSd Metal Siding
```

Other Other
Plywood Plywood
PreCast PreCast
Stone Stone
Stucco Stucco

VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng Asbestos Shingles
AsphShn Asphalt Shingles
BrkComm Brick Common
BrkFace Brick Face
CBlock Cinder Block
CemntBd Cement Board
HdBoard Hard Board
ImStucc Imitation Stucco
MetalSd Metal Siding

Other Other
Plywood Plywood
PreCast PreCast

PreCast PreCas Stone Stone Stucco Stucco

VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn Brick Common BrkFace Brick Face CBlock Cinder Block

None None Stone Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex Excellent Gd Good

TA Average/Typical

Fa Fair Po Poor

ExterCond: Evaluates the present condition of the material on the exterior

Ex Excellent Gd Good

TA Average/Typical

Fa Fair Po Poor

Foundation: Type of foundation

BrkTil Brick & Tile CBlock Cinder Block PConc Poured Contrete

Slab Slab Stone Stone Wood Wood

BsmtQual: Evaluates the height of the basement

Ex Excellent (100+ inches)
Gd Good (90-99 inches)
TA Typical (80-89 inches)
Fa Fair (70-79 inches)
Po Poor (<70 inches
NA No Basement

BsmtCond: Evaluates the general condition of the basement

Ex Excellent Good

TA Typical - slight dampness allowed

Fa Fair - dampness or some cracking or settling Po Poor - Severe cracking, settling, or wetness

NA No Basement

BsmtExposure: Refers to walkout or garden level walls

Gd Good Exposure

Av Average Exposure (split levels or foyers typically score average or

above)

Mn Mimimum Exposure
No No Exposure
NA No Basement

BsmtFinType1: Rating of basement finished area

GLQ Good Living Quarters ALQ Average Living Quarters

BLQ Below Average Living Quarters

Rec Average Rec Room
LwQ Low Quality

Unf Unfinshed
NA No Basement

BsmtFinSF1: Type 1 finished square feet

BsmtFinType2: Rating of basement finished area (if multiple types)

GLQ Good Living Quarters ALQ Average Living Quarters

BLQ Below Average Living Quarters

Rec Average Rec Room

LwQ Low Quality Unf Unfinshed NA No Basement

BsmtFinSF2: Type 2 finished square feet

BsmtUnfSF: Unfinished square feet of basement area

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

Floor Floor Furnace

GasA Gas forced warm air furnace GasW Gas hot water or steam heat

Grav Gravity furnace

OthW Hot water or steam heat other than gas

Wall Wall furnace

HeatingQC: Heating quality and condition

Ex Excellent

Gd Good

TA Average/Typical

Fa Fair Po Poor

CentralAir: Central air conditioning

N No Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex

FuseA Fuse Box over 60 AMP and all Romex wiring (Average)
FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)
FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)

Mix Mixed

1stFlrSF: First Floor square feet

2ndFlrSF: Second floor square feet

LowQualFinSF: Low quality finished square feet (all floors)

GrLivArea: Above grade (ground) living area square feet

BsmtFullBath: Basement full bathrooms

BsmtHalfBath: Basement half bathrooms

FullBath: Full bathrooms above grade

HalfBath: Half baths above grade

Bedroom: Bedrooms above grade (does NOT include basement bedrooms)

Kitchen: Kitchens above grade

KitchenQual: Kitchen quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)

Тур Typical Functionality Min1 Minor Deductions 1 Min2 Minor Deductions 2 Mod Moderate Deductions Maj1 Major Deductions 1 Maj2 Major Deductions 2 Sev Severely Damaged Sal Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Ex Excellent - Exceptional Masonry Fireplace Gd Good - Masonry Fireplace in main level

TA Average - Prefabricated Fireplace in main living area or Masonry

Fireplace in basement

Fa Fair - Prefabricated Fireplace in basement

Po Poor - Ben Franklin Stove

NA No Fireplace

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above garage)

CarPort Car Port

Detchd Detached from home

NA No Garage

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished

RFn Rough Finished Unf Unfinished NA No Garage

GarageCars: Size of garage in car capacity

GarageArea: Size of garage in square feet

GarageQual: Garage quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor NA No Garage

GarageCond: Garage condition

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor

NA No Garage

PavedDrive: Paved driveway

Y Paved

P Partial Pavement

N Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent Gd Good

TA Average/Typical

Fa Fair NA No Pool

Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy GdWo Good Wood

MnWw Minimum Wood/Wire

NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator

Gar2 2nd Garage (if not described in garage section)

Othr Other

Shed Shed (over 100 SF)

TenC Tennis Court

NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale

WD Warranty Deed - Conventional

CWD Warranty Deed - Cash VWD Warranty Deed - VA Loan

New Home just constructed and sold

COD Court Officer Deed/Estate

Con Contract 15% Down payment regular terms
ConLw Contract Low Down payment and low interest

ConLI Contract Low Interest ConLD Contract Low Down

0th Other

SaleCondition: Condition of sale

Normal Normal Sale

Abnorml Abnormal Sale - trade, foreclosure, short sale

AdjLand Adjoining Land Purchase

Alloca Allocation – two linked properties with separate deeds, typically condo with a garage unit

Family Sale between family members

Partial Home was not completed when last assessed (associated with New Homes)