Tech & architecture slides for the VR Group deck

Two slides for deck-writer to insert after the answer-first slide

Every source gets a named extraction method, landing in your Data Vault without new tools

- We propose the extraction for all sources, as asked: one metadata-driven loading pattern on AWS, configured per source, not one script per feed.
- Business keys follow the railway terms your operations people already use, documented in Finnish.
- Your existing Data Vault 2.0 conventions and loader are reused; nothing new unless you ask.

RAIL SOURCES	EXTRACTION ON AWS	SNOWFLAKE RAW VAULT	BUSINESS VAULT & MARTS
Passenger sales & ticketing	CDC for databases (e.g. AWS DMS where supported)	Hubs on business keys	Business rules in code
Freight orders & wagons	API / event feeds for traffic data	Links: train, wagon, order	Marts for the BI tool
Traffic & timetable events	S3 file drops for partners	Satellites keep full history	ERP-facing extracts
ERP	Config per source in Git		

> Q1: build and test in non-production only. Production releases in December and from April, each with a rollback

Technical gates protect operations: nothing reaches production in Q1

GATE	WHEN	PASS CRITERION
Extraction inventory	Week 2	Every source has a method, owner and load frequency; Finnish railway-term glossary agreed with your team
First satellites live	Before the Christmas freeze	Row counts reconcile to source, no load errors for 5 days
Q1 release package	End of March	All Q1 work tested in non-production, release plan approved
April release	Agreed weekend window	Reconciliation green; rollback tested

Technical unknowns: source system access on AWS, change-data-capture support per database, the current Data Vault loader (we use yours).