



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 - 166

Issued: 7:00 AM, Friday, 18 July 2025 Valid until: 7:00 AM, Saturday, 19 July 2025

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "CRISING" {WIPHA} was estimated based on all available data at 310 km East Northeast of Casiguran, Aurora or 345 km East of Echague, Isabela (17.1°N, 124.9°E), with maximum sustained winds of 65 km/h near the center and gustiness of up to 80 km/h. It is moving Northwestward at 20 km/h. Southwest Monsoon affecting the western sections of Central and Southern Luzon, western and central sections of Visayas, and Mindanao.

		TEMPERATURE (°C)				LEAF
FORECAST AREA	AGRI-WEATHER		LOWLAND	UPLAND	RH%	WETNESS (HRS)
Batanes, Cagayan, Isabela, Apayao, Abra, Kalinga, Ilocos Norte, and Ilocos Sur	Stormy	Northern and eastern sections of Northern Luzon – Strong from northeast to northwest; Rest of Northern Luzon – Moderate to strong from northwest to west	23 – 30	18 – 29	75 – 100	>12
Aurora, the rest of Ilocos Region, the rest of Cordillera Administrative Region, and the rest of Cagayan Valley	Rains with gusty winds	Northern and eastern sections of Northern Luzon – Strong from northeast to northwest; Rest of Northern Luzon – Moderate to strong from northwest to west	22 – 32	14 – 29	75 – 100	>12
Zambales, Bataan, MIMAROPA, Negros Island Region, and Western Visayas	Monsoon Rains	Moderate to strong from southwest	23 – 30	22 – 27	70 – 100	>12
Metro Manila, Zamboanga Peninsula, Cavite, Laguna, Batangas, Rizal, and the rest of Central Luzon	Occasional rains	Moderate to strong from southwest	23 – 33	21 – 30	65 – 98	8 – 12
The rest of the country	Cloudy skies with scattered rainshowers and thunderstorms	Moderate to strong from southwest	23 – 33	20 – 30	55 – 98	4 – 8

AREAS AFFECTED BY THE WEATHER SYSTEMS

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

TS CRISING, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Plant on raised beds or use plastic mulch to prevent root rot and soil erosion.
- Install rain shelters or simple roofing over sensitive crops.
- Control the spread of fungal diseases such as leaf blight and mildew early.





- Prune excess branches and support young trees to protect them from wind damage.
- Monitor the weather conditions before transporting produce to avoid delays and risks on the road.
- Use covered vans or waterproof tarpaulins to protect harvested crops from rain and moisture.

FARM ADVISORY SOIL MOISTURE CONDITION **ENSO ALERT SYSTEM STATUS** (updated: 03 July 2025) (July 1 - 10, 2025)Wet - Ilocos Region, MONTHLY CLIMATE ASSESSMENT AND OUTLOOK extreme portion of **INACTIVE** Cagayan Valley, most parts of Central Luzon, Cordillera Inactive Administrative Region, National Capital Region, Rizal, most parts of Quezon, .egend Mindoro provinces, DRY (0-75mm) Palawan, Marinduque, MOIST (76mm-150mm) Albay, Western WET (>150mm) Visayas, Negros Occidental, Levte. https://bagong.pagasa.dost.gov.ph/climate/elnino-la-Eastern Samar, nina/monitoring Southern Leyte, Biliran, Zamboanga Take precautionary measures to minimize the impact of del Norte, Bukidnon, heavy rains and possible flooding. Reinforce your farm Davao Region, structures-such as trellises, drying sheds, and animal Surigao del Sur, and shelters—to withstand strong winds and rain. Schedule your BARMM planting and harvesting during fair weather to prevent crop damage. Maintain proper drainage in your rice fields and Moist - Romblon. vegetable plots to avoid waterlogging. If flooding is likely in Camarines Norte, Catanduanes, Sorsogon, Siguijor, Negros your area, move your livestock to higher and safer ground. Oriental, Northern Samar, Samar, rest of Zamboanga Sibugay, Check your storage areas for seeds, fertilizers, and animal rest of Northern Mindanao, and Surigao del Norte feeds, and keep them elevated and protected from water to prevent spoilage.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over the northern seaboard of Northern Luzon (Batanes).

Rough seas will be experienced over the northern and eastern seaboards of Northern Luzon, while the rest of the country will have moderate to rough seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION				
	DAILY EXTREMES	MONTHLY EXTREMES		
Maximum Temperature	39.4 °C (Tuguegarao City, 1952)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)	
Minimum Temperature	14.4 °C (Baguio City, 1907)	Minimum Temperature	12.2 °C (Baguio City, 1907)	
Rainfall	340.0 mm (Virac Radar, 1987)	Rainfall	1085.8 mm (Baguio City, 2001)	

PREPARED/UPLOADED BY: **RAAM / HGDE**VERIFIED BY: **MEVT**

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

Dry – Rest of the country





Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 - 166

Inilabas ng: 7:00 AM, Biyernes, 18 Hulyo 2025 May bisa hanggang: 7:00 AM, Sabado, 19 Hulyo 2025

SYNOPSIS: Kanianng 3:00AM, ang Tropical Storm "CRISING" {WIPHA} ay tinatayang nasa 310 km silangan hilagang silangan ng Casiguran, Aurora o 345 km silangan ng Echague, Isabela (17.1°N, 124.9°E), na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso na umaabot sa 80 km/h. Ito ay kumikilos pahilagang kanluran sa bilis na 20 km/h. Habagat ang nakaaapekto sa kanlurang bahagi ng Gitna at Katimugang Luzon, kanluran at gitnang mga bahagi ng Kabisayaan, at Mindanao.

LAGAY NG		TEMPERATURA (°C)			PAGKAB	
LUGAR NG PAGTAYA	PANAHON PANG- AGRIKULTURA	HANGIN	Mababang Bukirin	Mataas na Bukirin	RH%	ASA NG DAHON (ORAS)
Batanes, Cagayan, Isabela, Apayao, Abra, Kalinga, Ilocos Norte, at Ilocos Sur	Masungit na panahon	Hilaga at silangang mga bahagi ng Hilagang Luzon – Malakas mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Hilagang Luzon – Katamtaman hanggang sa malakas mula hilagang kanluran hanggang kanluran	23 – 30	18 – 29	75 – 100	>12
Aurora, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Cordillera Administrative Region, at natitirang bahagi ng Lambak ng Cagayan	Maulan na may pagbugso ng hangin	Hilaga at silangang mga bahagi ng Hilagang Luzon – Malakas mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Hilagang Luzon – Katamtaman hanggang sa malakas mula hilagang kanluran hanggang kanluran	22 – 32	14 – 29	75 – 100	>12
Zambales, Bataan, MIMAROPA, Negros Island Region, at Kanlurang Kabisayaan	Pag-ulan dulot ng Habagat	Katamtaman hanggang s malakas mula timog- kanluran	23 – 30	22 – 27	70 – 100	>12
Metro Manila, Zamboanga Peninsula, Cavite, Laguna, Batangas, Rizal, at natitirang bahagi ng Gitnang Luzon	Paminsan- minsang pag- ulan	Katamtaman hanggang s malakas mula timog- kanluran	23 – 33	21 – 30	65 – 98	8 – 12





Natitirang bahagi ng bansa	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat- pagkulog	Katamtaman hanggang s malakas mula timog- kanluran	23 – 33	20 – 30	55 – 98	4 – 8
-------------------------------	---	--	---------	---------	---------	-------

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TS CRISING, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Magtanim sa raised beds o gumamit ng plastic mulch upang makaiwas sa root rot at erosion.
- Maglagay ng rain shelters o simpleng bubong sa mga maselan na pananim.
- Agapan ang pagkalat ng fungal diseases tulad ng leaf blight at mildew.
- Putulin ang sobrang sanga at bigyan ng suporta ang mga batang puno upang hindi mapinsala ng hangin.
- I-monitor ang lagay ng panahon bago bumiyahe ng ani o produkto upang maiwasan ang abala at panganib sa
- Gumamit ng covered vans o waterproof na tolda upang maprotektahan ang ani laban sa ulan at pagkabasa.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hulyo 1 - 10, 2025) DRY (0-75mm) MOIST (76mm-150mm WET (>150mm)

Basa - Rehiyon ng llocos, dulong bahagi ng Lambak ng Cagayan, malaking bahagi ng Gitnang Luzon, Cordillera Administrative Region, National Capital Region, Rizal, malaking bahagi ng Quezon, mga probinsya ng Mindoro, Palawan, Marinduque, Albay, Kanlurang Kabisayaan, Negros Occidental, Leyte. Eastern Samar, Southern Leyte, Biliran, Zamboanga del Norte, Bukidnon, Davao

Region, Surigao del

Sur, at BARMM

Katamtaman – Romblon, Camarines Norte, Catanduanes, Sorsogon, Siquijor, Negros Oriental, Northern Samar, Samar, natitirang bahagi ng Zamboanga Sibugay, natitirang bahagi ng Hilagang Mindanao, at Surigao del Norte

Tuyo - Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(mula noong 03 Hulyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK **INACTIVE**



https://bagong.pagasa.dost.gov.ph/climate/el-nino-lanina/monitoring

Magsagawa ng mga kaukulang pag-iingat upang mabawasan ang epekto ng malalakas na ulan at posibleng pagbaha. Palakasin at kumpunihin ang mga istruktura sa bukid gaya ng trellis, drying sheds, at kulungan ng hayop upang kayanin ang malalakas na hangin at ulan. liskedyul nang maayos ang pagtatanim at pag-aani sa mga panahong maganda ang panahon upang maiwasan ang pinsala sa ani. Panatilihing maayos ang daluyan ng tubig sa mga palayan at gulayan upang hindi mababad o malubog sa tubig. Ilipat ang mga alagang hayop sa mas mataas at ligtas na lugar kung may banta ng pagbaha. Suriin ang mga imbakan ng binhi, pataba, at pakain—siguraduhing nakaangat at ligtas sa tubig upang maiwasan ang pagkasira.

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph





Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa hilagang baybayin ng Hilagang Luzon (Batanes).

Maalon na karagatan ang mararanasan sa hilagang at silangang mga baybayin ng Hilagang Luzon, samantalang ang natitirang bahagi ng kapuluan ay magkakaroon ng katamtaman hanggang sa maalon na karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN				
	DAILY EXTREMES	MONTHLY EXTREMES		
Pinakamataas na	20.4.9C (Turning cores City, 4052)	Pinakamataas na	41.0°C (Tuguegarao City, 1915)	
Temperatura	39.4 °C (Tuguegarao City, 1952)	Temperatura	41.0°C (Tuguegarao City, 1915)	
Pinakamababang	14.4.9C (Parvis City, 1007)	Pinakamababang	12.2 °C (Baguio City, 1907)	
Temperatura	14.4 °C (Baguio City, 1907)	Temperatura	12.2 °C (Bagulo City, 1907)	
Pinakamaraming	240.0 mm (Vines Dader 4007)	Pinakamaraming	1085.8 mm (Baguio City, 2001)	
Ulan	340.0 mm (Virac Radar, 1987)	Ulan	1085.8 Hilli (Bagulo City, 2001)	

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / HGDE**BINIGYANG PANSIN NI: **MEVT**