



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 156

Issued: 7:00 AM, Monday, 07 July 2025

Valid until: 7:00 AM, Tuesday, 08 July 2025

**SYNOPSIS:** At 3:00 AM today, the center of the eye of Typhoon "BISING" {DANAS} was estimated based on all available data at 385 km North Northwest of Itbayat, Batanes (24.1°N, 120.8°E) with maximum sustained winds of 130 km/h near the center and gustiness of up to 180 km/h. It is moving Northeastward at 25 km/h. Southwest Monsoon affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Ilocos Region, Zambales, and Bataan</b>	Occasional rains	Moderate to strong from southwest to south	23 – 31	21 – 29	70 – 99	6 – 12
<b>Metro Manila, Cagayan Valley, Cordillera Administrative Region, CALABARZON, MIMAROPA, Western Visayas, Negros Island Region, Zamboanga Peninsula, BARMM, and the rest of Central Luzon</b>	Cloudy skies with scattered rains and thunderstorms	<b>Extreme Northern Luzon</b> – Strong from southwest to south;  <b>Metro Manila, Cagayan Valley, Cordillera Administrative Region</b> – Moderate to strong from southwest to south; <b>CALABARZON, MIMAROPA, Western Visayas, Negros Island Region, Zamboanga Peninsula, BARMM, and the rest of Central Luzon</b> – Light to moderate from southwest to south	23 – 35	14 – 32	60 – 98	4 – 8
<b>The rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southwest to south	23 – 34	20 – 32	50 – 96	0 – 4

### AREAS AFFECTED BY THE WEATHER SYSTEMS

#### **SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS**

- Store harvested crops in waterproof, elevated storage areas.
- Dry grains using mechanical dryers if sun drying isn't possible.
- Inspect and maintain farm machinery regularly to prevent rust and malfunction.
- Ensure drainage canals are cleared to prevent water stagnation.
- Construct or reinforce dikes and bunds to protect fields from runoff.
- Apply fungicide preventively if needed to reduce fungal disease risk.
- Postpone fertilizer application to avoid nutrient runoff and wastage.




## FARM ADVISORY

### SOIL MOISTURE CONDITION

(June 21 – 30, 2025)

### ENSO ALERT SYSTEM STATUS

(updated: 25 June 2025)



**Wet** – Ilocos Region, Basco, rest of Cordillera Administrative Region, Aurora, Bataan, Olongapo City, Zambales, Nueva Ecija, Cavite, Quezon, Palawan, Camarines Norte, Albay, Catanduanes, Western Visayas, Siquijor, rest of Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Surigao del Sur, and BARM

**Moist** – Itbayat, Calayan, Aparri, Baguio, Metro Manila, Tarlac, Mindoro Provinces, Sorsogon, Tagbilaran City, Southern Leyte, Davao del Sur, and Surigao del Norte

**Dry** – Rest of the country

### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.

## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

**Gale Warning is raised over the northern seaboard of Northern Luzon (Batanes).**

Rough seas will prevail over **Extreme Northern Luzon** while the **western section of Central Luzon and the rest of Northern Luzon** will have moderate to rough seas. Meanwhile, slight to moderate seas will prevail over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

### DAILY EXTREMES

Maximum Temperature	40.0 °C (Tuguegarao City, 1983)
Minimum Temperature	13.9 °C (Baguio, 1907)
Rainfall	432.5 mm (Subic Bay, 2016)

### MONTHLY EXTREMES

Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	1085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **MTR / RVDD**

VERIFIED BY: **MEVT**



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 156

Inilabas ng: 7:00 AM, Lunes, 07 Hulyo 2025

May bisa hanggang: 7:00 AM, Martes, 08 Hulyo 2025

**SYNOPSIS:** Kaninang 3:00 AM, ang sentro ng mata ng Typhoon "BISING" {DANAS} ay tinatayang nasa 385 km hilaga-hilagang kanluran ng Itbayat, Batanes (24.1°N, 120.8°E) na may taglay na lakas ng hangin na 130 km/h malapit sa gitna at pagbugso ng hangin na umaabot sa 180 km/h. Ito ay kumikilos patungo sa hilagang silangan sa bilis na 25 km/h. Habagat ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
<b>Rehiyon ng Ilocos, Zambales, at Bataan</b>	Paminsan-minsang pag-ulan	Katamtaman hanggang malakas mula sa timog-kanluran hanggang timog	23 – 31	21 – 29	70 – 99	6 – 12
<b>Metro Manila, Lambak ng Cagayan, Rehiyong ng Cordillera, CALABARZON, MIMAROPA, Kanlurang Kabisayaan, Rehiyon ng Isla ng Negros, Zamboanga PANinsula, BARMM, at ang natitirang bahagi ng Gitnang Luzon</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Dulong Hilagang Luzon</b> – Malakas mula sa timog-kanluran hanggang timog;  <b>Metro Manila, Lambak ng Cagayan, Rehiyong ng Cordillera</b> – Katamtaman hanggang malakas mula sa timog-kanluran hanggang timog;  <b>CALABARZON, MIMAROPA, Kanlurang Kabisayaan, Rehiyon ng Isla ng Negros, Zamboanga PANinsula, BARMM, at ang natitirang bahagi ng Gitnang Luzon</b> – Mahina hanggang katamtaman mula sa timog-kanluran hanggang timog	23 – 35	14 – 32	60 – 98	4 – 8
<b>Natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang katamtaman mula sa timog-kanluran hanggang timog	23 – 34	20 – 32	50 – 96	0 – 4



### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


#### HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itago ang mga ani sa mataas at hindi tinatablan ng tubig na imbakan.
- Patuyuin ang mga butil gamit ang makinang pantuyo kung hindi posible ang pagpapatuyo sa araw.
- Suriin at panatilihin ang mga makinang pansakahan upang maiwasan ang kalawang at sira.
- Siguraduhing malinis at walang bara ang mga kanal ng irigasyon upang maiwasan ang pagbaha sa bukid.
- Magtayo o magpatibay ng mga pilapil at dike upang maprotektahan ang sakahan mula sa agos ng tubig-ulan.
- Maglagay ng fungicide bilang pag-iwas kung kinakailangan upang maiwasan ang sakit na dulot ng fungi.
- Ipagpaliban muna ang paglalagay ng pataba upang hindi ito sayangin at maiwasan ang pag-agos nito sa tubig.

### PAYONG PANGSAKAHAN

#### KALAGAYAN NG LUPANG SAKAHAN

(Hunyo 21 – 30, 2025)



**Legend**  
DRY (0-75mm)  
MOIST (76mm-150mm)  
WET (>150mm)

**Basa** – Rehiyon ng Ilocos, Basco, natitirang bahagi ng Rehiyon ng Cordillera, Aurora, Bataan, Olongapo City, Zambales, Nueva Ecija, Cavite, Quezon, Palawan, Camarines Norte, Albay, Catanduanes, Kanlurang Kabisayaan, Siquijor, natitirang bahagi ng Gitnang Kabisayaan, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Davao del Norte, Surigao del Sur, at BARMM

**Katamtaman** – Itbayat, Calayan, Aparri, Baguio, Metro Manila, Tarlac, Probinsiya ng Mindoro, Sorsogon, Tagbilaran City, Southern Leyte, Davao del Sur, at Surigao del Norte

**Tuyo** – Natitirang bahagi ng bansa

#### ENSO ALERT SYSTEM STATUS

(mula noong 25 Hunyo 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

#### Nakataas ang Gale Warning sa hilagang baybayin ng Hilagang Luzon (Batanes).

Magiging maalon ang karagatan sa **Dulong Hilagang Luzon**, habang katamtaman hanggang maalon naman sa **kanlurang bahagi ng Gitnang Luzon** at sa **natitirang bahagi ng Hilagang Luzon**. Samantala, bahagya hanggang katamtamang pag-alon ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1983)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	13.9 °C (Baguio, 1907)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	432.5 mm (Subic Bay, 2016)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: <b>MTR/ RVDD</b>		BINIGYANG PANSIN NI: <b>MEVT</b>	