



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 068

Issued: 7:00 AM, Friday, 21 March 2025

Valid until: 7:00 AM, Saturday, 22 March 2025

SYNOPSIS: Northeast Monsoon affecting Luzon. Shear Line affecting Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, Albay, Sorsogon, Catanduanes, Masbate, and Dinagat Islands	Cloudy skies with scattered rains and isolated thunderstorms	Visayas, Albay, Sorsogon, Catanduanes, Masbate– Strong from northeast; Dinagat Islands – Light to moderate from northeast	24 – 30	22 – 29	75 – 98	4 – 48
Davao Region, Zamboanga Peninsula, Sarangani, Basilan, Sulu, Tawi-Tawi, and Palawan	Cloudy skies with scattered rainshowers and thunderstorms	Light to moderate from northeast	22 – 32	21 – 31	75 – 98	4 – 8
Cagayan Valley, Apayao, Aurora, Quezon, and the rest of Bicol Region	Cloudy skies with rains	Quezon, and the rest of Bicol Region – Strong from northeast; Cagayan Valley, Apayao, Aurora – Moderate to strong from northeast	21 – 30	20 – 29	70 – 98	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Moderate to strong from northeast	21 – 35	19 – 32	55 – 96	0 – 4
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	23 – 35	21 – 33	55 – 96	0 – 4


AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
NORTHEAST MONSOON, SHEARLINE, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none"> Inspect crops regularly for pests and diseases and address outbreaks immediately. Adjust irrigation frequency based on weather, soil type, and crop needs. Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption. Inspect and clean drainage channels regularly to prevent blockages. Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value. Handle produce carefully during transport to prevent damage and contamination. 	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>



FARM ADVISORY

SOIL MOISTURE CONDITION

(March 1 – 10, 2025)



Wet – Aurora, most parts of Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Eastern Visayas, and rest of Caraga


Moist – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 18 March 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over **the eastern seaboard of Southern Luzon and Visayas (the northern and eastern coasts of Catanduanes {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, the eastern coast of Albay {Rapu-Rapu}, the eastern coast of Sorsogon {Prieto Diaz, Gubat, Barcelona, Bulusan}, the northern and eastern coasts of Northern Samar {San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, and Lapinig}, and the eastern coast of Eastern Samar {Arteche, San Policarpo, Oras, Dolores, Can-avid, Taft, Sulat, San Julian, the City of Borongan, Maydolong, Balangkayan, Llorente, Hernani, and Salcedo})**.

Rough seas are expected over the rest of **the eastern sections of Southern Luzon and Visayas** while moderate to rough seas will be experienced over **the rest of Luzon**. Slight to moderate seas will prevail over **the rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	38.5 °C (Tuguegarao City, 1969)
Minimum Temperature	12.2 °C (Baguio City, 1965)
Rainfall	118.8 mm (Hinatuan City, 2002)

MONTHLY EXTREMES

Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	401.0 mm (Casiguran, 1971)

PREPARED/UPLOADED BY: **MTR / MAM**

VERIFIED BY: **NRE**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 068


Inilabas ng: 7:00 AM, Biyernes, 21 Marso 2025

May bisa hanggang: 7:00 AM Sabado, 22 Marso 2025

SYNOPSIS: Amihan ang nakakaapekto sa Luzon. Shearline ang nakakaapekto sa Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Kabisayan, Albay, Sorsogon, Catanduanes, Masbate, at mga Isla ng Dinagat	Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong	Kabisayan, Albay, Sorsogon, Catanduanes, Masbate – Malakas hanggang sa pinakamalakas mula hilagang silangan; Mga Isla ng Dinagat – Mahina hanggang sa katamtaman mula hilagang silangan	24 – 30	22 – 29	75 – 98	4 – 48
Rehiyon ng Davao, Zamboanga Peninsula, Sarangani, Basilan, Sulu, Tawi-Tawi, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	22 – 32	21 – 31	75 – 98	4 – 8
Lambak ng Cagayan, Apayao, Aurora, Quezon, at natitirang bahagi ng Rehiyon ng Bicol	Maulap na kalangitan na may pag-ulan	Quezon, at natitirang bahagi ng Rehiyon ng Bicol – Malakas hanggang sa pinakamalakas mula hilagang silangan; Lambak ng Cagayan, Apayao, Aurora – Katamtaman hanggang malakas mula hilagang silangan	21 – 30	20 – 29	70 – 98	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Katamtaman hanggang malakas mula hilagang silangan	21 – 35	19 – 32	55 – 96	0 – 4
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 35	21 – 33	55 – 96	0 – 4


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
AMIHAN, SHEARLINE, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akmang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



- Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.
- Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Marso 1 – 10, 2025)



Basa – Aurora, malaking bahagi ng Quezon, Calapan, Coron, Aborlan, Camarines, Sur, Albay, Catanduanes, Silangang Kabisayaan, at natitirang bahagi ng Caraga

Katamtaman – Batanes, Aparri, Nueva Vizcaya, Cavite, Batangas, Laguna, Romblon, Puerto Princesa, Camarines Norte, Masbate, Capiz, Zamboanga del Norte, Bukidnon, Davao del Norte, SOCCSKSARGEN, Agusan del Norte, at BARM

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 18 Marso 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Linisin at panatilihin maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **silangang baybayin ng Katimugang Luzon at Kabisayaan** (ang hilaga at silangang baybayin ng **Catanduanes** {Pandan, Bagamanoc, Panganiban, Viga, Gigmoto, Baras, Bato}, ang silangang baybayin ng **Albay** {Rapu-Rapu}, ang silangang baybayin ng **Sorsogon** {Prieto Diaz, Gubat, Barcelona, Bulusan}, ang hilaga at silangang baybayin ng **Northern Samar** {San Roque, Pambujan, Laoang, Palapag, Mapanas, Gamay, at Lapinig}, at ang silangang baybayin ng **Eastern Samar** {Arteche, San Policarpo, Oras, Dolores, Can-avid, Taft, Sulat, San Julian, Lungsod ng Borongan, Maydolong, Balangkayan, Llorente, Hernani, at Salcedo}).

Maalon hanggang sa napakaalon ang inaasahan **sa natitirang bahagi ng silangang bahagi ng Katimugang Luzon at Kabisayaan**, habang katamtaman hanggang maalon na karagatan ang mararanasan **sa natitirang bahagi ng Luzon**. Samantala, banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral **sa natitirang baybayin ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaling magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura	38.5 °C (Tuguegarao City, 1969)	Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	12.2 °C (Baguio City, 1965)	Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	118.8 mm (Hinatuan City, 2002)	Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / MAM**

BINIGYANG PANSIN NI: **NRE**