



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 022

Issued: 7:00 AM, Monday, 27 January 2025

Valid until: 7:00 AM, Tuesday, 28 January 2025

SYNOPSIS: Northeast Monsoon affecting Luzon. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Eastern Visayas, Dinagat Islands, Surigao del Norte, Surigao del Sur, and Davao Oriental	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast	23 – 31	21 – 29	70 – 98	4 – 8
Batanes	Cloudy skies with light rains	Moderate to strong from northeast	19 – 24	17 – 22	65 – 98	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated light rains	Northern and Central Luzon – Moderate to strong from northeast The rest of Luzon – Light to moderate from northeast	20 – 34	10 – 26	55 – 97	0 – 4
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast	23 – 32	20 – 30	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, SHEARLINE, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Water plants early in the morning or late afternoon to minimize evaporation and conserve soil moisture.
- Apply mulch to retain soil moisture effectively.
- Protect cold-sensitive crops like fruits and vegetables by covering them with cloth or plastic sheeting on cold nights.
- Monitor crops regularly for pests and use eco-friendly treatments if needed.
- Store harvested crops in cool, dry conditions to prevent spoilage; refrigeration or cool cellars are ideal for sensitive produce.




FARM ADVISORY

SOIL MOISTURE CONDITION

(January 11 – 20, 2024)

ENSO ALERT SYSTEM STATUS

(as of 22 January 2025)



Wet – Batanes, Baler, Quezon, Oriental Mindoro, Romblon, Bicol Region, Capiz, Tagbilaran City, Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Cagayan Valley, Laguna, Rizal, Palawan, Casiguran, Siquijor, Negros Oriental, Bohol, Zamboanga del Sur, and Davao del Sur

Dry – Rest of the country

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



Reinforce embankments, build terraces, or plant ground cover to prevent soil erosion from heavy rains and stabilize the soil. Adjust irrigation schedules during heavy rainfall to avoid over-irrigation and flooding in already saturated fields. Collect and store runoff water in ponds for irrigation use during dry periods. Minimize fieldwork during heavy rains to prevent soil compaction, exposure to wet conditions, and accidents. Use appropriate rain gear and equipment for safety if necessary.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning is raised over the **northern seaboard of Northern Luzon** (Batanes and Babuyan Islands).

Moderate to rough seas will be experienced over **the Northern and Central Luzon** while slight to moderate seas are expected over the **rest of the country**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	36.3 °C (General Santos City, 1981)	Maximum Temperature	37.7 °C (Ambulong, 1977)
Minimum Temperature	8.8 °C (Baguio City, 1987)	Minimum Temperature	6.3 °C (Baguio City, 1961)
Rainfall	281.7 mm (Guiuan, 2018)	Rainfall	427.8 mm (Borongan, 2011)

PREPARED/UPLOADED BY: **MGA / RVDD**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 022

Inilabas ng: 7:00 AM, Lunes, 27 Enero 2025

May bisa hanggang: 7:00 AM, Martes, 28 Enero 2025

SYNOPSIS: Amihan ang nakakaapekto sa Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Silangang Kabisayaan, Dinagat Islands, Surigao del Norte, Surigao del Sur, at Davao Oriental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 31	21 – 29	70 – 98	4 – 8
Batanes	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	19 – 24	17 – 22	65 – 98	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Hilaga at Gitnang Luzon – Katamtaman hanggang sa malakas mula hilagang silangan Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang silangan	20 – 34	10 – 26	55 – 97	0 – 4
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan	23 – 32	20 – 30	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


AMIHAN, SHEARLINE, EASTERLIES, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Diligan ang mga halaman nang maaga o sa dakong hapon upang mabawasan ang pagsingaw ng tubig at mapanatili ang halumigmig ng lupa.
- Gumamit ng mulch upang epektibong mapanatili ang halumigmig ng lupa.
- Protektahan ang mga pananim na sensitibo sa lamig, tulad ng prutas at gulay, sa pamamagitan ng pagtakip gamit ang tela o plastik tuwing malamig na gabi.
- Regular na suriin ang mga pananim para sa mga peste at gumamit ng eco-friendly na paraan ng paggamot kung kinakailangan.
- Itago ang mga ani sa malamig at tuyong lugar upang maiwasan ang pagkasira; mainam ang paggamit ng refrigerator o malamig na imbakan para sa maseselang produkto.



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Enero 11 – 20, 2024)




Basa – Batanes, Baler, Quezon, Oriental Mindoro, Romblon, Bicol Region, Capiz, Tagbilaran City, Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman Lambak ng Cagayan, Laguna, Rizal, Palawan, Casiguran, Siquijor, Negros Oriental, Bohol, Zamboanga del Sur, at Davao del Sur

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (as of 22 Enero 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Patibayin ang mga embankment, gumawa ng mga terrace, o magtanim ng ground cover upang maiwasan ang pagguho ng lupa dulot ng malalakas na ulan at mapatatag ang lupa. Ayusin ang iskedyul ng irigasyon tuwing malalakas ang ulan upang maiwasan ang sobrang irigasyon at pagbaha sa mga bukirin na sobrang basa na. Kolektahin at itabi ang tubig na dumadaloy mula sa ulan sa mga imbakan para magamit sa irigasyon sa tuwing tagtuyot. Bawasan ang mga gawain sa bukirin tuwing malalakas ang ulan upang maiwasan ang pag-compaction ng lupa, sobrang pagkabasa ng kondisyon, at aksidente. Gumamit ng tamang rain gear at kagamitan para sa kaligtasan kung kinakailangan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas na Gale Warning sa hilagang baybayin ng Hilagang Luzon (Batanes at mga isla ng Babuyan).

Katamtaman hanggang sa maalon na karagatan ang mararanasan sa baybayin ng Hilaga at Gitnang Luzon samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang inaasahan sa natitirang baybayin ng bansa. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.3 °C (General Santos City, 1981)	Maximum Temperature	37.7 °C (Ambulong; 1977)
Pinakamababang Temperatura	8.8 °C (Baguio City, 1987)	Minimum Temperature	6.3 °C (Baguio City; 1961)
Pinakamaraming Ulan	281.7 mm (Guiuan, 2018)	Rainfall	427.8 mm (Borongan; 2011)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / RVDD**

BINIGYANG PANSIN NI: **MEVT**