



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 195

Issued: 7:00 AM, Thursday, 21 August 2025

Valid until: 7:00 AM, Friday, 22 August 2025

**SYNOPSIS:** At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 705 km East of Infanta, Quezon (14.6°N, 128.2°E). Southwest Monsoon affecting Palawan and the western section of Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Metro Manila, Bicol Region, CALABARZON, Cagayan, Isabela, Aurora, Oriental Mindoro, Marinduque, Romblon, Northern Samar, Eastern Samar, Samar, and Biliran</b>	Cloudy skies with scattered rains and thunderstorms	<b>Metro Manila, Bicol Region, CALABARZON, Oriental Mindoro, Marinduque, Romblon, Northern Samar, Eastern Samar, Samar, and Biliran</b> – Light to moderate from northwest to west ;  <b>Cagayan, Isabela, and Aurora</b> – Light to moderate from east to northeast	22 – 33	20 – 30	70 - 99	6 – 10
<b>The rest of Visayas, Zamboanga Peninsula, Basilan, Tawi-Tawi, Occidental Mindoro, and Palawan</b>	Cloudy skies with scattered rains and thunderstorms	<b>The western section of Visayas, Zamboanga Peninsula, Basilan, Tawi-Tawi, Occidental Mindoro, and Palawan</b> – Light to moderate from south to southwest;  <b>The rest of Visayas</b> – Light to moderate from northwest to west	22 – 34	22 – 30	70 - 99	4 – 8
<b>The rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	<b>The rest of Mindanao</b> – Light to moderate from south to southwest;  <b>The rest of Northern and Central Luzon</b> – Light to moderate from east to northeast;  <b>The rest of the country</b> – Light to moderate from northwest to west	22 – 33	14 – 30	45 – 96	0 – 4



### AREAS AFFECTED BY THE WEATHER SYSTEMS


#### TROUGH OF LPA, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Check irrigation systems before heavy rains to ensure they are not clogged or damaged, preventing overflows.
- Avoid applying fertilizers or pesticides right before heavy rains, as runoff can waste inputs and pollute water sources.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Handle produce carefully to reduce bruising, cuts, or damage that can shorten shelf life.
- Dry grains (e.g., rice, corn) immediately after harvest using solar dryers or mechanical dryers to prevent mold and aflatoxin buildup.
- Use elevated, well-ventilated storage facilities to protect harvested crops from pests, rodents, and flooding.
- Stack sacks and crates properly with enough space for air circulation; avoid direct contact with floors or walls by using wooden pallets.
- Store fertilizers, pesticides, and chemicals separately from harvested crops to prevent contamination.
- Use waterproof tarpaulins or covered vans when transporting produce to protect them from rain and excess moisture.

### FARM ADVISORY

#### SOIL MOISTURE CONDITION

(August 1-10, 2025)



**Wet** – Most of Ilocos Region, most of Cagayan Valley, Cordillera Administrative Region, most of Central Luzon, National Capital Region, most of CALABARZON, Aborlan, Albay, Catanduanes, Capiz, Leyte, Zamboanga del Norte, Bukidnon, and Davao Region

**Moist** – Batac, Isabela, Aurora, Laguna, Batangas, most of MIMAROPA, most of Bicol Region, most of Western Visayas, Negros Oriental, Siquijor, Samar, Northern Samar, Misamis Oriental, Surigao del Sur, and BARMM

**Dry** – Rest of the country

#### ENSO ALERT SYSTEM STATUS

(updated: 07 August 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Farmers should regularly check local weather forecasts, since rain may vary from one area to another. Keep field drainage clear and prepare for sudden heavy rains or thunderstorms. Save water and prepare for short dry periods by collecting rainwater and applying mulch to keep the soil moist. Check and secure storage areas for seeds, fertilizers, pesticides, and animal feeds. Keep them off the ground and covered to avoid spoilage from moisture. Monitor crops closely, control pests, and maintain healthy soil. Stay updated with weather forecasts and local advisories through radio, mobile alerts, or social media. Assign farm workers clear tasks and safety reminders, especially when working during or after rains.



## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

**No Gale Warning is raised.**

Slight to moderate seas will prevail over **the whole archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

### ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.8 °C (Tuguegarao, 1958)	Maximum Temperature	39.4 °C (Tuguegarao City, 1960)
Minimum Temperature	13.6 °C (Baguio City, 1930)	Minimum Temperature	12.8 °C (Baguio City, 2005, 1936 & 1913)
Rainfall	433.0 mm (Calayan, 2017)	Rainfall	969.8 mm (Baguio City, 2008)

PREPARED/UPLOADED BY: **NRE / JOT**

VERIFIED BY: **MEVT**



## TAYA NG PANAHAON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 195

Inilabas ng: 7:00 AM, Huwebes, 21 Agosto 2025    May bisa hanggang: 7:00 AM, Biyernes, 22 Agosto 2025

**SYNOPSIS:** Kaninang 3:00 AM, ang Low Pressure Area ay tinatayang nasa 705 km silangan ng Infanta, Quezon (14.6°N, 128.2°E). Habagat ang nakakaapekto sa Palawan at sa kanlurang bahagi ng Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHAON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mababa ng Bukirin		
<b>Metro Manila, Rehiyon ng Bicol, CALABARZON, Cagayan, Isabela, Aurora, Oriental Mindoro, Marinduque, Romblon, Hilagang Samar, Silangang Samar, Samar, at Biliran</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Metro Manila, Rehiyon ng Bicol, CALABARZON, , Oriental Mindoro, Marinduque, Romblon, Hilagang Samar, Silangang Samar, Samar, at Biliran</b> – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran;  <b>Cagayan, Isabela, at Aurora</b> – Mahina hanggang sa katamtaman mula silangn hanggang hilagang silangan	22 – 33	20 – 30	70 - 99	6 – 10
<b>Natitirang bahagi ng Kabisayaan, Zamboanga Peninsula, Basilan, Tawi-Tawi, Occidental Mindoro, at Palawan</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Kanlurang bahagi ng Kabisayaan, Zamboanga Peninsula, Basilan, Tawi-Tawi, Occidental Mindoro, at Palawan</b> – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran;  <b>Natitirang bahagi ng Kabisayaan</b> – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	22 – 34	22 – 30	70 - 99	4 – 8
<b>Natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	<b>Natitirang bahagi ng Mindanao</b> – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran;	22 – 33	14 – 30	45 – 96	0 – 4



		<b>Natitirang bahagi ng Hilaga at Gitnang Luzon</b> – Mahina hanggang sa katamtaman mula silangn hanggang hilagang silangan;			
		<b>Natitirang bahagi ng bansa</b> – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran			

**SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS**

**TROUGH NG LPA, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN**


- Suriin ang mga sistema ng irigasyon bago ang malalakas na ulan upang matiyak na hindi ito barado o sira, at maiwasan ang sobrang pag-apaw.
- Iwasang maglagay ng pataba o pestisidyo bago ang malalakas na ulan, dahil maaaring tangayin lamang ito at makapagdulot ng polusyon sa mga daluyan ng tubig.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.
- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Hawakan nang maingat ang mga ani upang maiwasan ang pagkadurog, pagkagasgas, o pagkasira na nakababawas sa tagal ng imbakan.
- Patuyuin agad ang mga butil (hal. palay, mais) pagkatapos anihin gamit ang solar dryer o mechanical dryer upang maiwasan ang amag at aflatoxin.
- Gumamit ng mataas at maaliwalas na imbakan upang maprotektahan ang mga ani laban sa peste, daga, at pagbaha.
- Ayusin nang maayos ang pagkakapatong ng mga sako at kahon at maglaan ng espasyo para sa sirkulasyon ng hangin; gumamit ng papag upang hindi direktang nakalapat sa sahig o dingding.
- Itabi nang hiwalay ang mga pataba, pestisidyo, at kemikal mula sa mga inaning produkto upang maiwasan ang kontaminasyon.
- Gumamit ng waterproof na tolda o saradong van sa pagdadala ng ani upang maprotektahan ito laban sa ulan at sobrang halumigmig.



## PAYONG PANGSAKAHAN

### KALAGAYAN NG LUPANG SAKAHAN (Agosto 1 – 10, 2025)

### ENSO ALERT SYSTEM STATUS (mula noong 07 Agosto 2025)



**Basa** – Karamihan sa Rehiyon ng Ilocos, karamihan sa Lambak ng Cagayan, Rehiyon ng Cordillera, karamihan sa Gitnang Luzon, NCR, karamihan sa CALABARZON, Aborlan, Albay, Catanduanes, Capiz, Leyte, Zamboanga del Norte, Bukidnon, at Rehiyon ng Davao

**Katamtaman** – Batac, Isabela, Aurora, Laguna, Batangas, karamihan sa MIMAROPA, karamihan sa Rehiyon ng Bicol, karamihan sa Kanlurang Kabisayaan, Negros Oriental, Siquijor, Samar, Hilagang Samar, Misamis Oriental, Surigao del Sur, at BARMM

**Tuyo** – Natitirang bahagi ng bansa

### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Dapat regular na sumubaybay ang mga magsasaka sa lagay ng panahon, dahil maaaring magkakaiba ang pag-ulan sa bawat lugar. Panatilihin malinis ang mga daluyan ng tubig sa bukid at maghanda para sa biglaang malalakas na ulan o pagkulog at pagkidlat. Magtipid sa tubig at maghanda para sa panandaliang tagtuyot sa pamamagitan ng pag-iipon ng tubig-ulan at paglalagay ng mulch upang mapanatiling mamasa-masa ang lupa. Suriin at siguraduhin ang imbakan ng binhi, abono, pestisidyo, at pagkain ng hayop. Ilagay ang mga ito sa mataas at may takip na lugar upang maiwasang masira dahil sa kahalumigmigan. Bantayang mabuti ang mga pananim, kontrolin ang peste, at panatilihin malusog ang lupa. Laging alamin ang pinakabagong ulat sa panahon at lokal na abiso sa pamamagitan ng radyo, mobile alerts, o social media. Bigyan ng malinaw na gawain at paalala sa kaligtasan ang mga manggagawa, lalo na kapag may ulan o pagkatapos ng ulan.

## PAYO SA MGA MANGINGISDA

### GALE WARNING AT KONDISYON NG KARAGATAN

#### Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

### DAGDAG KAALAMAN

#### DAILY EXTREMES

#### MONTHLY EXTREMES

Pinakamataas na Temperatura	37.8 °C (Tuguegarao, 1958)	Pinakamataas na Temperatura	39.4 °C (Tuguegarao City, 1960)
Pinakamababang Temperatura	13.6 °C (Baguio City, 1930)	Pinakamababang Temperatura	12.8 °C (Baguio City, 2005, 1936 & 1913)
Pinakamaraming Ulan	433.0 mm (Calayan, 2017)	Pinakamaraming Ulan	969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: NRE / JOT

BINIGYANG PANSIN NI: MEVT