



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 041

Issued: 7:00 AM, Friday, 20 February 2026

Valid until: 7:00 AM, Saturday, 21 February 2026

SYNOPSIS: Shear Line affecting the eastern sections of Visayas and Mindanao. Northeast Monsoon affecting Luzon.



| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (0C) | | RH% | LEAF WETNESS (HRS) |
|--|--|---|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Caraga, Davao Region, Northern Mindanao, SOCCSKSARGEN, BARM, Eastern Visayas, Sulu, Cebu, and Bohol | Cloudy skies with scattered rains and isolated thunderstorms | Eastern Visayas – Moderate to strong from northeast; Caraga, Davao Region, Northern Mindanao, SOCCSKSARGEN, BARM, Sulu, Cebu, and Bohol – Light to moderate from northeast to east | 22 – 32 | 18 – 30 | 65 – 98 | 4 – 8 |
| Cagayan Valley, Bicol Region, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, and Quezon | Cloudy skies with light rains | Moderate to strong from northeast | 22 – 30 | 14 – 29 | 60 – 98 | 0 – 6 |
| The rest of Mindanao | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Light to moderate from northeast to east | 24 – 32 | 22 – 31 | 50 – 96 | 0 – 4 |
| Metro Manila, the rest of Luzon, and the rest of Visayas | Partly cloudy to cloudy skies with isolated light rains | Metro Manila, the rest of Luzon – Moderate to strong from northeast; The rest of Visayas – Light to moderate from northeast to east | 22 – 33 | 13 – 31 | 50 – 96 | 0 – 4 |

AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, NORTHEAST MONSOON, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Monitor daily weather forecasts and advisories from DOST-PAGASA.
- Adjust planting, spraying, and harvesting schedules based on expected rainfall.
- Ensure proper field drainage to prevent waterlogging and root rot.
- Store harvested crops and farm inputs in elevated, dry, and covered areas.
- Apply mulch to reduce soil erosion and maintain soil moisture balance.
- Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies.
- Remove and destroy infected plant parts to limit disease spread.
- Apply pest and disease control measures during dry windows.
- Clean and service farm tools, sprayers, and machinery after use.
- Check irrigation canals, dikes, and water gates for blockages or damage.



| FARM ADVISORY | | | |
|---|-------------------------------|--|-------------------------------|
| SOIL MOISTURE CONDITION (February 1-10, 2026) | | ENSO ALERT SYSTEM STATUS (Updated as of 06 February 2026) | |
| <div></div> | | <div><p>LA NIÑA</p><p>https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring</p><p>Ensure good field drainage by using raised beds and properly leveled fields, and regularly inspect canals, bunds, and embankments to prevent flooding. Secure nurseries, trellises, and windbreaks to protect crops from strong winds and heavy rains. Harvest mature and near-mature crops early when prolonged rainfall is forecast. Dry and store harvested produce using covered, elevated, and well-ventilated facilities to avoid spoilage. Monitor crops closely for pest and disease outbreaks, particularly fungal infections during wet conditions, and apply control measures when weather permits. Coordinate with the Municipal/City Agriculture Office and regularly follow DOST-PAGASA advisories for timely updates and guidance.</p></div> | |
| <p>Wet – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Polillo Island, Camarines Norte, Agusan del Norte, Surigao del Sur, and Surigao del Norte</p> <p>Moist – Samar, Catanduanes, Capiz, Iloilo, Misamis Oriental, and Agusan del Sur</p> <p>Dry – The rest of the country</p> | | | |
| FISHING ADVISORY | | | |
| GALE WARNING AND SEA CONDITION | | | |
| <p>No Gale Warning was raised.</p> <p>Moderate to rough seas will prevail over Luzon and the eastern section of Visayas while slight to moderate seas will be experienced over the rest of the archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.</p> | | | |
| ADDITIONAL INFORMATION | | | |
| DAILY EXTREMES | | MONTHLY EXTREMES | |
| Maximum Temperature | 37.2 °C (Iba, Zambales, 1972) | Maximum Temperature | 38.4 °C (Tuguegarao, 1961) |
| Minimum Temperature | 8.8 °C (Baguio City, 1991) | Minimum Temperature | 6.7 °C (Baguio City, 1963) |
| Rainfall | 206 mm (Casiguran, 2012) | Rainfall | 472.9 mm (Surigao City, 1974) |
| PREPARED/UPLOADED BY: MTR / JOT | | VERIFIED BY: MEVT | |



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 041

Inilabas ng: 7:00 AM, Biyernes, 20 Pebrero 2026

May bisa hanggang: 7:00 AM, Sabado, 21 Pebrero 2026

SYNOPSIS: Shear Line ang nakakaapekto sa silangang bahagi ng Kabisayaan at Mindanao. Amihan ang nakakaapekto sa Luzon.

| LUGAR NG PAGTAYA | LAGAY NG PANAHON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABASA NG DAHON (ORAS) |
|--|--|---|------------------|-------------------|---------|---------------------------|
| | | | Mababang Bukirin | Mataas na Bukirin | | |
| Caraga, Davao Region, Northern Mindanao, SOCCSKSARGEN, BARMM, Eastern Visayas, Sulu, Cebu, at Bohol | Maulap na kalangitan na may kalat-kalat na pag-ulan at pulo-pulong pagkidlat-pagkulong | Eastern Visayas – Katamtaman hanggang sa malakas mula hilagang silangan; Caraga, Davao Region, Northern Mindanao, SOCCSKSARGEN, BARMM, Sulu, Cebu, at Bohol – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan | 22 – 32 | 18 – 30 | 65 – 98 | 4 – 8 |
| Cagayan Valley, Bicol Region, Apayao, Kalinga, Mountain Province, Ifugao, Aurora, at Quezon | Maulap na kalangitan na may mahinang pag-ulan | Katamtaman hanggang sa malakas hilagang silangan; | 22 – 30 | 14 – 29 | 60 – 98 | 0 – 6 |
| Natitirang bahagi ng Mindanao | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan | Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan | 24 – 32 | 22 – 31 | 50 – 96 | 0 – 4 |
| Metro Manila, natitirang bahagi ng Luzon, at natitirang bahagi ng Kabisayaan | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan | Metro Manila, natitirang bahagi ng Luzon – Katamtaman hanggang sa malakas mula hilagang silangan; natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan | 22 – 33 | 13 – 31 | 50 – 96 | 0 – 4 |

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEARLINE, AMIHAN, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Subaybayan araw-araw ang mga ulat at babala sa panahon mula sa PAGASA.
- layon ang iskedyul ng pagtatanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan.
- Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat.
- Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar.
- Maglagay ng mulch upang mabawasan ang pagguho ng lupa at mapanatili ang tamang halumigmig ng lupa.
- Magsagawa ng regular na pag-iinspeksyon sa bukid para sa pagkadapa ng pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.
- Tanggalin at sirain ang mga apektadong bahagi ng halaman upang maiwasan ang pagkalat ng sakit.



- Isagawa ang pest at disease control sa mga panahong tuyo o walang ulan.
- Linisin at i-maintain ang mga kagamitang pansakahan, sprayer, at makinarya pagkatapos gamitin.
- Suriin ang mga kanal ng irigasyon, dike, at water gates kung may bara o pinsala.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Pebrero 1-10, 2026)

ENSO ALERT SYSTEM STATUS

(mula noong 06 Pebrero 2026)

Legend


DRY (0-75mm)
 MODST (76mm-150mm)
 WET (>150mm)



Basa – Leyte, Southern Leyte, Eastern Samar, Bohol, Cebu, Aklan, Antique, Polillo Island, Camarines Norte, Agusan del Norte, Surigao del Sur, at Surigao del Norte

Katamtaman – Samar, Catanduanes, Capiz, Iloilo, Misamis Oriental, at Agusan del Sur

Tuyo – Natitirang bahagi ng bansa



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Siguraduhin ang maayos na daloy ng tubig sa taniman sa pamamagitan ng raised beds at tamang pag-level ng lupa, at regular na inspeksyunin ang mga kanal, pilapil, at embankment upang maiwasan ang pagbaha. I-secure ang mga nursery, trellis, at windbreaks para protektahan ang pananim mula sa malakas na hangin at matinding ulan. Aniin nang maaga ang mga hinog o malapit nang hinog na pananim kapag inaasahan ang matagal na pag-ulan. Patuyuin at itago ang ani sa mabubungad, mataas, at maayos na bentiladong lugar upang maiwasan ang pagkasira. Subaybayan ang pananim laban sa peste at sakit, lalo na ang fungal infections sa basa at mahalumigmig na panahon, at agad na gumawa ng angkop na kontrol kapag pinahihintulutan ng panahon. Makipag-ugnayan sa Municipal/City Agriculture Office at regular na sundan ang DOST-PAGASA advisories para sa pinakabagong impormasyon at gabay.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Inaasahan ang katamtamang hanggang sa maalon na kalagayan ng karagatan **sa Luzon at silangang bahagi ng Kabisayaan** habang banayad hanggang sa katamtaman nap ag-alon naman ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

| | |
|-----------------------------|-------------------------------|
| Pinakamataas na Temperatura | 37.2 °C (Iba, Zambales, 1972) |
| Pinakamababang Temperatura | 8.8 °C (Baguio City, 1991) |
| Pinakamaraming Ulan | 206 mm (Casiguran, 2012) |

MONTHLY EXTREMES

| | |
|-----------------------------|-------------------------------|
| Pinakamataas na Temperatura | 38.4 °C (Tuguegarao, 1961) |
| Pinakamababang Temperatura | 6.7 °C (Baguio City, 1963) |
| Pinakamaraming Ulan | 472.9 mm (Surigao City, 1974) |

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / JOT**

BINIGYANG PANSIN NI: **MEVT**