



WEEKEND/SPECIAL FARM WEATHER OUTLOOK

WSFWO: NO. 25 – 051

Issued: 4:00 PM, Friday, 28 February 2025

Valid until: 7:00 AM, Monday, 03 March 2025

Today until tomorrow (28 February – 1 March), the *shear line* is expected to bring cloudy skies with scattered rains and isolated thunderstorms over Eastern Visayas, Caraga, Davao Region, SOCCSKSARGEN, and Northern Mindanao. Meanwhile, the rest of the Visayas and Mindanao will experience mostly cloudy skies with scattered rains and isolated thunderstorms due to the *easterlies*. Cagayan Valley, the Cordillera Administrative Region, and Aurora will have mostly cloudy skies with rains due to the influence of the *northeast monsoon*. The rest of the country will have partly cloudy to cloudy skies with rainshowers or isolated thunderstorms..


From Sunday to Monday (2 – 3 March), Bicol Region, Eastern Visayas, and Caraga are expected to experience mostly cloudy skies with scattered rains and isolated thunderstorms due to the *shear line*. Meanwhile, Mindanao will be mostly cloudy with scattered rains and isolated thunderstorms, influenced by the *easterlies* or *itcz*. Cagayan Valley, the Cordillera Administrative Region, and Aurora will experience mostly cloudy skies with rains due to the *northeast monsoon*. The rest of the country will have partly cloudy to cloudy skies with rainshowers or isolated thunderstorms.

FORECAST AREA	TEMPERATURE		RH (%)	LEAF WETNESS (HRS)
	LOWLAND	UPLAND		
LUZON	20 – 36	13 – 32	45 – 98	2 – 8
VISAYAS	22 – 34	20 – 32	60 – 98	0 – 8
MINDANAO	23 – 35	21 – 31	60 – 98	0 – 8

FARM ADVISORY

SOIL MOISTURE CONDITION

(February 1 – 10, 2025)



Wet – Batanes, Aparri, Calayan, Aurora, Bulacan, Quezon, Oriental Mindoro, Romblon, Central portions of Palawan, Bicol Region, Capiz, Eastern Visayas, Zamboanga del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur;


Moist – Nueva Viscaya, Tarlac, Laguna, Bohol, Bukidnon, and Davao Region;

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(as of 26 February 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Enhance farm resilience by building drainage canals to prevent waterlogging and applying fungicides or biocontrol agents to manage fungal diseases. Prune fruit trees to reduce wind damage and store tools and machinery in covered areas to prevent deterioration. Regularly inspect crops for stress, pests, or diseases and apply necessary treatments. Repair damaged irrigation channels and dikes to prepare for future rainfall. To reduce post-harvest losses and increase income, process perishable products into value-added goods such as dried fruits, pickled vegetables, or flour.



AREAS AFFECTED BY THE WEATHER SYSTEMS

SHEARLINE, NORTHEAST MONSOON, ITCZ, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Keep drainage clear to stop water from pooling.
- Use natural or slow-release fertilizers to keep soil healthy.
- Check for pests and diseases often and treat them early.
- Cover crops to protect them from heavy rain and wind.
- Harvest on dry days to keep crops fresh and safe.
- Dry crops well to prevent mold and spoilage.

PREPARED/UPLOADED BY: **NRE / RVDD**

VERIFIED BY: **MGA**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 051

Inilabas ng: 4:00 PM, Biyernes, 21 Pebrero 2024

May bisa hanggang: 7:00 AM, Lunes, 24 Pebrero 2025


Ngayon hanggang bukas (28 Pebrero – 01 Marso), inaasahang magdadala ang *shear line* ng maulap na kalangitan na may kalat-kalat na pag-ulan at mga pulu-pulong pagkidlat at pagkulog sa Silangang Kabisayaan, Caraga, Rehiyon ng Davao, SOCCSKSARGEN at Hilagang Mindanao. Samantala, ang natitirang bahagi ng Kabisayaan at Mindanao ay makakaranas ng madalas na maulap na kalangitan na may kalat-kalat na pag-ulan at mga pulu-pulong pagkidlat at pagkulog dulot ng *easterlies*. Ang Cagayan Valley, Cordillera Administrative Region, at Aurora ay makakaranas ng madalas na maulap na kalangitan na may pag-ulan dulot ng *Amihan*. Ang natitirang bahagi ng bansa ay magkakaroon ng bahagyang maulap hanggang maulap na kalangitan na may pag-ulan o pulu-pulong pagkidlat at pagkulog.

Mula Linggo hanggang Lunes (2 – 3 Marso), inaasahang makakaranas ng madalas na maulap na kalangitan na may kalat-kalat na pag-ulan at mga pulu-pulong pagkidlat at pagkulog ang Rehiyon ng Bicol, Silangang Kabisayaan, at Caraga dulot ng *shear line*. Samantala, ang Mindanao ay magkakaroon ng madalas na maulap na kalangitan na may kalat-kalat na pag-ulan at mga pulu-pulong pagkidlat at pagkulog dulot ng *easterlies* o *ITCZ*. Ang Lambak ng Cagayan, Rehiyon ng Cordillera, at Aurora ay makakaranas ng madalas na maulap na kalangitan na may pag-ulan dulot ng *Amihan*. Ang natitirang bahagi ng bansa ay makakaranas ng bahagyang maulap hanggang maulap na kalangitan na may pag-ulan o pulu-pulong pagkidlat at pagkulog.

LUGAR NG PAGTAYA	TEMPERATURA (°C)		RH (%)	PAGKABASA NG DAHON (ORAS)
	Mababang Bukirin	Mataas na Bukirin		
LUZON	20 – 36	13 – 32	45 – 98	2 – 8
VISAYAS	22 – 34	20 – 32	60 – 98	0 – 8
MINDANAO	23 – 35	21 – 31	60 – 98	0 – 8

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Pebrero 1 – 10, 2025)




Basa – Batanes, Aparri, Calayan, Aurora, Bulacan, Quezon, Oriental Mindoro, Romblon, gitnang bahagi ng Palawan, Rehiyon ng Bicol, Capiz, Silangang Kabisayaan, Zamboanga del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur;

Katamtaman – Nueva Viscaya, Tarlac, Laguna, Bohol, Bukidnon, at Davao Region;

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (as of 26 Pebrero 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Palakasin ang katatagan ng sakahan sa pamamagitan ng paggawa ng mga kanal para maiwasan ang pagbara ng tubig at paglalagay ng fungicide o biocontrol agents upang mapigilan ang paglaganap ng fungal diseases. Putulan ang mga punong namumunga upang mabawasan ang pinsala mula sa malakas na hangin at itago nang maayos ang mga kagamitan at makinarya upang maiwasan ang pagkasira. Regular na suriin ang mga pananim para sa stress, peste, o sakit at agad na ipatupad ang angkop na lunas. Kumpunihin ang mga sirang kanal ng irigasyon at pilapil upang mapaghandaan ang mga susunod na pag-ulan. Upang mabawasan ang pagkalugi matapos ang anihan at mapataas ang kita, iproseso ang mga nabubulok na produkto bilang pinatuyong prutas, atsara, o harina.



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

SHEARLINE, AMIHAN, ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Panatilihin ang daluyan ng tubig upang maiwasan ang pagbaha.
- Gumamit ng natural o mabagal matunaw na pataba upang mapanatiling mataba ang lupa.
- Regular na suriin ang mga peste at sakit ng halaman at agapan agad ang paggamot.
- Takpan ang mga pananim upang maprotektahan mula sa malakas na ulan at hangin.
- Mag-ani sa tuyo at maaraw na araw upang manatiling sariwa at ligtas ang ani.
- Patuyuin nang maayos ang ani upang maiwasan ang amag at pagkabulok.

PREPARED/UPLOADED BY: NRE / RVDD

VERIFIED BY: MGA