



Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 171

Issued: 7:00 AM, Thursday, 24 July 2025 Valid until: 7:00 AM, Friday, 25 July 2025

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "DANTE" {FRANCISCO} was estimated based on all available data at 810 km East Northeast of Extreme Northern Luzon (23.3°N, 129.2°E), with maximum sustained winds of 75 km/h near the center and gustiness of up to 90 km/h. It is moving North Northwestward at 15 km/h. Meanwhile, at 3:00 AM, the center of Severe Tropical Storm "EMONG" {CO-MAY} was estimated at 245 km West of Bacnotan, La Union (16.8°N, 118.1°E), with maximum sustained winds of 110 km/h near the center and gustiness of up to 135 km/h. It is moving Southwestward at 25 km/h. Southwest Monsoon affecting Central and Southern Luzon, Visayas, and Mindanao.

		TEMPERATURE (°C)				LEAF
FORECAST AREA	AGRI-WEATHER	N WINDS	LOWLAND	UPLAND	RH%	LEAF WETNESS (HRS)
Ilocos Region and Cordillera Administrative Region	Stormy	Strong from southwest to southeast	22 – 29	16 – 26	75– 100	>12
Batanes, Cagayan, Isabela, Zambales, and Tarlac	Rains with gusty winds	Batanes, Cagayan, and Isabela – Moderate to strong from northeast to northwest Zambales – Strong from southwest to southeast Tarlac – Moderate to strong from southwest;	23 – 30	21 – 28	75– 100	>12
Metro Manila, Bataan, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, and Occidental Mindoro	Monsoon Rains	Bataan – Strong from southwest to southeast Metro Manila, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, and Occidental Mindoro – Moderate to strong from southwest;	23 – 29	21 – 27	70– 100	>12
Western Visayas, Nueva Ecija, Aurora, Quezon, rest of MIMAROPA, Camarines Sur, Albay, Sorsogon, and Masbate	Occasional rains	Nueva Ecija, Aurora, Quezon, rest of MIMAROPA, Camarines Sur, Albay, Sorsogon, and Masbate – Moderate to strong from southwest; Western Visayas – Moderate from southwest	23 – 31	21 – 29	65 – 99	8 – 12





The rest of Cagayan Valley, the rest of Bicol Region and the rest of Visayas	Cloudy skies with scattered rains and thunderstorms	Rest of Cagayan Valley – Moderate to strong from northeast to northwest; Rest of Bicol Region – Moderate to strong from southwest; Rest of Visayas – Moderate from southwest	23 – 34	20– 29	60 – 98	8 – 12
Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Moderate from southwest	24 – 34	21 – 31	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, STS EMONG, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Regularly clean and maintain drainage canals, dikes, and waterways to ensure smooth water flow and prevent flooding in low-lying areas.
- Plant on raised beds or use plastic mulch to prevent root rot and soil erosion.
- Install rain shelters or simple roofing over sensitive crops.
- Control the spread of fungal diseases such as leaf blight and mildew early.
- Prune excess branches and support young trees to protect them from wind damage.
- Monitor the weather conditions before transporting produce to avoid delays and risks on the road.
- Use covered vans or waterproof tarpaulins to protect harvested crops from rain and moisture.
- Avoid cleaning or repairing drainage canals, dikes, and waterways during landslide threats to prevent accidents. Perform these activities only when the weather and area are confirmed safe.
- Ensure farm equipments are safely stored. Move livestock to higher ground or secure shelters to protect them from flooding and strong winds.

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

FARM ADVISORY					
SOIL MOISTURE CONDITION	ENSO ALERT SYSTEM STATUS				
(July 11 – 20, 2025)	(updated: 03 July 2025)				





Wet – Ilocos Region, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital



Region, most parts of CALABARZON, most parts of Camarines Norte, Albay, Catanduanes, Sorsogon, Western Visayas, Negros Oriental, Northern most of Eastern Visayas, Zamboanga Peninsula, Bukidnon, Davao Region, and BARMM

Moist – Romblon, Camarines Norte, Catanduanes, Sorsogon, Siquijor, Negros Oriental, Northern Samar, Samar, rest of Zamboanga Sibugay, rest of Northern Mindanao, and Surigao del Norte

Dry – Rest of the country

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



https://bagong.pagasa.dost.gov.ph/climate/elnino-lanina/monitoring

Take precautionary measures to minimize the impact of heavy rains and possible flooding. Reinforce your farm structures—such as trellises, drying sheds, and animal shelters—to withstand strong winds and rain. Schedule your planting and harvesting during fair weather to prevent crop damage. Maintain proper drainage in your rice fields and vegetable plots to avoid waterlogging. If flooding is likely in your area, move your livestock to higher and safer ground. Check your storage areas for seeds, fertilizers, and animal feeds, and keep them elevated and protected from water to prevent spoilage.

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale Warning was raised over the the western seaboards of Central and Southern Luzon (Bataan and Lubang Islands) and the western seaboard of Northern and Central Luzon (Pangasinan, La Union, Ilocos Sur [Tagudin, Santa Cruz, Santa Lucia, City of Candon, Santiago, Santa Maria, San Esteban, Narvacan] and Zambales)

Rough seas will be experience over the **western seaboards of Northern and Central Luzon**, while moderate to rough seas will be experienced over the seaboards of **Southern Luzon**, the rest of **Central Luzon and the rest of Northern Luzon**. Moderate seas will prevail over the rest of the country. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION					
DAILY EXTREMES MONTHLY EXTREMES					
Maximum Temperature	38.5 °C (Tuguegarao City, 1914)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)		
Minimum Temperature	14.0 °C (Baguio City, 1908)	Minimum Temperature	12.2 °C (Baguio City, 1907)		
Rainfall	371.3 mm (Baguio City, 1968)	Rainfall	1085.8 mm (Baguio City, 2001)		

PREPARED/UPLOADED BY: MGA / JOT VERIFIED BY: NRE





Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 - 171

Inilabas ng: 7:00 AM, Huwebes, 24 Hulyo 2025 May bisa hanggang: 7:00 AM, Biyernes, 25 Hulyo 2025

SYNOPSIS: Kaninang 3:00 AM ang sentro ng Tropical Storm "DANTE" {FRANCISCO} ay tinatayang nasa 810 km silangan ng Dulong Hilagang Luzon (23.3°N, 129.2°E) na may taglay na lakas ng hangin na 75km/h malapit sa gitna at pagbugso na umaabot sa 90 km/h. Ito ay kumikilos patungong hilaga hilagang-kanluran sa bilis na 20 km/h. Samantala, kaninang 3:00 AM ang sentro ng Tropical Storm "EMONG" {CO-MAY} ay tinatayang nasa 245 km kanluranng Bacnotan, La Union (16.8°N, 118.1°E) na may taglay na lakas ng hangin na 110 km/h malapit sa gitna at pagbugso na umaabot sa 135 km/h. Ito ay kumikilos patungon timoh-kanluran sa bilis na 25 km/h. Habagat ang nakakaapekto sa Gitna at Katimugang Luzon, Kabisayaan at Mindanao.

	LAGAY NG	TEMPERATURA (°C)			PAGKAB	
LUGAR NG PAGTAYA	PANAHON PANG- AGRIKULTURA	HANGIN	Mababang Bukirin	Mataas na Bukirin	RH%	ASA NG DAHON (ORAS)
Rehiyon ng Ilocos at Cordillera Administrative Region	Masungit na panahon	Malakas mula timog- kanluran hanggang timog-silangan	22 – 29	16 – 26	75– 100	>12
Batanes, Cagayan, Isabela, Zambales, at Tarlac	Maulan na may pagbugso ng hangin	Batanes, Cagayan, at Isabela – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Zambales – Malakas mula timog-kanluran hanggang timog-silangan; Tarlac – Katamtaman hanggang sa malakas mula timog-kanluran;	23 – 30	21 – 28	75– 100	>12
Metro Manila, Bataan, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, at Occidental Mindoro	Pag-ulan dulot ng Habagat	Bataan- Malakas mula timog-kanluran hanggang timog-silangan; Metro Manila, Pampanga, Bulacan, Cavite, Laguna, Batangas, Rizal, at Occidental Mindoro - Katamtaman hanggang sa malakas mula timog-kanluran;	23 – 29	21 – 27	70– 100	>12
Kanlurang Kabisayaan, Nueva Ecija, Aurora, Quezon, natitirang bahagi ng MIMAROPA, Camarines Sur,	Paminsan- minsang pag- ulan	Nueva Ecija, Aurora, Quezon, natitirang bahagi ng MIMAROPA, Camarines Sur, Albay, Sorsogon, at Masbate – Katamtaman hanggang	23 – 31	21 – 29	65 – 99	8 – 12





Albay, Sorsogon, at Masbate		sa malakas mula timog- kanluran; Kanlurang Kabisayaan– Katamtaman mula timog- kanluran				
Natitirang bahagi ng Lambak ng Cagayan, natitirang bahagi ng Rehiyon ng Bicol at natitirang bahagi ng Kabisayaan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat- pagkulog	Natitirang bahagi ng Lambak ng Cagayan – Katamtaman hanggang sa malakas mula hilagang silangan hanggnag hilagang kanluran; Natitirang bahagi ng Rehiyon ng Bicol – Katamtaman hanggang malakas mula timog- kanluran; Natitirang bahagi ng Kabisayaan – Katamtaman mula timog- kanluran	23 – 34	20–29	60 – 98	8 – 12
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulupulong pag-ulan o pagkulog	Katamtaman mula timog- kanluran	24 – 34	21 – 31	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, STS EMONG, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na linisin at ayusin ang mga kanal, pilapil, at daluyan ng tubig upang matiyak ang maayos na agos ng tubig at maiwasan ang pagbaha sa mabababang lugar.
- Magtanim sa raised beds o gumamit ng plastic mulch upang makaiwas sa root rot at erosion.
- Maglagay ng rain shelters o simpleng bubong sa mga maselan na pananim.
- Agapan ang pagkalat ng fungal diseases tulad ng leaf blight at mildew.
- Putulin ang sobrang sanga at bigyan ng suporta ang mga batang puno upang hindi mapinsala ng hangin.
- I-monitor ang lagay ng panahon bago bumiyahe ng ani o produkto upang maiwasan ang abala at panganib sa daan.
- Gumamit ng covered vans o waterproof na tolda upang maprotektahan ang ani laban sa ulan at pagkabasa.
- Iwasan ang paglilinis o pagsasaayos ng mga kanal, pilapil, at daluyan ng tubig habang may banta ng pagguho ng lupa upang maiwasan ang aksidente. Gawin lamang ang mga ito kapag ligtas na ang panahon at ang lugar ay kumpirmadong walang panganib.
- Siguraduhing maayos na nakaimbak ang mga kagamitan pangsaka. Ilipat ang mga alagang hayop sa mas mataas na lugar o sa mga ligtas na silungan upang maprotektahan sila mula sa pagbaha at malakas na hangin.

PAYONG PANGSAKAHAN				
KALAGAYAN NG LUPANG SAKAHAN (Hulyo 11 – 20, 2025)	ENSO ALERT SYSTEM STATUS (mula noong 03 Hulyo 2025)			


Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph





Basa – Rehiyon ng Ilocos Region, karamihan sa bahagi ng Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, karamihan sa bahagi ng



CALABARZON, karamihan sa bahagi ng MIMAROPA, Camarines Norte. Albay, Catanduanes, Sorsogon, Kanlurang Kabisayaan, Negros Oriental. Silangang Kabisayaan, Zamboanga Peninsula. Bukidnon, Rehiyon ng Davao, at **BARMM**

Katamtaman – Isabela, Infanta, Romblon, Camarines Sur, Masbate, Misamis Oriental, Surigao del Norte at Surigao del Sur

Tuyo – Rest of the

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



https://bagong.pagasa.dost.gov.ph/climate/el-nino-lanina/monitoring

Magsagawa ng mga kaukulang pag-iingat upang mabawasan ang epekto ng malalakas na ulan at posibleng pagbaha. Palakasin at kumpunihin ang mga istruktura sa bukid gaya ng trellis, drying sheds, at kulungan ng hayop upang kayanin ang malalakas na hangin at ulan. Iiskedyul nang maayos ang pagtatanim at pag-aani sa mga panahong maganda ang panahon upang maiwasan ang pinsala sa ani. Panatilihing maayos ang daluyan ng tubig sa mga palayan at gulayan upang hindi mababad o malubog sa tubig. Ilipat ang mga alagang hayop sa mas mataas at ligtas na lugar kung may banta ng pagbaha. Suriin ang mga imbakan ng binhi, pataba, at pakain—siguraduhing nakaangat at ligtas sa tubig upang maiwasan ang pagkasira.

Tel. No.: 8284 -0800 local 4915

Website: http://bagong.pagasa.dost.gov.ph

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale Warning sa **kanlurang baybayin ng Gitna at Katimugang Luzon** (Bataan and Lubang Islands) at **kanlurang baybayin ng Hilaga at Gitnang Luzon** (Pangasinan, La Union, Ilocos Sur [Tagudin, Santa Cruz, Santa Lucia, City of Candon, Santiago, Santa Maria, San Esteban, Narvacan] and Zambales).

Maalon na karagtan ang mararanasaan sa **kanlurang baybayin ng Hilaga at Gitnang Luzon**, samantalang katamtaman hanggang sa maalon na karagatan ang mararanasan sa **baybayin ng Katimugang Luzon**, **natitirang baybayinng Gitnang Luzon at natitirang baybayin ng Hilagang Luzon**. Katamtamang pag-alon ng karagatan ang iiral **sa natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN					
DAILY EXTREMES MONTHLY EXTREMES					
Pinakamataas na Temperatura	38.5 °C (Tuguegarao City, 1914)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)		
Pinakamababang Temperatura	14.0 °C (Baguio City, 1908)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)		
Pinakamaraming Ulan	371.3 mm (Baguio City, 1968)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)		

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / JOT**BINIGYANG PANSIN NI: **NRE**