



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 011

Issued: 7:00 AM, Friday, 16 January 2026

Valid until: 7:00 AM, Saturday, 17 January 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "ADA" {NOKAEN} was estimated based on all available data at 430 km East of Maasin City, Southern Leyte (10.4°N, 128.8°E) with maximum sustained winds of 65 km/h near the center and gustiness of up to 80 km/h. It is moving North Northwestward slowly. Northeast Monsoon affecting Northern and Central Luzon.

| FORECAST AREA | AGRI-WEATHER | WINDS | TEMPERATURE (0C) | | RH% | LEAF WETNESS (HRS) |
|--|--|--|------------------|---------|---------|--------------------|
| | | | LOWLAND | UPLAND | | |
| Eastern Visayas, Catanduanes, Sorsogon, Dinagat Islands, Surigao del Norte, and Surigao del Sur | Rains with gusty winds | Gusty winds | 22 – 29 | 20 – 28 | 70 – 98 | > 12 |
| Northern Mindanao, the rest of Visayas, the rest of Bicol Region, the rest of Caraga, and Zamboanga del Norte | Cloudy skies with scattered rains and thunderstorms | Rest of Bicol Region, and the rest of Caraga – Moderate to strong from northeast to northwest; Northern Mindanao, the rest of Visayas, and Zamboanga del Norte – Light to moderate from northeast to north | 23 – 32 | 21 – 29 | 70 – 98 | 8 – 12 |
| Cordillera Administrative Region, Cagayan Valley, and Aurora | Cloudy skies with light rains | Cordillera Administrative Region and Cagayan Valley – Moderate to strong from northeast; Aurora – Light to moderate from northeast to north | 20 – 31 | 14 – 26 | 60 – 98 | 4 – 8 |
| Metro Manila, Ilocos Region, CALABARZON, and the rest of Central Luzon | Partly cloudy to cloudy skies with isolated light rains | Ilocos Region –Moderate to strong from northeast; Quezon – Moderate to strong from northeast to northwest; Metro Manila, Cavite, Laguna, Batangas, Rizal, and the rest of Central Luzon – Light to moderate from northeast to north | 23 – 32 | 21 – 30 | 55 – 96 | 0 – 4 |
| The rest of the country | Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms | Light to moderate from northeast to north | 23 – 34 | 21 – 32 | 50 – 96 | 0 – 4 |

AREAS AFFECTED BY THE WEATHER SYSTEMS

TD ADA, NORTHEAST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Clear and maintain irrigation canals, drainage ditches, and waterways to prevent flooding.
- Strengthen nurseries, greenhouses, seedbeds, and trellises; relocate seedlings to safer areas if possible.



- Harvest mature or market-ready crops ahead of the cyclone when conditions permit.
- Apply preventive measures against pests and diseases after the rains subside.
- Secure fertilizers, seeds, machinery, and tools in covered and elevated storage areas.
- Avoid fertilizer application and pesticide spraying during heavy rainfall.
- Ensure the safety of farmers and farm workers by suspending field activities during severe weather.

FARM ADVISORY

SOIL MOISTURE CONDITION (January 1-10, 2026)




Wet – Calayan, Aparri, Quezon City, Quezon, most of MIMAROPA, most of Bicol Region, most of Western Visayas, NIR, most of Central Visayas, most of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga and Lanao del Sur

Moist – Rest of Cagayan Valley, Benguet, Aurora, rest of CALABARZON, Camarines Sur, Iloilo

City, Cebu, Southern Leyte, rest of Zamboanga Peninsula, Rest of Northern Mindanao, rest of BARMM

Dry – Occidental Mindoro, Davao del Sur and rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 7 January 2026)



LA NIÑA

<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Promote the use of raised beds, contour farming, and proper field levelling to improve drainage and prevent waterlogging during prolonged rainfall events. Reinforce bunds and levees around rice fields and low-lying farms to reduce overflowing from nearby rivers and canals. Install windbreaks to protect sensitive crops from strong winds. Harvest mature and near-mature crops when heavy rains are expected to minimize losses and ensure better post-harvest quality. Protect harvested produce with dryers, covered drying areas, or elevated racks. Conduct regular inspections of storage facilities, ensuring all produce, seeds, and feeds are kept dry, elevated, and well-ventilated to prevent mold and spoilage. Implement schedule-based pest and disease scouting, particularly for fungal infections that commonly occur after continuous rains, and apply appropriate control measures immediately. Coordinate closely with the Municipal/City Agriculture Office for updates and emergency support related to agricultural impacts in your area. Regularly follow the official PAGASA accounts on social media or visit their website for the latest weather updates and advisories specific to your area.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will prevail over **Northern Luzon and the eastern sections of Southern Luzon, Visayas, and Mindanao** while slight to moderate seas will prevail over **the rest of the country**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

| | |
|---------------------|-------------------------------------|
| Maximum Temperature | 36.6 °C (General Santos City, 1998) |
| Minimum Temperature | 8.6 °C (Baguio City, 1961) |
| Rainfall | 220.0 mm (Calapan, 1988) |

MONTHLY EXTREMES

| | |
|---------------------|----------------------------|
| Maximum Temperature | 37.7 °C (Ambulong, 1977) |
| Minimum Temperature | 6.3 °C (Baguio City, 1961) |
| Rainfall | 427.8 mm (Borongan 2011) |

PREPARED/UPLOADED BY: MGA/ RVDD

VERIFIED BY: MEVT



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 26 – 011

Inilabas ng: 7:00 AM Biyernes, 16 Enero 2026

May bisa hanggang: 7:00 AM, Sabado, 17 Enero 2026

SYNOPSIS: Kaninang 3:00 AM, ang Tropical Storm (TS) "ADA" {NOKAEN} ay tinatayang nasa 430 km silangan ng Maasin City, Southern Leyte (10.4°N, 128.8°E) na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso na umaabot sa 80 km/h. Ito ay mabagal na kumikilos patungo sa hilaga hilagang kanluran. Amihan ang nakakaapekto sa Hilaga at Gitnang Luzon.

| LUGAR NG PAGTAYA | LAGAY NG PANAHOON PANG-AGRIKULTURA | HANGIN | TEMPERATURA (°C) | | RH% | PAGKABASA NG DAHON (ORAS) |
|---|--|--|------------------|-------------------|---------|---------------------------|
| | | | Mababang Bukirin | Mataas na Bukirin | | |
| Eastern Visayas, Catanduanes, Sorsogon, Dinagat Islands, Surigao del Norte, at Surigao del Sur | Maulan na may pagbugso ng hangin | Pagbugso ng hangin | 22 – 29 | 20 – 28 | 70 – 98 | > 12 |
| Northern Mindanao, natitirang bahagi ng Kabisayaan, natitirang bahagi ng Rehiyon ng Bicol, natitirang bahagi ng Caraga, at Zamboanga del Norte | Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog | Natitirang bahagi ng Rehiyon ng Bicol, at natitirang bahagi ng Caraga – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Northern Mindanao, natitirang bahagi ng Kabisayaan, at Zamboanga del Norte – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga | 23 – 32 | 21 – 29 | 70 – 98 | 8 – 12 |
| Cordillera Administrative Region, Cagayan Valley, at Aurora | Maulap na kalangitan na may mahinang pag-ulan | Cordillera Administrative Region, at Cagayan Valley Katamtaman hanggang sa malakas mula hilagang silangan; Aurora – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga | 20 – 31 | 14 – 26 | 60 – 98 | 4 – 8 |
| Metro Manila, Rehiyon ng Ilocos, CALABARZON, at natitirang bahagi ng Gitnang Luzon | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan | Rehiyon ng Ilocos – Katamtaman hanggang sa malakas mula hilagang Silangan; Quezon – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; | 23 – 32 | 21 – 30 | 55 – 96 | 0 – 4 |



| | | | | | | |
|-----------------------------------|---|---|---------|---------|---------|-------|
| | | Metro Manila, Laguna, Cavite, Batangas, Rizal, at natitirang bahagi ng Gitnang Luzon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga | | | | |
| Natitirang bahagi ng bansa | Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong | Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga | 23 – 34 | 21 – 32 | 50 – 96 | 0 – 4 |


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TD ADA, AMIHAN, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin at panatilihin ang mga kanal ng irigasyon, daluyan ng tubig, at mga estero upang maiwasan ang pagbaha.
- Patibayin ang mga punlaan, greenhouse, seedbed, at trellis; ilipat sa mas ligtas na lugar ang mga punla kung maaari.
- Anihin nang maaga ang mga hinog o handa nang ibenta na pananim bago dumating ang bagyo kung pinahihintulutan ng panahon.
- Magpatupad ng mga hakbang laban sa peste at sakit ng halaman matapos humupa ang mga pag-ulan.
- Siguraduhing maayos na nakaimbak ang mga pataba, binhi, makinarya, at kagamitang pansakahan sa natatakpan at mataas na lugar.
- Iwasan ang paglalagay ng pataba at pag-spray ng pestisidyo sa panahon ng malakas na ulan.
- Unahin ang kaligtasan ng mga magsasaka at manggagawang bukid sa pamamagitan ng pansamantalang pagtigil ng gawain sa bukid kapag masama ang panahon.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Enero 1-10, 2026)




Basa – Calayan, Aparri, Lungsod Quezon, Quezon, karamihan ng MIMAROPA, karamihan ng Rehiyon ng Bicol, karamihan ng Kanlurang Visayas, NIR, karamihan ng Gitnang Visayas, karamihan ng Silangang Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Caraga, at Lanao del Sur

Katamtaman – Natitirang bahagi ng Lambak ng

Cagayan, Benguet, Aurora, natitirang bahagi ng CALABARZON, Camarines Sur, Lungsod ng Iloilo, Cebu, Southern Leyte, natitirang bahagi ng Tangway ng Zamboanga, natitirang bahagi ng Hilagang Mindanao, at natitirang bahagi ng BARMM

ENSO ALERT SYSTEM STATUS (mula noong 7 Enero 2026)



<https://pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Magpatupad ng paggamit ng raised beds, contour farming, at tamang pag-level ng bukirin upang at mapabuti ang daloy ng tubig at maiwasan ang waterlogging sa panahon ng tuloy-tuloy na pag-ulan. Palakasin ang mga pilapil at levees sa mga palayan at mabababang sakahan upang mabawasan ang panganib ng pag-apaw ng ilog at kanal. Mag-install ng windbreaks upang maprotektahan ang sensitibong pananim laban sa malalakas na hangin. Anihin ang mga hinog at halos hinog na pananim bago dumating ang malalakas na ulan upang mabawasan ang pagkalugi at matiyak ang maayos na kalidad pagkatapos ng anihan. Protektahan ang mga inaning produkto gamit ang mga dryer, may takip na patuyuan, o nakataas na patungan. Magsagawa ng regular na inspeksyon sa mga storage facilities, at siguraduhing ang lahat ng ani, binhi, at feeds ay nakalagay sa tuyo, mataas, at maaliwalas na lugar upang maiwasan ang pagbuo ng amag at pagkasira.



Tuyo – *Occidental Mindoro, Davao del Sur, at iba pang bahagi ng bansa*

Ipapatupad ang nakaiskedyul na pest at disease scouting, lalo na para sa mga fungal infections na karaniwang lumalabas pagkatapos ng tuloy-tuloy na ulan, at agad na mag-apply ng angkop na kontrol. Makipag-ugnayan nang malapit sa Municipal/City Agriculture Office para sa updates at emergency support na may kinalaman sa epekto ng masamang panahon sa agrikultura sa inyong lugar. Regular na sundan ang opisyal na accounts ng PAGASA sa social media o bisitahin ang kanilang website para sa pinakabagong ulat at advisory tungkol sa lagay ng panahon sa inyong lugar.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa **Hilagang Luzon at silangang bahagi ng Katimugang Luzon, Kabisayaan, at Mindanao**, samantala, banayad hanggang sa katamtamang alon naman ang inaasahan sa **natitirang bahagi ng bansa**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

| | |
|-----------------------------|-------------------------------------|
| Pinakamataas na Temperatura | 36.6 °C (General Santos City, 1998) |
| Pinakamababang Temperatura | 8.6 °C (Baguio City, 1961) |
| Pinakamaraming Ulan | 220.0 mm (Calapan, 1988) |

MONTHLY EXTREMES

| | |
|-----------------------------|----------------------------|
| Pinakamataas na Temperatura | 37.7 °C (Ambulong, 1977) |
| Pinakamababang Temperatura | 6.3 °C (Baguio City, 1961) |
| Pinakamaraming Ulan | 427.8 mm (Borongan 2011) |

INIHANDA HANDA/INI-UPLOAD NINA: **MGA/ RVDD**

BINIGYANG PANSIN NI: **MEVT**