



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 24 – 263

Issued: 8:00 AM, Wednesday, 13 November 2024

Valid until: 8:00 AM, Thursday, 14 November 2024

SYNOPSIS: At 3:00 AM today, the center of Typhoon "OFEL" {USAGI} was estimated based on all available data at 495 km East Northeast of Virac, Catanduanes or 620 km East of Daet, Camarines Norte (14.5°N, 128.7°E) with maximum sustained winds of 120 km/h and gustiness of up to 150 km/h. It is moving Westward at 25 km/h.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL STORM TORAJI (2423) [FORMERLY NIKAI]	TROPICAL STORM MAN-YI (2424)
LOCATION: 475 KM WEST OF CALAYAN, CAGAYAN (20.0°N, 117.0°E)	LOCATION: 2,210 KM EAST OF EASTERN VISAYAS (13.2°N, 145.0°E)
MAXIMUM SUSTAINED WINDS: 85 KM/H NEAR THE CENTER	MAXIMUM SUSTAINED WINDS: 75 KM/H NEAR THE CENTER
GUSTINESS: UP TO 105 KM/H	GUSTINESS: UP TO 90 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 15 KM/H	MOVEMENT: WEST SOUTHWESTWARD AT 30 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Isabela, Aurora, Quezon, and Northern Samar	Cloudy skies with scattered rainshowers and thunderstorms	Moderate to strong from northeast to northwest	24 – 32	22 – 31	70 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	The rest of eastern sections of Luzon and Visayas – Moderate to strong from northeast to northwest The western section of Luzon – Moderate from southwest to south; The rest of the country – Light to moderate from northwest to southwest	24 – 34	15 – 31	50 – 96	0 – 6

AREAS AFFECTED BY THE WEATHER SYSTEMS

TY OFEL, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Strengthen embankments and reinforce levees to better withstand future tropical cyclones.
- Use mechanical dryers or sun-drying techniques to dry wet grains promptly.
- Collaborate with local agricultural agencies for additional support and resources.



FARM ADVISORY

SOIL MOISTURE CONDITION

(November 1 – 10, 2024)



Wet – Ilocos Region, most parts of Cagayan Valley, Cordillera Administrative Region, most parts of Central Luzon, National Capital Region, most parts of CALABARZON, Mindoro provinces, Marinduque, Romblon, some parts of Palawan, most parts of Bicol Region, rest of Western Visayas, rest of Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao Region, Surigao del Sur, and BARMM;

Moist – Nueva Vizcaya, Tarlac, Batangas, Puerto Princesa, Aborlan, some parts of Camarines Norte and Sorsogon, Panay island, Central Visayas, and rest of Caraga;

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(as of 23 October 2024)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Prepare for wetter conditions. Enhance drainage to prevent waterlogging and monitor for pest and disease outbreaks. Use resistant crop varieties and consider staggered planting to avoid peak wet periods. Increased humidity or drought can influence pest and disease prevalence. Conduct of regular monitoring of farm fields and timely interventions are crucial.

FISHING ADVISORY


GALE WARNING AND SEA CONDITION

Gale warning was raised over the **western seaboard of Northern Luzon (the western coast of Ilocos Norte, Burgos, Pasuquin, Bacarra, Laoag City, Paoay)**. Postpone fishing activities until the weather improves and the warning is lifted.

Moderate to rough seas will be experienced over the **rest of western section of Luzon and eastern sections of Luzon and Visayas** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin

No. 28 updated 05 November 2024)



All types of shellfish and Acetes sp. or alamang gathered from coastal waters of **Dumanquilas Bay in Zamboanga del Sur; coastal waters of Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay in Leyte; Biliran Island in Biliran Province and Coastal waters of Tungawan in Zamboanga Sibugay Province; and Camatutay Bay in Samar and Coastal waters of Leyte in Leyte** are not safe for human consumption and positive for red tide toxin.


Fishermen are advised to avoid fishing, buying, selling, and eating any kind of shellfish and alamang in the said areas. Fish, squids, shrimps, and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.4 °C (Borongan, Zamboanga City; 1968,2022)	Maximum Temperature	38.5 °C (NAIA, 2005)
Minimum Temperature	11.0 °C (Baguio City, 1908)	Minimum Temperature	9.2 °C (Baguio City; 1989)
Rainfall	320.9 mm (Daet, Camarines Norte, 1977)	Rainfall	698.7 mm (Baguio City, 1980)
PREPARED/UPLOADED BY: MTR / ARL		VERIFIED BY: MGA	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 24 – 263

Inilabas ng: 8:00 AM, Miyerkules, 13 Nobyembre 2024 May bisa hanggang: 8:00 AM, Huwebes, 14 Nobyembre 2024

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Typhoon "OFEL" {USAGI} ay tinatayang nasa 495 km silangan-hilagang silangan ng Virac, Catanduanes o 620 km Silangan ng Daet, Camarines Norte (14.5°N, 128.7°E) na may taglay na lakas ng hangin na 120 km/h at pagbugsong umaabot sa 150 km/h. Ito ay kumikilos patungong kanluran sa bilis na 25 km/h.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM


TROPICAL STORM TORAJI (2423) [FORMERLY NIKAI]	TROPICAL STORM MAN-YI (2424)
LOKASYON: 475 KM KANLURAN NG CALAYAN, CAGAYAN (20.0°N, 117.0°E)	LOKASYON: 2,210 KM SILANGAN NG SILANGANG KABISAYAAN (13.2°N, 145.0°E)
TAGLAY NA LAKAS NG HANGIN: 85 KM/H MALAPIT SA GITNA	TAGLAY NA LAKAS NG HANGIN: 75 KM/H MALAPIT SA GITNA
PAGBUGSO NG HANGIN: UMAABOT SA 105 KM/H	PAGBUGSO NG HANGIN: UMAABOT SA 90 KM/H
PAGKILOS: KANLURAN-HILAGANG KANLURAN SA BILIS NA 15 KM/H	PAGKILOS: KANLURAN-TIMOG-KANLURAN SA BILIS NA 30 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, Isabela, Aurora, Quezon, at Silangang Samar	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran	24 – 32	22 – 31	70 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng silangang bahagi ng Luzon at Kabisayaan – Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Kanluran bahagi ng Luzon – Katamtaman mula timog-kanluran hanggang timog; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran	24 – 34	15 – 31	50 – 96	0 – 6

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TY OFEL, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Palakasin ang mga pampang at patibayin ang mga dike upang makayanan ang mga paparating na bagyo.
- Gumamit ng mga makinang pangpatuyo o magbilad sa araw para agarang matuyo ang mga basang butil.
- Makipag-ugnayan sa mga lokal na ahensya ng agrikultura para sa dagdag na suporta at mga mapagkukunan.




GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas na Gale Warning sa kanlurang baybayin ng Hilagang Luzon (ang kanlurang baybayin ng Ilocos Norte – Burgos, Pasuquin, Bacarra, Laoag City, Paoay). Ipagpaliban ang mga aktibidad ng pangngisda hanggang sa bumuti ang lagay ng panahon at alisin ang babala.Ipagpaliban ang pangngisda hanggang sa bumuti ang lagay ng panahon at matanggal ang babala.

Katamtamang hanggang sa maalon na karagatan ang mararanasan **sa natitirang kanlurang bahagi ng Luzon at silangang bahagi ng Luzon at Kabisayaan** samantalang **ang natitirang bahagi ng kapuluan** ay magkakaroon ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin
No. 28 Inilabas 05 Nobyembre 2024)



Lahat ng uri ng kabibe at alamang na mahuhuli **sa baybayin ng Dumanquillas sa Zamboanga del Sur; baybayin ng Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay sa Leyte; Biliran Island sa Biliran Province at baybayin ng Tungawan sa probinsya ng Zamboanga Sibugay; at Cambatutay Bay sa Samar at baybayin ng Leyte sa Leyte** ay hindi ligtas kainin at positibo sa red tide.

Paalala sa mga mangingingisda na umiwas muna na kumuha, bumili, magtinda, at kumain ng anumang uri ng kabibe at alamang sa mga nabanggit na lugar. Ang mga isda, pusit, hipon, at alimasag ay pwedeng kainin kapag ang mga ito ay sariwa, nahugasan nang mabuti, at ang mga laman-loob kagaya ng hasang at bituka ay natanggal bago iluto.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	36.4 °C (Borongan, Zamboanga City; 1968, 2022)	Maximum Temperature	38.5 °C (NAIA, 2005)
Pinakamababang Temperatura	11.0 °C (Baguio City, 1908)	Minimum Temperature	9.2 °C (Baguio City; 1989)
Pinakamaraming Ulan	320.9 mm (Daet, Camarines Norte, 1977)	Rainfall	698.7 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / ARL		BINIGYANG PANSIN NI: MGA	