



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 227

Issued: 7:00 AM, Monday, 29 September 2025

Valid until: 7:00 AM, Tuesday, 30 September 2025


SYNOPSIS: Easterlies affecting the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to southeast	22 – 34	15 – 33	45 – 97	0 – 4

FARM ADVISORY

SOIL MOISTURE CONDITION

(September 11 – 20, 2025)



Wet – Ilocos Norte, Ilocos Sur, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, CALABARZON, MIMAROPA, Bicol Region, Western Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Caraga Region, and BARMM

Moist – Rest of Ilocos Region and most parts of Central Visayas

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 24 September 2025)

LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers should clean and strengthen canals, dikes, and furrows to prevent flooding. Plant early-maturing and flood-tolerant crops to lessen losses during heavy rains. Apply fertilizer only when the weather is clear to avoid wastage. Practice crop rotation and intercropping to keep the soil healthy. Stake or tie tall crops like corn, beans, ampalaya, and tomato to stop them from falling. Watch out for pests and diseases that spread in wet fields, and harvest mature crops early before strong rains.



AREAS AFFECTED BY THE WEATHER SYSTEMS

EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Check irrigation systems before heavy rains to ensure they are not clogged or damaged, preventing overflows.
- Avoid applying fertilizers or pesticides right before heavy rains, as runoff can waste inputs and pollute water sources.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Handle produce carefully to reduce bruising, cuts, or damage that can shorten shelf life.
- Dry grains (e.g., rice, corn) immediately after harvest using solar dryers or mechanical dryers to prevent mold and aflatoxin buildup.
- Use elevated, well-ventilated storage facilities to protect harvested crops from pests, rodents, and flooding.
- Stack sacks and crates properly with enough space for air circulation; avoid direct contact with floors or walls by using wooden pallets.
- Store fertilizers, pesticides, and chemicals separately from harvested crops to prevent contamination.
- Use waterproof tarpaulins or covered vans when transporting produce to protect them from rain and excess moisture.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over **the entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.0 °C (Borongan, 1914)	Maximum Temperature	38.9 °C (Tuguegarao City, 1963)
Minimum Temperature	14.1 °C (Baguio City, 1967)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	218.3 mm (Sinait, 1968)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: **RAMF / RVDD**

VERIFIED BY: **MEVT**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 227

Inilabas ng: 7:00 AM, Lunes, 29 Setyembre 2025

May bisa hanggang: 7:00 AM, Martes, 30 Setyembre 2025



SYNOPSIS: Easterlies ang nakakaapekto sa bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mababa ng Bukirin		
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang timog- silangan	22 – 34	15 – 33	45 – 97	0 – 4

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Setyembre 11 – 20, 2025)

ENSO ALERT SYSTEM STATUS
(mula noong 24 Setyembre 2025)





SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Suriin ang mga sistema ng irigasyon bago ang malalakas na ulan upang matiyak na hindi ito barado o sira, at maiwasan ang sobrang pag-apaw.
- Iwasang maglagay ng pataba o pestisidyo bago ang malalakas na ulan, dahil maaaring tangayin lamang ito at makapagdulot ng polusyon sa mga daluyan ng tubig.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.
- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Hawakan nang maingat ang mga ani upang maiwasan ang pagkadurog, pagkagassgas, o pagkasira na nakababawas sa tagal ng imbakan.
- Patuyuin agad ang mga butil (hal. palay, mais) pagkatapos anihin gamit ang solar dryer o mechanical dryer upang maiwasan ang amag at aflatoxin.
- Gumamit ng mataas at maaliwalas na imbakan upang maprotektahan ang mga ani laban sa peste, daga, at pagbaha.
- Ayusin nang maayos ang pagkakapatong ng mga sako at kahon at maglaan ng espasyo para sa sirkulasyon ng hangin; gumamit ng papag upang hindi direktang nakalapat sa sahig o dingding.
- Itabi nang hiwalay ang mga pataba, pestisidyo, at kemikal mula sa mga inaning produkto upang maiwasan ang kontaminasyon.
- Gumamit ng waterproof na tolda o saradong van sa pagdadala ng ani upang maprotektahan ito laban sa ulan at sobrang halumigmig.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtaman na karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.0 °C (Borongan, 1914)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	14.1 °C (Baguio City, 1967)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	218.3 mm (Sinait, 1968)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / RVDD**

BINIGYANG PANSIN NI: **MEVT**