



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 144

Issued: 7:00 AM, Monday, 23 June 2025

Valid until: 7:00 AM, Tuesday, 24 June 2025

**SYNOPSIS: Southwest Monsoon affecting the country.**

**TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY**

**TROPICAL DEPRESSION**

LOCATION: 2,425 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (23.9°N, 145.2°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTHWESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Metro Manila, CALABARZON, BARMM, SOCCSKSARGEN, Davao Region, Pangasinan, Zambales, Bataan, Occidental Mindoro, and Palawan</b>	Cloudy skies with scattered rains and thunderstorms	<b>Metro Manila, CALABARZON, Pangasinan, Zambales, Bataan, Occidental Mindoro, and Palawan</b> – Light to moderate from southwest to south;  <b>BARMM, SOCCSKSARGEN, and Davao Region,</b> – Light to moderate from southwest to west	22 – 33	20 – 31	65 – 98	4 – 8
<b>The rest of the country</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	<b>Extreme Northern Luzon</b> – Light to moderate from west to southwest;  <b>Visayas and the rest of Luzon</b> – Light to moderate from southwest to south;  <b>Rest of Mindanao</b> – Light to moderate from southwest to west	21 – 34	14 – 30	45 – 97	4 – 6



### AREAS AFFECTED BY THE WEATHER SYSTEMS


#### SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.

### FARM ADVISORY

#### SOIL MOISTURE CONDITION

(June 1 – 10, 2025)



**Wet** – Ilocos Norte, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, rest of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARM

**Moist** – Itbayat, Aparri, Calayan, Nueva Ecija, Rizal, Aborlan, Cuyo, Romblon, Camarines Norte, Camarines Sur, Masbate, Sorsogon,

rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Misamis Oriental, Davao del Sur, and Surigao del Norte

**Dry** – Rest of the country

#### ENSO ALERT SYSTEM STATUS

(updated: 04 June 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.

### FISHING ADVISORY

#### GALE WARNING AND SEA CONDITION

**No Gale Warning is raised.**

Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.4°C (Tuguegarao City, 1915)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	13.6 °C (Malaybalay, 1962)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	291.1 mm (Baguio City, 1957)	Rainfall	533.6 mm (Baguio City, 1993)
PREPARED/UPLOADED BY: MGA / RVDD		VERIFIED BY: MEVT	



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 144

Inilabas ng: 7:00 AM, Lunes, 23 Hunyo 2025

May bisa hanggang: 7:00 AM, Martes, 24 Hunyo 2025

**SYNOPSIS: Habagat ang nakakaapekto sa bansa.**

**TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM**

**TROPICAL DEPRESSION**

LOKASYON: 2,425 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (23.9°N, 145.2°E)

MALAKAS NA HANGIN: 55 KM/H MALAPIT SA GITNA

PAGBUGSO NG HANGIN: AABOT SA 70 KM/H

PAGKILOS: PATUNGONG HILAGANG-KANLURAN SA BILIS NA 20KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
<b>Metro Manila, CALABARZON, BARMM, SOCCSKSARGEN, Rehiyon ng Davao, Pangasinan, Zambales, Bataan, Occidental Mindoro, at Palawan</b>	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Metro Manila, CALABARZON, Pangasinan, Zambales, Bataan, Occidental Mindoro, at Palawan -</b> Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog;  <b>BARMM, SOCCSKSARGEN, at Rehiyon ng Davao -</b> Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 33	20 – 31	65 – 98	4 – 8
<b>Natitirang bahagi ng bansa</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may kalat-kalat nap ag-ulan at pagkidlat-pagkulong	<b>Dulong Hilagang Luzon-</b> Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran;  <b>Kabisayaan at natitirang bahagi ng Luzon-</b> Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog;  <b>Natitirang bahagi ng Mindanao -</b> Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	21 – 34	14 – 30	45 – 97	4 – 6




### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

#### HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtatanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.

### PAYONG PANGSAKAHAN

#### KALAGAYAN NG LUPANG SAKAHAN (Hunyo 1 – 10, 2025)



#### Legend

- DRY (0-75mm)
- MOIST (76mm-150mm)
- WET (>150mm)

Sur, and Surigao del Norte

Tuyo – Natitirang bahagi ng bansa


**Basa** – Ilocos Norte, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, rest of Eastern Visayas, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARMM

**Katamtaman** – Itbayat, Aparri, Calayan, Nueva Ecija, Rizal, Aborian, Cuyo, Romblon, Camarines Norte, Camarines Sur, Masbate, Sorsogon, rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Misamis Oriental, Davao del

#### ENSO ALERT SYSTEM STATUS

(mula noong 04 Hunyo 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines  
**DEPARTMENT OF SCIENCE AND TECHNOLOGY**  
**Philippine Atmospheric, Geophysical and**  
**Astronomical Services Administration**  
**(PAGASA)**



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.4°C (Tuguegarao City, 1915)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	13.6 °C (Malaybalay, 1962)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	291.1 mm (Baguio City, 1957)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: <b>MGA / RVDD</b>	BINIGYANG PANSIN NI: <b>MEVT</b>
---	----------------------------------