



WEEKEND/SPECIAL FARM WEATHER OUTLOOK
WSFWO: NO. 24 – 300

Issued: 4:00 PM, Friday, 27 December 2024

Valid until: 8:00 AM, Thursday, 02 January 2025

Today until tomorrow (27–28 December), cloudy skies with scattered rains and thunderstorms will prevail over Mindanao, Visayas, MIMAROPA, and the Bicol Region due to the Intertropical Convergence Zone (ITCZ). Cloudy skies with scattered rains and thunderstorms will also affect Cagayan, Isabela, and Apayao due to the Shear Line. The Northeast Monsoon (Amihan) will bring cloudy skies with light rains over the rest of Cagayan Valley and the Cordillera Administrative Region (CAR), while partly cloudy to occasionally cloudy skies with isolated light rains are expected over the Ilocos Region. The rest of the country will experience partly cloudy to cloudy skies with localized rain showers or thunderstorms.

From Sunday to Monday (29–30 December), cloudy skies with scattered rains and thunderstorms will prevail over Caraga, Eastern Visayas, and the Bicol Region due to the Intertropical Convergence Zone (ITCZ). Cloudy skies with scattered rains and thunderstorms will also affect Cagayan, Isabela, Aurora, and Quezon because of the Shear Line. The Northeast Monsoon will bring cloudy skies with light rains over the rest of Cagayan Valley and the Cordillera Administrative Region, while partly cloudy to occasionally cloudy skies with isolated light rains are expected over the Ilocos Region, the rest of Central Luzon, and Metro Manila. The rest of the country will experience partly cloudy to cloudy skies with localized rain showers or thunderstorms.

From Tuesday to Thursday (31 December to 02 January), cloudy skies with scattered rains and thunderstorms will prevail over Eastern Visayas and Mindanao due to the Intertropical Convergence Zone (ITCZ). Cloudy skies with scattered rains and thunderstorms will also affect Cagayan and Batanes due to the Shear Line. The rest of the country will experience partly cloudy to cloudy skies with localized rain showers or thunderstorms.



| FORECAST AREA | TEMPERATURE | | RH (%) | LEAF WETNESS (HRS) |
|---------------|-------------|---------|---------|-----------------------|
| | LOWLAND | UPLAND | | |
| LUZON | 22 – 34 | 14 – 31 | 60 – 98 | 4 – 8 |
| VISAYAS | 24 – 33 | 21 – 30 | 55 – 98 | 0 – 6 |
| MINDANAO | 22 – 33 | 19 – 31 | 60 – 98 | 4 – 8 |


AREAS AFFECTED BY THE WEATHER SYSTEMS

NORTHEAST MONSOON, SHEARLINE, ITCZ, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Regularly check crops and use eco-friendly pest control methods. Rotate crops to improve soil health and reduce pests.
- Regularly service farm tools and machinery to avoid breakdowns. Track planting, watering, and harvest details to manage the farm better.
- Store produce in clean, dry, and temperature-controlled areas to maintain freshness and prevent spoilage. Use appropriate packaging to protect produce during transport and reduce damage.



| FARM ADVISORY | |
|---|---|
| SOIL MOISTURE CONDITION (December 11 – 20, 2024) | ENSO ALERT SYSTEM STATUS (as of 18 December 2024) |
|  <p>Wet – Cagayan, Isabela, Nueva Vizcaya, Batanes, Baler, Quezon, Cavite, Rizal, Coron, Puerto Princesa, Aborlan, Bicol Region, Eastern Visayas, Zamboanga del Norte, Davao Region, SOCCSKSARGEN, Surigao del Norte, Surigao del Sur, and BARMM</p> <p>Moist – Tuguegarao City, Tarlac, Bulacan, Batangas, Romblon, Oriental Mindoro, Capiz, Siquijor, Bohol, Zamboanga del Sur, and Northern Mindanao</p> <p>Dry – Rest of the country</p> | <p>MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT</p>  <p>https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring</p> <p>Stagger planting to minimize losses during prolonged wet periods. Space plants appropriately to improve air circulation and reduce humidity-related diseases. Reduce irrigation to avoid over-saturating the soil. Store extra water in reservoirs for use during dry periods. Monitor crops carefully to prevent flooding losses. Dry and store harvested crops properly to avoid spoilage. Use waterproof coverings to protect harvested crops during transport from rain or humidity.</p> |

| FISHING ADVISORY |
|---|
| <p>RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin <i>No. 32 updated 19 December 2024)</i></p>  <p>All types of shellfish and <i>Acetes</i> sp. or alamang gathered from coastal waters of Dumanquillas Bay in Zamboanga del Sur; coastal waters of Daram Island, Zumarraga Island, Irong-Irong Bay in Samar; Coastal waters of Tungawan in Zamboanga Sibugay Province; coastal waters of Biliran Islands in Biliran Province, and Matarinao Bay in Samar are not safe for human consumption and positive for red tide toxin.</p> <p>Fishermen are advised to avoid fishing, buying, selling, and eating any kind of shellfish and alamang in the said areas. Fish, squids, shrimps, and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.</p> <p>PREPARED/UPLOADED BY: MTR/ ARL VERIFIED BY: MEVT</p> |



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 24 – 300

Inilabas ng: 4:00 PM, Lunes, 27 Disyembre 2024

May bisa hanggang: 8:00 AM, Huwebes, 02 Enero 2025

Ngayong araw hanggang bukas (27–28 Disyembre), maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong ang mararanasan sa Mindanao, Kabisayaan, MIMAROPA, at Rehiyon ng Bicol dahil sa Intertropical Convergence Zone (ITCZ). Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong din ang mararanasan sa Cagayan, Isabela, at Apayao dahil sa Shear Line. Ang Amihan (Northeast Monsoon) ay magdadala ng maulap na kalangitan na may mahinang pag-ulan sa natitirang bahagi ng Lambak ng Cagayan at sa Rehiyon ng Cordillera (CAR). Bahagyang maulap hanggang paminsang maulap na kalangitan na may mga pulu-pulong mahinang pag-ulan naman ang inaasahan sa Rehiyon ng Ilocos. Ang natitirang bahagi ng bansa ay makakaranas ng bahagyang maulap hanggang maulap na kalangitan na may mga pulu-pulong pag-ulan o pagkidlat-pagkulong.

Mula Linggo hanggang Lunes (29–30 Disyembre), maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong ang mararanasan sa Caraga, Silangang Kabisayaan, at Rehiyon ng Bicol dahil sa ITCZ. Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong din ang mararanasan sa Cagayan, Isabela, Aurora, at Quezon dahil sa Shear Line. Magdadala ng maulap na kalangitan na may mahihinang pag-ulan ang Amihan sa natitirang bahagi ng Lambak ng Cagayan at CAR. Bahagyang maulap hanggang paminsang maulap na kalangitan na may mga pulu-pulong mahinang pag-ulan ang inaasahan sa Rehiyon ng Ilocos, Gitnang Luzon, at Metro Manila. Ang natitirang bahagi ng bansa ay makakaranas ng bahagyang maulap hanggang maulap na kalangitan na may mga pulu-pulong pag-ulan o pagkidlat-pagkulong.

Mula Martes hanggang Huwebes (31 Disyembre hanggang 02 Enero), maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong ang mararanasan sa Silangang Kabisayaan at Mindanao dahil sa ITCZ. Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong din ang mararanasan sa Cagayan at Batanes dahil sa Shear Line. Ang natitirang bahagi ng bansa ay makakaranas ng bahagyang maulap hanggang maulap na kalangitan na may mga pulu-pulong pag-ulan o pagkidlat-pagkulong.

| LUGAR NG PAGTAYA | TEMPERATURA (°C) | | RH (%) | PAGKABASA NG DAHON (ORAS) |
|---------------------|---------------------|----------------------|---------|---------------------------------|
| | Mababang Bukirin | Mataas na Bukirin | | |
| LUZON | 22 – 34 | 14 – 31 | 60 – 98 | 4 – 8 |
| VISAYAS | 24 – 33 | 21 – 30 | 55 – 98 | 0 – 6 |
| MINDANAO | 22 – 33 | 19 – 31 | 60 – 98 | 4 – 8 |

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


AMIHAN, SHEARLINE, ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim at gumamit ng mga eco-friendly na pamamaraan ng pest control. Mag-rotate ng mga pananim upang mapabuti ang kalusugan ng lupa at mabawasan ang mga peste.
- Regular na i-maintain ang mga kasangkapan sa bukirin at makina upang maiwasan ang pagkasira. I-monitor ang mga detalye ng pagtatanim, pagdidilig, at pag-aani upang mas mapamahalaan ang bukirin.
- Itabi ang mga ani sa malinis, tuyo, at may kontroladong temperatura na lugar upang mapanatili ang pagiging sariwa at maiwasan ang pagkasira. Gumamit ng tamang packaging upang protektahan ang mga ani habang dinadala ang mga ito at maiwasan ang pinsala.



PAYONG PANSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Disyembre 11 – 20, 2024)



Basa – Cagayan, Isabela, Nueva Vizcaya, Batanes, Baler, Quezon, Cavite, Rizal, Coron, Puerto Princesa, Aborlan, Rehiyon ng Bicol, Silangang Kabisayaan, Zamboanga del Norte, Rehiyon ng Davao, SOCCSKSARGEN, Surigao del Norte, Surigao del Sur, at BARMM

Katamtaman – Tuguegarao City, Tarlac, Bulacan, Batangas, Romblon, Oriental Mindoro, Capiz, Siquijor, Bohol, Zamboanga del Sur, at Hilagang Mindanao

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (simula 18 Disyembre 2024)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK




LA NIÑA ALERT

<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Magpatanim nang paunti-unti upang mabawasan ang pagkalugi sa panahon ng matagal na tag-ulan. Bigyan ng tamang agwat ang mga tanim para sa mas maayos na daloy ng hangin at maiwasan ang mga sakit na dulot ng mataas na halumigmig. Bawasan ang pagdidilig upang hindi masobrahan ang lupa sa tubig. Mag-imbak ng sobrang tubig sa mga imbakan para magamit sa tag-init. Maingat na bantayan ang ani upang maiwasan ang pagkalugi dulot ng pagbaha. Siguraduhing tuyo at maayos ang pag-iimbak ng ani upang hindi masira. Gumamit ng waterproof na panakip para maprotektahan ang ani sa transportasyon laban sa ulan at halumigmig.

PAYO SA MGA MANGINGISDA

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin No. 32 Inilabas 19 Disyembre 2024)



Lahat ng uri ng kabibe at alamang na mahuhuli **sa baybayin ng Dumanquillas sa Zamboanga del Sur; baybayin ng Daram Island, Zumarraga Island, baybayin ng Irong-Irong sa Samar at baybayin ng Tungawan sa probinsya ng Zamboanga Sibugay; baybayin ng Biliran Islands sa Biliran Province; at baybayin ng Matarinao sa Samar** ay hindi ligtas kainin at positibo sa red tide.

Paalala sa mga mangingisda na umiwas muna na kumuha, bumili, magtinda, at kumain ng anumang uri ng kabibe at alamang sa mga nabanggit na lugar. Ang mga isda, pusit, hipon, at alimasag ay pwedeng kainin kapag ang mga ito ay sariwa, nahugasan nang mabuti, at ang mga laman-loob kagaya ng hasang at bituka ay natanggal bago iluto.

PREPARED/UPLOADED BY: MTR / ARL

VERIFIED BY: MEVT