



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 089

Issued: 7:00 AM, Tuesday, 15 April 2025

Valid until: 7:00 AM, Wednesday, 16 April 2025


SYNOPSIS: Frontal System affecting Extreme Northern Luzon. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Batanes, Cagayan, and Apayao	Cloudy skies with light rains	Moderate from north to northwest	23 – 35	19 – 30	65 – 98	2 – 6
Zamboanga Peninsula, Basilan, Sulu, and TawiTawi	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	23 – 35	21 – 33	60 – 97	0 – 4
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Luzon – Light to moderate from southeast to northeast; Rest of the country – Light to moderate from east to northeast	22 – 36	14 – 34	55 – 96	0 – 4

FARM ADVISORY

SOIL MOISTURE CONDITION

(April 1 – 10, 2025)



Wet – Batanes, Aurora, most parts of Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Dagupan City, Isabela, Tanay Rizal, Romblon, Mulanay, Oriental Mindoro, Palawan, Roxas City, Siquijor, Tagbilaran City, Zamboanga del Norte, Zamboanga del Sur, Bukidnon, Davao del Sur, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 04 April 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Maintain proper drainage in lowland farms to prevent waterlogging. In rainfed areas, store excess water in farm reservoirs for use during drier months. Adopt integrated pest management (IPM) to prevent infestations, especially for rice, corn, and vegetables. Use covered storage areas to prevent moisture-related grain losses. Improve soil moisture retention through organic mulching and conservation farming techniques.



AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
FRONTAL SYSTEM, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">Inspect crops regularly for pests and diseases and address outbreaks immediately.Adjust irrigation frequency based on weather, soil type, and crop needs.Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption.Inspect and clean drainage channels regularly to prevent blockages.Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value.Handle produce carefully during transport to prevent damage and contamination.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature https://www.pagasa.dost.gov.ph/climate/climate-heat-index

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised. Moderate seas will prevail over Northern Luzon while slight to moderate seas will prevail over the rest of the archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.7°C (Tuguegarao City, 1915)	Maximum Temperature	42.2 °C (Tuguegarao City, 1963)
Minimum Temperature	10.6°C (Baguio City, 1907)	Minimum Temperature	9.6 °C (Baguio City, 1907)
Rainfall	161.4 mm (Tacloban City, 2017)	Rainfall	495.2 mm (Virac Radar, 2009)

PREPARED/UPLOADED BY: NRE / JOT	VERIFIED BY: MEVT
--	--------------------------



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 089

Inilabas ng: 7:00 AM, Martes, 15 Abril 2025

May bisa hanggang: 7:00 AM Miyerkules, 16 Abril 2025


SYNOPSIS: Frontal system ang nakakaapekto sa dulong Hilagang Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Batanes, Cagayan, at Apayao	Maulap na kalangitan na may pag-ulan	Katamtaman mula hilaga hanggang hilagang kanluran	23 – 35	19 – 30	65 – 98	2 – 6
Zamboanga Peninsula, Basilan, Sulu, at TawiTawi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 35	21 – 33	60 – 97	0 – 4
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 36	14 – 34	55 – 96	0 – 4



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Abril 1 – 10, 2025)



Basa – Batanes, Aurora, karamihan ng lugar sa Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Silangang Kabisayaan, Davao del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – Dagupan City, Isabela, Tanay Rizal, Romblon, Mulanay, Oriental Mindoro, Palawan, Roxas City, Siquijor, Tagbilaran City, Zamboanga del Norte, Zamboanga del Sur, Bukidnon, Davao del Sur, at Maguindanao

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 04 Abril 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Panatiliing maayos ang daluyan ng tubig sa mabababang bukirin upang maiwasan ang pagbaha. Sa mga sakahan na umaasa sa ulan, ipunin ang sobrang tubig sa imbakan upang magamit sa panahon ng tagtuyot. Gumamit ng integrated pest management (IPM) upang maiwasan ang peste, lalo na sa palay, mais, at gulay. Mag-imbak ng ani sa nakasara at maayos na imbakan upang maiwasan ang pagkasira dahil sa moisture. Pahasayin ang pagpapanatili ng tubig sa lupa sa pamamagitan ng organikong pagmamalts at konserbasyong pamamaraan ng pagsasaka.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

FRONTAL SYSTEM, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.
- Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.
- Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.
- Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.
- Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.
- Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.

HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)

Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.

<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ng karagatan ang iiral sa **Hilagang Luzon** samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa natitirang bahagi ng **kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.7°C (Tuguegarao City, 1915)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	10.6°C (Baguio City, 1907)	Pinakamababang Temperatura	9.6 °C (Baguio City, 1907)
Pinakamaraming Ulan	161.4 mm (Tacloban City, 2017)	Pinakamaraming Ulan	495.2 mm (Virac Radar, 2009)

INIHANDA HANDA/INI-UPLOAD NINA: **NRE / JOT**

BINIGYANG PANSIN NI: **MEVT**