



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 209

Issued: 7:00 AM, Monday, 08 September 2025 Valid until: 7:00 AM, Tuesday, 09 September 2025

SYNOPSIS: Easterlies affecting Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

SEVERE TROPICAL STORM TAPAH (FORMERLY "LANNIE")

LOCATION: 910 KM WEST OF EXTREME NORTHERN LUZON (20.8°N, 113.1°E)

MAXIMUM SUSTAINED WINDS: 95 KM/H NEAR THE CENTER

GUSTINESS: UP TO 115 KM/H

MOVEMENT: NORTH NORTHWESTWARD AT 15 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Eastern Visayas and Caraga	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	23 – 33	20 – 31	70 - 98	4 – 8
Metro Manila, CALABARZON, MIMAROPA, Bicol Region, the rest of Visayas, and the rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	CALABARZON, MIMAROPA, Bicol Region – Light to moderate from east to southeast; Metro Manila – Light to moderate from southeast to south; Rest of Visayas and Mindanao – Light to moderate from east to northeast	22 – 33	19 – 31	60 – 97	0 – 6
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southeast to south	22 – 33	14 – 32	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS


- Check irrigation systems before heavy rains to ensure they are not clogged or damaged, preventing overflows.
- Avoid applying fertilizers or pesticides right before heavy rains, as runoff can waste inputs and pollute water sources.
- Use organic matter or compost to enrich soil and improve water retention.
- Harvest during dry weather whenever possible to maintain product quality and avoid excess moisture.
- Handle produce carefully to reduce bruising, cuts, or damage that can shorten shelf life.
- Dry grains (e.g., rice, corn) immediately after harvest using solar dryers or mechanical dryers to prevent mold and aflatoxin buildup.
- Use elevated, well-ventilated storage facilities to protect harvested crops from pests, rodents, and flooding.
- Stack sacks and crates properly with enough space for air circulation; avoid direct contact with floors or walls by using wooden pallets.
- Store fertilizers, pesticides, and chemicals separately from harvested crops to prevent contamination.
- Use waterproof tarpaulins or covered vans when transporting produce to protect them from rain and excess moisture.



FARM ADVISORY

SOIL MOISTURE CONDITION

(August 21 – 31, 2025)



Wet – Ilocos Region, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, CALABARZON, MIMAROPA, most parts of Bicol Region, Western Visayas, Tagbilaran City, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Davao del Norte, Surigao de Norte, Surigao del Sur, and BARMM

Moist – Some parts of Tarlac, Camarines Sur, Siquijor, Cebu, Davao del Norte, and Agusan del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 26 August 2025)

LA NIÑA WATCH



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Farmers should clean and strengthen canals, dikes, and furrows to prevent flooding. Plant early-maturing and flood-tolerant crops to lessen losses during heavy rains. Apply fertilizer only when the weather is clear to avoid wastage. Practice crop rotation and intercropping to keep the soil healthy. Stake or tie tall crops like corn, beans, ampalaya, and tomato to stop them from falling. Watch out for pests and diseases that spread in wet fields, and harvest mature crops early before strong rains.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over the **whole archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	37.3 °C (Tuguegarao City, 1955)	Maximum Temperature	38.9 °C (Tuguegarao City, 1963)
Minimum Temperature	14.2 °C (Baguio City, 2010)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	281.4 mm (Iba, Zambales; 1956)	Rainfall	799.8 mm (Baguio City, 1911)

PREPARED/UPLOADED BY: **RAAM / RVDD**

VERIFIED BY: **MEVT**



TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 209

Inilabas ng: 7:00 AM, Lunes, 08 Setyembre 2025 May bisa hanggang: 7:00 AM, Martes, 09 Setyembre 2025

SYNOPSIS: Easterlies ang nakakaapekto sa Katimugang Luzon, Kabisayaan, at Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mababa ng Bukirin		
Silangang Kabisayaan at Caraga	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 33	20 – 31	70 - 98	4 – 8
Metro Manila, CALABARZON, MIMAROPA, Rehiyon ng Bicol, natitirang bahagi ng Kabisayaan, at natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	CALABARZON, MIMAROPA, Rehiyon ng Bicol – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan; Metro Manila – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog; Rest of Visayas and Mindanao – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 33	19 – 31	60 – 97	0 – 6
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula timog-silangan hanggang timog	22 – 33	14 – 32	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN


- Suriin ang mga sistema ng irigasyon bago ang malalakas na ulan upang matiyak na hindi ito barado o sira, at maiwasan ang sobrang pag-apaw.
- Iwasang maglagay ng pataba o pestisidyo bago ang malalakas na ulan, dahil maaaring tangayin lamang ito at makapagdulot ng polusyon sa mga daluyan ng tubig.
- Gumamit ng organikong pataba o kompost upang mapayaman ang lupa at mapanatili ang tamang halumigmig.
- Mag-ani sa tuyo o maaraw na panahon hangga't maaari upang mapanatili ang kalidad ng produkto at maiwasan ang sobrang halumigmig.
- Hawakan nang maingat ang mga ani upang maiwasan ang pagkadurog, pagkagassgas, o pagkasira na nakababawas sa tagal ng imbakan.
- Patuyuin agad ang mga butil (hal. palay, mais) pagkatapos anihin gamit ang solar dryer o mechanical dryer upang maiwasan ang amag at aflatoxin.
- Gumamit ng mataas at maaliwalas na imbakan upang maprotektahan ang mga ani laban sa peste, daga, at pagbaha.



- Ayusin nang maayos ang pagkakapatong ng mga sako at kahon at maglaan ng espasyo para sa sirkulasyon ng hangin; gumamit ng papag upang hindi direktang nakalapat sa sahig o dingding.
- Itabi nang hiwalay ang mga pataba, pestisidyo, at kemikal mula sa mga inaning produkto upang maiwasan ang kontaminasyon.
- Gumamit ng waterproof na tolda o saradong van sa pagdadala ng ani upang maprotektahan ito laban sa ulan at sobrang halumigmig.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Agosto 21 – 31, 2025)



Basa –Rehiyon ng Ilocos, Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, CALABARZON, MIMAROPA, malaking abhagi ng Rehiyon ng Bicol, Kanlurang Kabisayaan,, Tagbilaran City, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Davao del Norte, Surigao de Norte, Surigao del Sur, at BARM


Katamtaman – natitirang bahagi ng Tarlac, Camarines Sur, Siquijor, Cebu, Davao del Norte and Agusan del Norte

Tuyo – Natitirang bahagi ng

bansa

ENSO ALERT SYSTEM STATUS (mula noong 26 Agosto 2025)

LA NIÑA WATCH



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Dapat linisin at patibayin ng mga magsasaka ang mga kanal, pilapil, at tudling upang maiwasan ang pagbaha. Mainam ding magtanim ng mga pananim na maagang mahinog at matibay sa baha upang mabawasan ang pagkalugi sa malalakas na ulan. Mag-abono lamang kapag maliwanag ang panahon upang hindi masayang, at isagawa ang crop rotation at intercropping upang mapanatiling mataba at malusog ang lupa. Talian o suportahan ang matatangkad na pananim gaya ng mais, sitaw, ampalaya, at kamatis upang hindi mabuwal. Bukod dito, magbantay laban sa mga peste at sakit na mabilis kumalat sa basang bukirin, at anihin agad ang mga hinog na pananim bago pa man dumating ang malalakas na pag-ulan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.3 °C (Tuguegarao City, 1955)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	14.2 °C (Baguio City, 2010)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	281.4 mm (Iba, Zambales; 1956)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / RVDD**

BINIGYANG PANSIN NI: **MEVT**