



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 090

Issued: 7:00 AM, Wednesday, 16 April 2025

Valid until: 7:00 AM, Thursday, 17 April 2025


SYNOPSIS: Easterlies affecting the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern Luzon and Central Luzon – Light to moderate from southeast to east;	23 – 36	14 – 34	50 – 96	0 – 4
		Rest of the country – Light to moderate from east to northeast				

FARM ADVISORY

SOIL MOISTURE CONDITION

(April 1 – 10, 2025)



Wet – Batanes, Aurora, most parts of Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Dagupan City, Isabela, Tanay Rizal, Romblon, Mulanay, Oriental Mindoro, Palawan, Roxas City, Siquijor, Tagbilaran City, Zamboanga del Norte, Zamboanga del Sur, Bukidnon, Davao del Sur, and Maguindanao

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 04 April 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Maintain proper drainage in lowland farms to prevent waterlogging. In rainfed areas, store excess water in farm reservoirs for use during drier months. Adopt integrated pest management (IPM) to prevent infestations, especially for rice, corn, and vegetables. Use covered storage areas to prevent moisture-related grain losses. Improve soil moisture retention through organic mulching and conservation farming techniques.



AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">Inspect crops regularly for pests and diseases and address outbreaks immediately.Adjust irrigation frequency based on weather, soil type, and crop needs.Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption.Inspect and clean drainage channels regularly to prevent blockages.Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value.Handle produce carefully during transport to prevent damage and contamination.	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised.
Slight to moderate seas will prevail over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.0°C (Tuguegarao City, 1915)	Maximum Temperature	42.2 °C (Tuguegarao City, 1963)
Minimum Temperature	11.0°C (Baguio City, 1907)	Minimum Temperature	9.6 °C (Baguio City, 1907)
Rainfall	290.6 mm (Romblon Island, 1979)	Rainfall	495.2 mm (Virac Radar, 2009)
PREPARED/UPLOADED BY: MGA / MAM		VERIFIED BY: NRE	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 090

Inilabas ng: 7:00 AM, Miyerkules, 16 Abril 2025


May bisa hanggang: 7:00 AM Huwebes, 17 Abril 2025

SYNOPSIS: Easterlies ang nakakaapekto sa bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilagang Luzon at Gitnang Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan ; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 36	14 – 34	50 – 96	0 – 4

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Abril 1 – 10, 2025)



Basa – Batanes, Aurora, karamihan ng lugar sa Bulacan, Alabat Infanta, Tayabas, Aborlan, Camarines Norte, Albay, Sorsogon, Catanduanes, Mambusao, Silangang Kabisayaan, Davao del Norte, Surigao del Norte, Surigao del Sur, at Lanao del Sur

Katamtaman – Dagupan City, Isabela, Tanay Rizal, Romblon, Mulanay, Oriental Mindoro, Palawan, Roxas City, Siquijor, Tagbilaran City, Zamboanga del Norte, Zamboanga del Sur, Bukidnon, Davao del Sur, at Maguindanao

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 04 Abril 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-lanina/monitoring>

Panatiliing maayos ang daluyan ng tubig sa mabababang bukirin upang maiwasan ang pagbaha. Sa mga sakahan na umaasa sa ulan, ipunin ang sobrang tubig sa imbakan upang magamit sa panahon ng tagtuyot. Gumamit ng integrated pest management (IPM) upang maiwasan ang peste, lalo na sa palay, mais, at gulay. Mag-imbak ng ani sa nakasara at maayos na imbakan upang maiwasan ang pagkasira dahil sa moisture. Pahasayin ang pagpapanatili ng tubig sa lupa sa pamamagitan ng organikong pagmamalts at konserbasyong pamamaraan ng pagsasaka.



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

PAYO SA MGA MANGINGISDA			
GALE WARNING AT KONDISYON NG KARAGATAN			
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.			
DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0°C (Tuguegarao City, 1915)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	11.0°C (Baguio City, 1907)	Pinakamababang Temperatura	9.6 °C (Baguio City, 1907)
Pinakamaraming Ulan	290.6 mm (Romblon Island, 1979)	Pinakamaraming Ulan	495.2 mm (Virac Radar, 2009)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / MAM		BINIGYANG PANSIN NI: NRE	