



## FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 132

Issued: 7:00 AM, Monday, 09 June 2025

Valid until: 7:00 AM Tuesday, 10 June 2025

**SYNOPSIS:** At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 255 km Northwest of Baler, Aurora or 85 km West Northwest of Bacnotan, La Union (17.1°N, 119.7°E). Southwest Monsoon affecting the rest of Southern Luzon, Visayas, and Mindanao.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
<b>Ilocos Region, Abra, and Benguet</b>	Cloudy skies with scattered rains and thunderstorms	Light to moderate from southeast to northeast	24 – 33	13 – 27	70 – 99	4 – 8
<b>Zambales, Bataan, Cavite, Batangas, Occidental Mindoro, Palawan, and Antique</b>	Occasional rains	<b>Cavite, Batangas, Occidental Mindoro, Palawan, and Antique</b> – Moderate to strong from southwest;  <b>Zambales and Bataan</b> – Light to moderate from west to southwest	23 – 31	20 – 28	65 – 98	4 – 8
<b>Metro Manila, Bicol Region, and the rest of Visayas, Central Luzon, MIMAROPA, and CALABARZON</b>	Cloudy skies with scattered rains and thunderstorms	<b>Metro Manila, and the rest of Western Visayas, MIMAROPA, and CALABARZON</b> – Moderate to strong from southwest;  <b>Bicol Region, and the rest of Central Luzon and Visayas</b> – Light to moderate from west to southwest	23 – 33	20 – 28	55 – 98	0 – 6
<b>Mindanao</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from west to southwest	23 – 34	22 – 30	55 – 97	0 – 6
<b>The rest of Luzon</b>	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southeast to northeast	23 – 35	18 – 33	50 – 96	0 – 4



### AREAS AFFECTED BY THE WEATHER SYSTEMS


#### SOUTHWEST MONSOON, LPA, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.

### FARM ADVISORY

#### SOIL MOISTURE CONDITION

(May 21 – 31, 2025)



**Wet** – Ilocos Norte, Ilocos Sur, extreme part of Cagayan Valley, Zambales, Aurora, Bataan, CAR, Quezon, Oriental Mindoro, Albay, Catanduanes, Sorsogon, Panay Island, Siquijor, Eastern Samar, Northern Samar, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Norte, Surigao del Sur, and BARMM

**Moist** – Cagayan, rest of Ilocos Region, rest of Central Luzon, NCR, Coron Island, Aborlan, Camarines Norte, Negros Oriental, Bohol, Southern Leyte, some parts of Northern Mindanao, some parts of Davao Region, and Surigao del Norte

**Dry** – Rest of the country

#### ENSO ALERT SYSTEM STATUS

(updated: 28 May 2025)

#### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.



## FISHING ADVISORY

### GALE WARNING AND SEA CONDITION

**No Gale Warning is raised.**

Moderate to rough seas will prevail over the **western seaboard of Southern Luzon and Visayas** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

## ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.2 °C (Tuguegarao City, 1918)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	13.4 °C (Baguio City, 1963)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	494.2 mm (Virac, 1974)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **RAAM / RVDD**

VERIFIED BY: **MEVT**



## TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 132

Inilabas ng: 7:00 AM, Lunes, 09 Hunyo 2025      May bisa hanggang: 7:00 AM, Martes, 10 Hunyo 2025

**SYNOPSIS:** Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa 255 km hilagang kanluran ng Baler, Aurora o 85 km kanluran hilagang kanluran ng Bacnotan, La Union (17.1°N, 119.7°E). Habagat ang nakakaapekto sa natitirang bahagi ng Katimugang Luzon, Kabisayaan, at Mindanao.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos, Abra, at Benguet	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan	24 – 33	13 – 27	70 – 99	4 – 8
Zambales, Bataan, Cavite, Batangas, Occidental Mindoro, Palawan, at Antique	Paminsan-minsang pag-ulan	<b>Cavite, Batangas, Occidental Mindoro, Palawan, at Antique –</b> Katamtaman hanggang sa malakas mula timog-kanluran;  <b>Zambales at Bataan –</b> Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	23 – 31	20 – 28	65 – 98	4 – 8
Metro Manila, Rehiyon ng Bicol, at natitirang bahagi ng Kabisayaan, Gitnang Luzon, MIMAROPA, at CALABARZON	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	<b>Metro Manila, at natitirang bahagi ng Kanlurang Kabisayaan, MIMAROPA, at CALABARZON –</b> Katamtaman hanggang sa malakas mula timog-kanluran;  <b>Rehiyon ng Bicol, at natitirang bahagi ng Gitnang Luzon at Kabisayaan –</b> Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	23 – 33	20 – 28	55 – 98	0 – 6
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula kanluran hanggang timog-kanluran	23 – 34	22 – 30	55 – 97	0 – 6



<b>Natitirang bahagi ng Luzon</b>	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan	23 – 35	18 – 33	50 – 96	0 – 4
-----------------------------------	---	--	---------	---------	---------	-------


#### SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

##### HABAGAT, LPA, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing tuyong panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.

#### PAYONG PANGSAKAHAN

##### KALAGAYAN NG LUPANG SAKAHAN (Mayo 21 – 31, 2025)




**Basa** – Ilocos Norte, Ilocos Sur, dulong bahagi ng Lambak ng Cagayan, Zambales, Aurora, Bataan, CAR, Quezon, Oriental Mindoro, Albay, Catanduanes, Sorsogon, Isla ng Panay, Siquijor, Eastern Samar, Northern Samar, Samar, Leyte, Zamboanga del

Norte, Bukidnon, Davao del Norte, Surigao del Sur, at BARMM

**Katamtaman** – Cagayan, natitirang bahagi ng Rehiyon ng Ilocos, natitirang bahagi ng Gitnang Luzon, NCR, Isla ng Coron, Aborlan, Camarines Norte, Negros

##### ENSO ALERT SYSTEM STATUS (mula noong 28 Mayo 2025)

##### MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.



*Oriental, Bohol, Southern Leyte, ilang bahagi ng Hilagang Mindanao, ilang bahagi ng Rehiyon ng Davao, at Surigao del Norte*

**Tuyo** – *Natitirang bahagi ng bansa*

### PAYO SA MGA MANGINGISDA

#### GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang iiral sa **kanlurang baybayin ng Katimugang Luzon at Kabisayaan**. Samantala, ang **natitirang bahagi ng kapuluan** ay makakaranas ng banayad hanggang sa katamtamang pag-alon ng karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

#### DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.2 °C (Tuguegarao City, 1918)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	13.4 °C (Baguio City, 1963)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	494.2 mm (Virac, 1974)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / RVDD**

BINIGYANG PANSIN NI: **MEVT**