



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 076

Issued: 7:00 AM, Monday, 31 March 2025

Valid until: 7:00 AM, Tuesday, 01 April 2025

SYNOPSIS: Easterlies affecting the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Palawan	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	22 – 31	20 – 30	70 – 100	>12
Eastern Visayas, Bicol Region, Zamboanga Peninsula, Quezon, Dinagat Islands, and Surigao del Norte	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	23 – 32	21 – 30	70 – 98	4 – 8
Batanes	Cloudy skies with light rains	Moderate to strong from northeast	22 – 27	19 – 26	65 – 98	2 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Northern Luzon – Moderate to strong from northeast; Rest of the country – Light to moderate from east to northeast	23 – 36	14 – 32	55 – 96	0 – 4


AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
EASTERLIES, LPA, NORTHEASTERLY WINDFLOW, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">• Apply organic matter such as compost or mulch to improve soil fertility and moisture retention.• Rotate crops to prevent soil depletion and reduce pest and disease buildup.• Avoid excessive fertilizer application to prevent nutrient leaching and water contamination.• Utilize rainwater harvesting techniques to supplement irrigation.• Process surplus harvests (e.g., drying, fermenting, or preserving) to extend shelf life and reduce waste.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature https://www.pagasa.dost.gov.ph/climate/climate-heat-index



FARM ADVISORY

SOIL MOISTURE CONDITION

(March 11 – 20, 2025)



Wet – Aurora, most parts of Quezon, Albay, Catanduanes, Sorsogon, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, Marawi


Moist – Calayan, Aparri, Nueva Vizcaya, Tayabas, Oriental Mindoro, Romblon, Palawan, Camarines Norte, Camarines Sur, Masbate, Zamboanga del Norte, SOCCSKSARGEN, rest of Caraga, Rest of BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 18 March 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Clear and maintain drainage canals, ditches, and waterways to prevent waterlogging and root rot. Excessive rain can leach nutrients from the soil. Apply slow-release or organic fertilizers to maintain soil fertility. Avoid applying fertilizers before heavy rains to prevent nutrient loss. Inspect and repair farmhouses, storage facilities, and greenhouses to prevent damage from prolonged wet conditions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas are expected over **the seaboard of Northern Luzon** while slight to moderate seas will prevail over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	39.0 °C (Tuguegarao City, 1984 and 1988)
Minimum Temperature	11.5 °C (Baguio City, 1985)
Rainfall	199.3 mm (Casiguran, 1999)

MONTHLY EXTREMES

Maximum Temperature	40.0 °C (Tuguegarao City, 1978)
Minimum Temperature	7.4 °C (Baguio City, 1963)
Rainfall	401.0 mm (Casiguran, 1971)

PREPARED/UPLOADED BY: RAAM / RVDD

VERIFIED BY: MEVT



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 076

Inilabas ng: 7:00 AM, Lunes, 31 Marso 2025

May bisa hanggang: 7:00 AM Martes, 01 Abril 2025

SYNOPSIS: Easterlies ang nakakaapekto sa bansa.


LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 31	20 – 30	70 – 100	>12
Silangang Kabisayaan, Rehiyon ng Bicol, Zamboanga Peninsula, Quezon, mga Isla ng Dinagat, at Surigao del Norte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 32	21 – 30	70 – 98	4 – 8
Batanes	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan	22 – 27	19 – 26	65 – 98	2 – 6
Metro manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Hilagang Luzon – Katamtaman hanggang sa malakas mula hilagang silangan; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 36	14 – 32	55 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
EASTERLIES, LPA, HANGING MULA SA HILAGANG SILANGAN, AT PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Maglagay ng organikong materyales tulad ng compost o mulch upang mapabuti ang fertility ng lupa at mapanatili ang moisture.Magpalit-palit ng pananim upang maiwasan ang pagkaubos ng sustansya sa lupa at mabawasan ang pagdami ng peste at sakit.Iwasan ang labis na paggamit ng pataba upang maiwasan ang pagkatagas ng sustansya at polusyon sa tubig.Gumamit ng mga teknik sa pag-iipon ng tubig-ulan upang madagdagan ang suplay para sa irigasyon.Iproseso ang mga sobrang ani (hal. pagpapatuyo, pagbuburo, o pagpepreserba) upang mapahaba ang shelf life at mabawasan ang pag-aaksaya.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Marso 11 – 20, 2025)



Basa – Aurora, malaking bahagi ng Quezon, Albay, Catanduanes, Sorsogon, Eastern Visayas, Davao del Norte, Surigao del Norte, Surigao del Sur, Marawi

Katamtaman – Calayan, Aparri, Nueva Vizcaya, Tayabas, Oriental Mindoro, Romblon, Palawan, Camarines Norte, Camarines Sur, Masbate, Zamboanga del Norte, SOCCSKSARGEN, natitirang bahagi ng Caraga, natitirang bahagi ng BARM

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS (mula noong 18 Marso 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Linisin at panatiliing maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pagbaha at pagkabulok ng ugat ng pananim. Ang sobrang ulan ay maaaring magtangay ng mahahalagang sustansya mula sa lupa. Maglagay ng slow-release o organikong pataba upang mapanatili ang fertility ng lupa. Iwasan ang paglalagay ng pataba bago ang malalakas na pag-ulan upang maiwasan ang pagkawala ng sustansya. Suriin at kumpunihin ang mga bahay-sakahan, imbakan, at greenhouse upang maiwasan ang pinsala mula sa matagalang pag-ulan.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang sa maalon na karagatan ang inaasahan sa **mga baybayin ng Hilagang Luzon** samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.0 °C (Tuguegarao City, 1984 at 1988)	Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1978)
Pinakamababang Temperatura	11.5 °C (Baguio City, 1985)	Pinakamababang Temperatura	7.4 °C (Baguio City, 1963)
Pinakamaraming Ulan	199.3 mm (Casiguran, 1999)	Pinakamaraming Ulan	401.0 mm (Casiguran, 1971)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / RVDD**

BINIGYANG PANSIN NI: **MEVT**