



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 152

Issued: 7:00 AM, Wednesday, 02 July 2025

Valid until: 7:00 AM, Thursday, 03 July 2025

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data at 200 km East Northeast of Casiguran, Aurora or 235 km East of Echague, Isabela (16.9°N, 123.9°E). Southwest Monsoon affecting Central Luzon, Southern Luzon, Visayas, and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 2,660 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (24.3°N, 147.5°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H

GUSTINESS: UP TO 70 KM/H

MOVEMENT: NORTH NORTHWESTWARD AT 15 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Cordillera Administrative Region, Cagayan Valley, Aurora, Nueva Ecija, Metro Manila, CALABARZON, MIMAROPA, Bicol Region, Western Visayas, and the rest of Central Luzon	Cloudy skies with scattered rains and thunderstorms	The western sections of Central and Southern Luzon – Moderate from southwest to south; Northern Luzon – Moderate from northeast to northwest; Western Visayas, and the rest of Luzon – Light to moderate from south to southwest	22 – 32	16 – 30	70 – 99	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rains or thunderstorms	Light to moderate from south to southwest	22 – 33	21 – 32	60 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

LPA, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Store harvested crops in waterproof, elevated storage areas.
- Dry grains using mechanical dryers if sun drying isn't possible.
- Inspect and maintain farm machinery regularly to prevent rust and malfunction.
- Ensure drainage canals are cleared to prevent water stagnation.
- Construct or reinforce dikes and bunds to protect fields from runoff.
- Apply fungicide preventively if needed to reduce fungal disease risk.
- Postpone fertilizer application to avoid nutrient runoff and wastage.




FARM ADVISORY

SOIL MOISTURE CONDITION

(June 11 – 20, 2025)

ENSO ALERT SYSTEM STATUS

(updated: 25 June 2025)



Wet – Ilocos Region, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro Provinces, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, Negros Oriental, Eastern Visayas, Zamboanga del Norte, Northern Mindanao, Davao del Norte, Surigao del Sur, and BARMM

Moist – Itbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, Rest of Palawan, Romblon, Camarines Norte, Masbate, Sorsogon, rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Davao del Sur, and Surigao del Norte

Dry – Rest of the country

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK

INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will prevail over **Luzon** while slight to moderate seas will prevail over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	40.0°C (Tuguegarao City, 1983)	Maximum Temperature	41.0°C (Tuguegarao City, 1915)
Minimum Temperature	13.5 °C (Baguio, 1919)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	235.0 mm (Sinait, 1982)	Rainfall	1085.8 mm (Baguio City, 2001)

PREPARED/UPLOADED BY: **MTR / HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 152

Inilabas ng: 7:00 AM, Miyerkules, 02 Hulyo 2025 May bisa hanggang: 7:00 AM, Huwebes, 03 Hulyo 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area(LPA) ay tinatayang nasa 200 km silangan hilagang silangan ng Casiguran, Aurora o 235 km silangan ng Echague, Isabela (16.9°N, 123.9°E). Habagat ang nakakaapekto sa Gitnang Luzon, Katimugang Luzon, Kabisayaan at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 2,660 KM SILANGAN HILAGANG SILANGAN NG DULONG HILAGANG LUZON (24.3°N, 147.5°E)

TAGLAY NA HANGIN: 55 KM/H

PAGBUGSO: UMAABOT SA 70 KM/H

PAGKILOS: HILAGA-HILAGANG KANLURAN SA BILIS NA 15 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
Rehiton ng Ilocos, Rehiyon ng Cordillera, Lambak ng Cagayan, Aurora, Nueva Ecija, Metro Manila, CALABARZON, MIMAROPA, Rehiyon ng Bicol, Kanlurang Kabisayaan, at natitirang bahagi ng Gitnang Luzon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Kanlurang bahagi ng Gitna at Katimugang Luzon - Katamtaman mula timog-kanluran hanggang timog; Hilagang Luzon – Katamtaman mula hilagang silangan hanggang hilagang kanluran; Kanlurang Kabisayaan, at natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	22 – 32	16 – 30	70 – 99	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	22 – 33	21 – 32	60 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


LPA, HABAGAT, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itago ang mga ani sa mataas at hindi tinatablan ng tubig na imbakan.
- Patuyuin ang mga butil gamit ang makinang pantuyo kung hindi posible ang pagpapatuyo sa araw.
- Suriin at panatilihin ang mga makinang pansakahan upang maiwasan ang kalawang at sira.
- Siguraduhing malinis at walang bara ang mga kanal ng irigasyon upang maiwasan ang pagbaha sa bukid.
- Magtayo o magpatibay ng mga pilapil at dike upang maprotektahan ang sakahan mula sa agos ng tubig-ulan.
- Maglagay ng fungicide bilang pag-iwas kung kinakailangan upang maiwasan ang sakit na dulot ng fungi.
- Ipagpaliban muna ang paglalagay ng pataba upang hindi ito sayangin at maiwasan ang pag-agos nito sa tubig.



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hunyo 1 – 10, 2025)



Norte


Tuyo – Natitirang bahagi ng bansa

Basa – Rehiyon ng Ilocos, Basco, Rehiyon ng Cordillera, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, mga probinsya ng Mindoro, Hilagang Palawan, Albay, Catanduanes, Kanlurang Kabisayaan, Siquijor, Negros Oriental, Silangang Kabisayaan, Zamboanga del Norte, Hilagang Mindanao, Davao del Norte, Surigao del Sur, at BARMM

Katamtaman – Irbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, natitirang bahagi ng Palawan, Romblon, Camarines Norte, Masbate, Sorsogon, natitirang bahagi ng Gitnang Kabisayaan, Katimugang Leyte, Zamboanga del Sur, Davao del Sur, at Surigao del

ENSO ALERT SYSTEM STATUS (mula noong 25 Hunyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtamang pag-alon ang inaasahan sa **Luzon** habang banayad hanggang sa katamtamang na pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0°C (Tuguegarao City, 1983)	Pinakamataas na Temperatura	41.0°C (Tuguegarao City, 1915)
Pinakamababang Temperatura	13.5 °C (Baguio, 1919)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	235.0 mm (Sinait, 1982)	Pinakamaraming Ulan	1085.8 mm (Baguio City, 2001)

INIHANDA HANDA/INI-UPLOAD NINA: **MTR / HGDE**

BINIGYANG PANSIN NI: **MEVT**