



WEEKEND/SPECIAL FARM WEATHER OUTLOOK

WSFWO: NO. 25 – 103

Issued: 4:00 PM, Friday, 02 May 2025

Valid until: 7:00 AM, Monday, 05 May 2025

Today (02 May), the Low Pressure Area (LPA) is expected to bring cloudy skies with rains and thunderstorms over Bicol Region, Eastern and Central Visayas, Northern Mindanao, Caraga, and Davao Region. Meanwhile, Intertropical Convergence Zone (ITCZ) will likely cause scattered rainshowers and thunderstorms over the rest of Visayas and the rest of Mindanao. Elsewhere in the country, isolated rainshowers or thunderstorms are still possible.

Tomorrow until Monday (03 - 05 May), light to moderate with occasionally heavy rains are still likely over Bicol Region, CALABARZON, MIMAROPA, Visayas, Northern Mindanao, Zamboanga Peninsula, and Caraga as the LPA traverses Visayas And Palawan. The rest of Mindanao will be cloudy with rainshowers and thunderstorms due to ITCZ. Isolated rainshowers or thunderstorms will continue over the rest of Luzon.

FORECAST AREA	TEMPERATURE		RH (%)	LEAF WETNESS (HRS)
	LOWLAND	UPLAND		
LUZON	23 – 39	14 – 35	55 – 98	0 – 6
VISAYAS	24 – 33	22 – 34	60 – 96	4 – 8
MINDANAO	23 – 33	20 – 31	65 – 97	4 – 8


FARM ADVISORY

SOIL MOISTURE CONDITION

(April 21 – 30, 2025)

ENSO ALERT SYSTEM STATUS

(updated: 21 April 2025)



Wet – Albay, Sorsogon, Eastern Samar, Samar, Leyte, Zamboanga del Norte, Surigao del Norte and Surigao del Sur

Moist – Aparri, Aurora, Quezon, Camarines Norte, Catanduanes, Capiz, Northern Samar, rest of Zamboanga Peninsula, Bukidnon, and Davao del Norte

Dry – Rest of the country

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK

INACTIVE



<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>
Implement water conservation practices such as rainwater harvesting and soil moisture monitoring to sustain crop growth. Regularly inspect and maintain irrigation systems to ensure efficient water distribution and prevent potential shortages. Monitor crops for fungal diseases, applying early detection methods and organic control measures as needed. Conduct regular field inspections to track pest activity and implement Integrated Pest Management (IPM) strategies for effective control. Strengthen farm structures, storage facilities, and drainage systems to enhance resilience against sudden weather changes and localized heavy rains.



AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
<p>LPA, ITCZ, EASTERLIES, AND THUNDERSTORMS AND MODERATE TO HEAVY RAINS</p> <ul style="list-style-type: none">• Regularly inspect crops for signs of pests and diseases to quickly address any outbreaks.• Adjust the frequency of irrigation based on weather conditions, soil type, and crop needs.• Ensure that irrigation is consistent, especially during dry periods, to maintain healthy plant growth.• Regularly inspect and clean drainage channels to prevent blockages caused by debris, soil, or other obstructions.• Harvest crops when the weather is dry to prevent damage from excess moisture, which can lead to spoilage, fungal infections, and lower market value.• Handle produce carefully during transportation to avoid physical damage or contamination.	<p>The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>

PREPARED/UPLOADED BY: **MGA / RVDD**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 103

Inilabas ng: 4:00 PM, Biyernes, 02 Mayo 2025



May bisa hanggang: 7:00 AM, Lunes, 05 Mayo 2025

Ngayong araw (02 Mayo), ang *Low Pressure Area (LPA)* ay inaasahang magdadala ng maulap na kalangitan na may pag-ulan at pagkidlat-pagkulong sa Rehiyon ng Bicol, Silangan at Gitnang Kabisayaan, Hilagang Mindanao, Caraga, at Rehiyon ng Davao. Samantala, ang *Intertropical Convergence Zone (ITCZ)* ay magdudulot ng kalat-kalat na pag-ulan at pagkidlat-pagkulong sa natitirang bahagi ng Kabisayaan at Mindanao. Sa ibang bahagi ng bansa ay posibleng magkakaroon ng pulu-pulong pag-ulan o pagkidlat-pagkulong.

Bukas hanggang Lunes (03 - 05 Mayo), ang Rehiyon ng Bicol, CALABARZON, MIMAROPA, Kabisayaan, Hilagang Mindanao, Zamboanga Peninsula, at Caraga ay inaasahan na makakaranas ng mahina hanggang sa katamtaman na pag-ulan na may paminsan-minsang malalakas na buhos ng ulan habang ang LPA ay patuloy na tumatawid sa Kabisayaan at Palawan. Ang natitirang bahagi ng Mindanao ay makakaranas ng maulap na kalangitan na may pag-ulan at pagkidlat-pagkulong dulot ng ITCZ. Ang natitirang bahagi ng Luzon ay patuloy na makakaranas ng pulu-pulong pag-ulan o pagkidlat-pagkulong.

LUGAR NG PAGTAYA	TEMPERATURA (°C)		RH (%)	PAGKABASA NG DAHON (ORAS)
	Mababang Bukirin	Mataas na Bukirin		
LUZON	23 – 39	14 – 35	55 – 98	0 – 6
VISAYAS	24 – 33	22 – 34	60 – 96	4 – 8
MINDANAO	23 – 33	20 – 31	65 – 97	4 – 8

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Abril 21 – 30, 2025)		ENSO ALERT SYSTEM STATUS (mula noong 21 Abril 2025)	
		<p>MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE</p>  <p>https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf</p> <p>Magpatupad ng mga pamamaraan sa pagtitipid ng tubig tulad ng pag-iipon ng tubig-ulan at pagsubaybay sa moisture ng lupa upang mapanatili ang paglago ng pananim. Regular na suriin at panatilihin maayos ang mga sistema ng irigasyon upang matiyak ang epektibong pamamahagi ng tubig at maiwasan ang kakulangan. Bantayan ang mga pananim laban sa fungal diseases sa pamamagitan ng maagang pagtuklas at paggamit ng organikong pamamaraan ng pagkontrol kung kinakailangan. Magsagawa ng regular na inspeksyon sa bukid upang matunton ang aktibidad ng peste at ipatupad ang Integrated Pest Management (IPM) para sa epektibong pamamahala. Palakasin ang istruktura ng sakahan, mga imbakan, at sistema ng kanal upang mapataas ang kakayahang harapin ang biglaang pagbabago ng panahon at matinding pag-ulan sa ilang lugar.</p>	



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
<p>LPA, ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN</p> <ul style="list-style-type: none">• Regular na suriin ang mga pananim para sa mga palatandaan ng peste at sakit upang agad na maagapan ang anumang paglaganap.• layon ang dalas ng pagdidilig batay sa lagay ng panahon, uri ng lupa, at pangangailangan ng pananim.• Siguraduhing tuloy-tuloy ang irigasyon, lalo na sa panahon ng tagtuyot, upang mapanatili ang malusog na paglaki ng mga halaman.• Regular na inspeksyunin at linisin ang mga kanal ng irigasyon upang maiwasan ang pagbabara dulot ng basura, lupa, o iba pang hadlang.• Anihin ang mga pananim sa tuyo at magandang panahon upang maiwasan ang pagkasira dulot ng sobrang moisture, na maaaring magdulot ng pagkabulok, impeksyon sa fungi, at pagbagsak ng halaga sa merkado.• Inatang mabuti ang mga ani sa panahon ng transportasyon upang maiwasan ang pisikal na pinsala o kontaminasyon.	<p>Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.</p> <p>https://www.pagasa.dost.gov.ph/climate/climate-heat-index</p>

PREPARED/UPLOADED BY: **MGA / RVDD**

VERIFIED BY: **MEVT**