



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 094

Issued: 7:00 AM, Wednesday, 23 April 2025

Valid until: 7:00 AM, Thursday, 24 April 2025

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting southern Mindanao. Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zamboanga del Sur, Zamboanga Sibugay, Davao Oriental, Davao Occidental, Sarangani, Basilan, Sulu, and Tawi-Tawi	Cloudy skies with scattered rains and thunderstorms	Light to moderate from east to northeast	23 – 34	22 – 32	60 – 98	4 – 8
The rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from east to northeast	23 – 35	21 – 33	50 – 97	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Western section of Northern and Central Luzon – Light to moderate from northwest to southwest; Rest of Northern and Central Luzon and the eastern section of Southern Luzon – Light to moderate from east to southeast; Rest of the country – Light to moderate from east to northeast	22 – 38	14 – 35	40 – 95	0 – 4


AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
ITCZ, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS <ul style="list-style-type: none">Inspect crops regularly for pests and diseases and address outbreaks immediately.Adjust irrigation frequency based on weather, soil type, and crop needs.Avoid over-irrigation to prevent root rot. Water plants early morning for better absorption.Inspect and clean drainage channels regularly to prevent blockages.Harvest crops on dry days to avoid spoilage, fungal infections, and loss of market value.Handle produce carefully during transport to prevent damage and contamination.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature https://www.pagasa.dost.gov.ph/climate/climate-heat-index



FARM ADVISORY

SOIL MOISTURE CONDITION

(April 11 – 20, 2025)



Wet – Baler, Catanduanes, Eastern Samar, Northern Samar, Samar, and Surigao del Sur

Moist – Batanes, Casiguran, Quezon, Oriental Mindoro, most parts of Bicol Region, rest of Eastern Visayas, most parts of Northern Mindanao, Davao Region, SOCCSKSARGEN, Surigao del Norte, and BARMM

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 04 April 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Maintain proper drainage in lowland farms to prevent waterlogging. In rainfed areas, store excess water in farm reservoirs for use during drier months. Adopt integrated pest management (IPM) to prevent infestations, especially for rice, corn, and vegetables. Use covered storage areas to prevent moisture-related grain losses. Improve soil moisture retention through organic mulching and conservation farming techniques.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over **the whole archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	41.1 °C (Tuguegarao City, 1914)	Maximum Temperature	42.2 °C (Tuguegarao City, 1963)
Minimum Temperature	12.0 °C (Baguio City, 1907)	Minimum Temperature	9.6 °C (Baguio City, 1907)
Rainfall	169.5 mm (Surigao City, 1969)	Rainfall	495.2 mm (Virac Radar, 2009)

PREPARED/UPLOADED BY: **RAAM / MAM**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 094

Inilabas ng: 7:00 AM, Miyerkules, 23 Abril 2025



May bisa hanggang: 7:00 AM Huwebes, 24 Abril 2025

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa katimugang Mindanao. Easterlies ang nakakaapekto sa natitirang bahagi ng bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Zamboanga del Sur, Zamboanga Sibugay, Davao Oriental, Davao Occidental, Sarangani, Basilan, Sulu, at Tawi-Tawi	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 34	22 – 32	60 – 98	4 – 8
Natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	23 – 35	21 – 33	50 – 97	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Kanlurang bahagi ng Hilaga at Gitnang Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Natitirang bahagi ng Hilaga at Gitnang Luzon at silangang bahagi ng Katimugang Luzon – Mahina hanggang sa katamtaman mula Silangan hanggang timog-silangan; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula silangan hanggang hilagang silangan	22 – 38	14 – 35	40 – 95	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
ITCZ, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Regular na suriin ang mga pananim para sa peste at sakit at agad na tugunan ang anumang paglaganap.Ayusin ang dalas ng patubig batay sa panahon, uri ng lupa, at pangangailangan ng pananim.Iwasan ang labis na patubig upang maiwasan ang pagkabulok ng ugat. Patubigan ang mga halaman nang maaga sa umaga para sa mas epektibong pagsipsip.Regular na suriin at linisin ang mga kanal ng irigasyon upang maiwasan ang bara.Anihin ang mga pananim sa tuyo at maaliwalas na panahon upang maiwasan ang pagkasira, amag, at pagbagsak ng halaga sa merkado.Hawakan nang maingat ang ani sa transportasyon upang maiwasan ang pinsala at kontaminasyon.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Abril 11 – 20, 2025)	ENSO ALERT SYSTEM STATUS (mula noong 04 Abril 2025)
 <p>Basa – Baler, Catanduanes, Eastern Samar, Northern Samar, Samar, at Surigao del Sur</p> <p>Katamtaman – Batanes, Casiguran, Quezon, Oriental Mindoro, malaking bahagi ng Rehiyon ng Bicol, natitirang bahagi ng Silangang Kabisayaan, malaking bahagi ng Hilagang Mindanao, Rehiyon ng Davao, SOCCSKSARGEN, Surigao del Norte, at BARMM</p> <p>Tuyo – Natitirang bahagi ng bansa</p>	MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE  https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring <p>Panatiliing maayos ang daluyan ng tubig sa mabababang bukirin upang maiwasan ang pagbaha. Sa mga sakahan na umaasa sa ulan, ipunin ang sobrang tubig sa imbakan upang magamit sa panahon ng tagtuyot. Gumamit ng integrated pest management (IPM) upang maiwasan ang peste, lalo na sa palay, mais, at gulay. Mag-imbak ng ani sa nakasara at maayos na imbakan upang maiwasan ang pagkasira dahil sa moisture. Pahasayin ang pagpapanatili ng tubig sa lupa sa pamamagitan ng organikong pagmamalts at konserbasyong pamamaraan ng pagsasaka.</p>

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa buong kapuluan . Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	41.1 °C (Tuguegarao City, 1914)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao City, 1963)
Pinakamababang Temperatura	12.0 °C (Baguio City, 1907)	Pinakamababang Temperatura	9.6 °C (Baguio City, 1907)
Pinakamaraming Ulan	169.5 mm (Surigao City, 1969)	Pinakamaraming Ulan	495.2 mm (Virac Radar, 2009)
INIHANDA HANDA/INI-UPLOAD NINA: RAAM / MAM		BINIGYANG PANSIN NI: MEVT	