



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 147

Issued: 7:00 AM, Thursday, 26 June 2025

Valid until: 7:00 AM, Friday, 27 June 2025

SYNOPSIS: Southwest Monsoon affecting the western sections of Central and Southern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 1,045 KM WEST OF EXTREME NORTHERN LUZON (19.2°N, 111.5°E)

MAXIMUM SUSTAINED WINDS: 45 KM/H

GUSTINESS: UP TO 55 KM/H

MOVEMENT: WESTWARD AT 10KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Kalayaan Islands, Surigao del Norte, Surigao del Sur, Davao Oriental, Davao de Oro, and Davao Occidental	Cloudy skies with scattered rains and thunderstorms	Kalayaan Islands – Light to moderate from southwest to southeast; Surigao del Norte, Surigao del Sur, Davao Oriental, Davao de Oro, and Davao Occidental – Light to moderate from southwest to west	23 – 31	20 – 30	70 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern Luzon, Central Luzon, and the western section of Southern Luzon – Light to moderate from southwest to southeast; Rest of the country – Light to moderate from southwest to west	22 – 35	14 – 33	48 – 97	0 – 6

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, ITCZ, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Align planting schedules with updated weather forecasts to maximize water availability and avoid drought or flood periods.
- Clean canals, dikes, and drainage paths to prevent water from building up, which can damage plant roots and reduce harvest.
- Strengthen seedbeds and cover young plants with plastic or other protection to shield them from heavy rain.
- Store seeds, fertilizers, and harvested crops in dry, raised, and covered places to avoid spoilage.
- Apply fertilizer during dry weather to prevent it from being washed away; it's better to apply it in parts rather than all at once.
- Check and repair greenhouses, trellises, animal shelters, and storage areas for any damage caused by wind or rain.



FARM ADVISORY

SOIL MOISTURE CONDITION

(June 11 – 20, 2025)

ENSO ALERT SYSTEM STATUS


(updated: 04 June 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Weed regularly to help crops grow better by reducing competition for nutrients, water, and sunlight. Apply the right amount and type of fertilizer as recommended, and avoid using too much chemical fertilizer to protect the soil and nearby water sources. Clear old plant parts and weeds that attract pests and diseases. Make and use compost or organic fertilizer to improve soil health and reduce the need for chemical products. Stay updated with local weather forecasts and advisories from DOST-PAGASA to guide smart and timely farming decisions.



Legend

DRY (0-75mm)
MOIST (76mm-150mm)
WET (>150mm)

Wet – Ilocos Region, Basco, Cordillera Administrative Region, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, Mindoro Provinces, Northern Palawan, Albay, Catanduanes, Western Visayas, Siquijor, Negros Oriental, Eastern Visayas, Zamboanga del Norte, Northern Mindanao, Davao del Norte, Surigao del Sur, and BARMM

Moist – Itbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, Rest of Palawan Romblon, Camarines Norte, Masbate, Sorsogon, rest of Central Visayas, Southern Leyte, Zamboanga del Sur, Davao del Sur, and Surigao del Norte

Dry – Rest of the country

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

MONTHLY EXTREMES

Maximum Temperature	40.0 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Minimum Temperature	13.0 °C (Malaybalay, 1962)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	533.6 mm (Baguio City, 1993)	Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **RAAM / JOT**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 147

Inilabas ng: 7:00 AM, Huwebes, 26 Hunyo 2025 May bisa hanggang: 7:00 AM, Biyernes, 27 Hunyo 2025

SYNOPSIS: Habagat ang nakakaapekto sa kanlurang bahagi ng Gitna at Katimugang Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 1,045 KM KANLURAN NG DULONG HILAGAN LUZON (19.2°N, 111.5°E)

TAGLAY NAHANGIN: 45 KM/H

PAGBUGSO: UMAABOT SA 55 KM/H

PAGKILOS: KANLURAN SA BILIS NA 10KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mabab ang Bukirin	Mataas na Bukirin		
Mga Isla ng Kalayaan, Surigao del Norte, Surigao del Sur, Davao Oriental, Davao de Oro, at Davao Occidental	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mga Isla ng Kalayaan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan; Surigao del Norte, Surigao del Sur, Davao Oriental, Davao de Oro, at Davao Occidental – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 31	20 – 30	70 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilagang Luzon, Gitnang Luzon at kanlurang bahagi ng Katimugang Luzon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	22 – 35	14 – 33	48 – 97	0 – 6

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


HABAGAT, ITCZ, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Itugma ang iskedyul ng pagtanim sa mga pinakabagong ulat ng panahon upang mapakinabangan ang tubig at maiwasan ang tagtuyot o pagbaha.
- Linisin ang mga kanal, dike, at mga daanan ng tubig upang maiwasan ang pag-ipon ng tubig na maaaring makasira sa ugat ng halaman at magpababa ng ani.
- Palakasin ang mga seedbed at takpan ang mga batang tanim ng plastik o ibang proteksyon upang maprotektahan mula sa malakas na ulan.
- Itabi ang mga binhi, pataba, at aning pananim sa mga tuyong lugar na mataas at may takip upang maiwasan ang pagkasira.
- Maglagay ng pataba tuwing panahon upang maiwasan ang pagkalaba nito; mas mainam na ipamahagi ito ng paunti-unti kaysa sabay-sabay.
- Suriin at ayusin ang mga greenhouse, trellis, kulungan ng hayop, at mga imbakan para sa anumang pinsala dulot ng hangin o ulan.



PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hunyo 11 – 20, 2025)



Basa – Rehiyon ng Ilocos, Basco, Rehiyon ng Cordillera, Aurora, Bataan, Bulacan, Tarlac, Zambales, Quezon, mga probinsya ng Mindoro, Hilagang Palawan, Albay, Catanduanes, Kanlurang Kabisayaan, Siquijor, Negros Oriental, Silangang Kabisayaan, Zamboanga del Norte, Hilagang Mindanao, Davao del Norte, Surigao del Sur, at BARMM

Katamtaman – Itbayat, Calayan, Nueva Ecija, Rizal, Laguna, Cavite, natitirang bahagi ng Palawan, Romblon, Camarines Norte, Masbate, Sorsogon, natitirang bahagi ng Gitnang Kabisayaan, Katimugang Leyte, Zamboanga del Sur, Davao del Sur, at Surigao del Norte

Tuyo – Natitirang bahagi ng bansa

ENSO ALERT SYSTEM STATUS

(mula noong 04 Hunyo 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Mag-alis ng damo nang regular upang makatulong sa mas maayos na paglaki ng mga pananim sa pamamagitan ng pagbawas ng kumpetisyon sa nutrients, tubig, at sikat ng araw. Gumamit ng tamang dami at uri ng pataba ayon sa rekomendasyon, at iwasan ang labis na paggamit ng kemikal na pataba upang maprotektahan ang lupa at mga pinagkukunan ng tubig. Alisin ang mga tuyong bahagi ng halaman at mga damong nakakaakit ng peste at sakit. Gumawa at gumamit ng compost o organikong pataba upang mapabuti ang kalusugan ng lupa at mabawasan ang paggamit ng kemikal. Manatiling updated sa mga lokal na ulat ng panahon at advisory mula sa DOST-PAGASA upang makagawa ng matalino at napapanahong desisyon sa pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.0 °C (Tuguegarao City, 1983)	Maximum Temperature	41.7°C (Tuguegarao City, 1963)
Pinakamababang Temperatura	13.0 °C (Malaybalay, 1962)	Minimum Temperature	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	533.6 mm (Baguio City, 1993)	Rainfall	533.6 mm (Baguio City, 1993)

INIHANDA HANDA/INI-UPLOAD NINA: **RAAM / JOT**

BINIGYANG PANSIN NI: **MEVT**