



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 25 – 106

Issued: 7:00 AM, Wednesday, 07 May 2025

Valid until: 7:00 AM, Thursday, 08 May 2025

SYNOPSIS: At 3:00 AM today, the Low Pressure Area (LPA) was estimated based on all available data over the coastal waters of Kalibo, Aklan (11.7°N, 122.4°E). Meanwhile, another Low Pressure Area (LPA) was estimated based on all available data at 425 km West of Iba, Zambales (15.4°N, 116.0°E). Easterlies affecting the rest of the country.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Visayas, Bicol Region, MIMAROPA, Quezon and Caraga	Cloudy skies with scattered rains and thunderstorms	<p>The eastern sections of Visayas and Caraga - Light to moderate from southeast to northeast;</p> <p>The rest of Visayas – Light to moderate from northwest to southwest;</p> <p>Bicol Region, MIMAROPA, Quezon – Light to moderate from east to southeast</p>	24 – 34	22– 32	60 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	<p>The western section of Luzon– Light to moderate from southwest to southeast;</p> <p>The rest of Luzon – Light to moderate from east to southeast</p> <p>The eastern section of Mindanao – Light to moderate from southeast to northeast;</p> <p>The rest of the country – Light to moderate from northwest to southwest;</p>	23 – 38	15 – 33	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)

LPA, EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Provide shade cloth or temporary shelters for delicate seedlings during the peak afternoon heat to protect them from excessive sun exposure.
- Use organic mulch, like straw or grass clippings, to help cool the root zones and maintain consistent moisture levels in the soil.
- Schedule fieldwork during early mornings or late afternoons to avoid the hottest part of the day and reduce heat stress on both workers and crops.
- Check storage areas for harvested crops (e.g., rice, corn, fruits, and vegetables). If necessary, move crops to elevated or covered areas to prevent water damage. Ensure farm equipment is stored in dry, sheltered locations to prevent rusting or malfunction.
- Heavy rains increase the risk of soil erosion. Take preventive measures like reinforcing embankments, creating terraces, or planting ground cover to stabilize the soil and prevent it from washing away.

The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature


<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>



FARM ADVISORY

SOIL MOISTURE CONDITION

(April 21 – 30, 2025)



Wet – Albay, Sorsogon, Eastern Samar, Samar, Leyte, Zamboanga del Norte, Surigao del Norte and Surigao del Sur

Moist – Aparri, Aurora, Quezon, Camarines Norte, Catanduanes, Capiz, Northern Samar, rest of Zamboanga Peninsula, Bukidnon, and Davao del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(updated: 21 April 2025)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/elnino-la-nina/monitoring>

Maintain proper drainage in lowland farms to prevent waterlogging. In rainfed areas, store excess water in farm reservoirs for use during drier months. Adopt integrated pest management (IPM) to prevent infestations, especially for rice, corn, and vegetables. Use covered storage areas to prevent moisture-related grain losses. Improve soil moisture retention through organic mulching and conservation farming techniques.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Slight to moderate seas will prevail over **the whole archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	41.1 °C (Tuguegarao City, 1969)	Maximum Temperature	42.2 °C (Tuguegarao City, 1969)
Minimum Temperature	13.8 °C (Baguio City, 1908)	Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	377.4 mm (Catarman, 2011)	Rainfall	730.3 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MTR/ MAM**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 25 – 106


Inilabas ng: 7:00 AM, Miyerkules, 07 Mayo 2025

May bisa hanggang: 7:00 AM, Huwebes, 08 Mayo 2025

SYNOPSIS: Kaninang 3:00 AM, ang Low Pressure Area (LPA) ay tinatayang nasa baybayin ng Kalibo, Aklan (11.7°N, 122.4°E). Samantala, ang isa pang Low Pressure Area (LPA) ay tinatayang nasa 425km kanluran ng Iba, Zambales (15.4°N, 116.0°E). Easterlies ang nakakaapekto sa bansa.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababa ng Bukirin	Mataas na Bukirin		
Kabisayaan, Rehiyon ng Bicol, MIMAROPA, Quezon, at Caraga	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Silangang bahagi ng Kabisayaan at Caraga – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan; Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Rehiyon ng Bicol, MIMAROPA, Quezon – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan;	24 – 34	22– 32	60 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Kanlurang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog silangan; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan; Silangang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog-silangan hanggang hilagang silangan; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran	23 – 38	15 – 33	50 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
LPA, EASTERLIES, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN <ul style="list-style-type: none">Magbigay ng shade cloth o pansamantalang silungan para sa mga sensitibong punla tuwing tapat ng matinding init ng hapon upang maprotektahan sila mula sa sobrang sikat ng araw.Gumamit ng organikong dayami o damo bilang mulch upang makatulong palamigin ang mga ugat at mapanatili ang tamang antas ng kahalumigmigan sa lupa.Isagawa ang mga gawain sa bukirin sa maagang umaga o huling hapon upang maiwasan ang pinakamainit na oras ng araw at mabawasan ang	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-



pekto ng init sa mga manggagawa at pananim.


- I-check ang mga imbakan ng mga inaning produkto (tulad ng palay, mais, gulay, at prutas). Kung kinakailangan, ilipat ang mga ito sa mas mataas o natatakpanang lugar upang maiwasan ang pagkasira dulot ng tubig. Siguraduhin na ang mga kagamitan sa sakahan ay naka-imbak sa mga tuyo at protektadong lugar upang maiwasan ang kalawang o pagkasira.
- Ang malalakas na ulan ay maaaring magdulot ng pagguho ng lupa. Gumawa ng mga hakbang tulad ng pagpapalakas ng mga dike, paggawa ng mga terrace, o pagtatanim ng mga halamang makakatulong upang maiwasan ang pagkawala ng lupa at mapigilan ang erosion.

heat-index

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Abril 21 – 30, 2025)

ENSO ALERT SYSTEM STATUS (mula noong 21 Abril 2025)



Basa – Albay, Sorsogon, Eastern Samar, Samar, Leyte, Zamboanga del Norte, Surigao del Norte at Surigao del Sur

Katamtaman – Aparri, Aurora, Quezon, Camarines Norte, Catanduanes, Capiz, Northern Samar, natitirang bahagi ng Zamboanga Peninsula, Bukidnon, at Davao del Norte

Tuyo – Natitirang bahagi ng bansa

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK INACTIVE



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Panatiliing maayos ang daluyan ng tubig sa mabababang bukirin upang maiwasan ang pagbaha. Sa mga sakahan na umaasa sa ulan, ipunin ang sobrang tubig sa imbakan upang magamit sa panahon ng tagtuyot. Gumamit ng integrated pest management (IPM) upang maiwasan ang peste, lalo na sa palay, mais, at gulay. Mag-imbak ng ani sa nakasara at maayos na imbakan upang maiwasan ang pagkasira dahil sa moisture. Pahasayin ang pagpapanatili ng tubig sa lupa sa pamamagitan ng organikong pagmamalts at konserbasyong pamamaraan ng pagsasaka.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na GaleWarning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa buong **kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na	41.1 °C (Tuguegarao City, 1969)	Maximum	42.2 °C (Tuguegarao City, 1969)
-----------------	---------------------------------	---------	---------------------------------



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Temperatura		Temperature	
Pinakamababang Temperatura	13.8 °C (Baguio City, 1908)	Minimum Temperature	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	377.4 mm (Catarman, 2011)	Rainfall	730.3 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: MTR/ MAM		BINIGYANG PANSIN NI: MEVT	