



FARM WEATHER FORECAST AND ADVISORIES

FWFA: NO. 24 – 256

Issued: 8:00 AM, Tuesday, 5 November 2024


Valid until: 8:00 AM, Wednesday, 6 November 2024

SYNOPSIS: At 3:00 AM today, the center of Severe Tropical Storm "MARCE" {YINXING} was estimated based on all available data at 650 km East Northeast of Daet, Camarines Norte or 780 km East of Baler, Aurora (15.4°N, 128.9°E) with maximum

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (°C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Cagayan Valley, Apayao, Kalinga, Quezon, and Bicol Region	Cloudy skies with scattered rainshowers and thunderstorms	Moderate to strong from northeast	23 – 32	19 – 28	60 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Extreme Northern Luzon – Moderate to strong from northeast; Rest of Luzon – Moderate to strong from northeast to east; Rest of the country– Light to moderate from northeast to northwest;	23 – 35	13 – 31	55 – 98	0 – 6

PAYONG PANSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Oktubre 21 – 31, 2024)



Wet – Most of Ilocos Region, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, CALABARZON, MIMAROPA, Bicol Region, Western Visayas, Bohol, most of Eastern Visayas, Zamboanga del Sur, Misamis Oriental, Davao City, Surigao del Sur, and BARM

Moist – La Union, Central Visayas, Southern Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Davao del Norte, and Agusan del Norte

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (simula 23 Oktubre 2024)

MONTHLY CLIMATE ASSESSMENT AND OUTLOOK LA NIÑA ALERT



<https://bagong.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Maghanda para sa mas maulan na kondisyon. Siyasatin ang drainage upang maiwasan ang pagbaha at bantayan ang paglaganap ng peste at sakit. Gumamit ng mga uri ng pananim na may resistensya at isaalang-alang ang staggered planting. Ang pagtaas ng kahalumigmigan ay maaaring makaapekto sa paglaganap ng peste at sakit. Ang regular na pagmonitor sa mga bukid at agarang pagtugon ay kinakailangan.



AREAS AFFECTED BY THE WEATHER SYSTEMS

STS MARCE, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Wet weather promotes fungal development and can cause damage to stored farm products, reduce the quality, viability and market price of the grains. Thus, it is advised to keep barns and crop storage rooms in good, dry, and well-ventilated condition.
- Mulching helps protect the soil from erosion caused by wind and rain. It reduces the impact of raindrops on the soil surface and slows down water runoff, allowing more water to infiltrate the soil.

FISHING ADVISORY


GALE WARNING AND SEA CONDITION

Gale warning was raised over the seaboard of Northern Luzon (Batanes, Isabela, and Cagayan including Babuyan Islands).

Moderate to rough seas will be experienced over **Luzon** while **the rest of the archipelago will experienced slight** to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin

No. 27 updated 23 October 2024)



All types of shellfish and *Acetes* sp. or alamang gathered from coastal waters of **Dumanquillas Bay in Zamboanga del Sur; coastal waters of Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay in Leyte; Biliran Island in Biliran Province and Coastal waters of Tungawan in Zamboanga Sibugay Province; Lianga Bay in Surigao Del Sur, and Combatutay Bay in Samar and Coastal waters of Leyte in Leyte** are **not safe for human consumption and positive for red tide toxin**.

Fishermen are advised to avoid fishing, buying, selling, and eating any kind of shellfish and alamang in the said areas. Fish, squids, shrimps, and crabs are safe for human consumption provided that they are fresh and washed thoroughly, and internal organs such as gills and intestines are removed before cooking.



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	36.3 °C (Maasin, 1997)	Maximum Temperature	38.5 °C (NAIA, 2005)
Minimum Temperature	12.2 °C (Baguio City, 1907)	Minimum Temperature	9.2 °C (Baguio City; 1989)
Rainfall	698.7 mm (Baguio City, 1980)	Rainfall	698.7 mm (Baguio City, 1980)
PREPARED/UPLOADED BY: NRE / JOT		VERIFIED BY: MEVT	

TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN

FWFA: NO. 24 – 256

Inilabas ng: 8:00 AM, Martes, 5 Nobyembre 2024

May bisa hanggang: 8:00 AM, Miyerkules, 6 Nobyembre 2024

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Severe Tropical Storm “MARCE” {YINXING} ay tinatayang nasa 650 km silangan hilagang silangan ng Daet, Camarines Nortes o 780 km silangan ng Baler, Aurora (15.4 °N, 128.9°E) na may taglay na lakas ng hangin na 110 km/h at pagbugsong umaabot sa 135 km/h. Ito ay kumikilos patungong hilagang kanluran sa bilis na 25 km/h.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABA SA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Lambak ng Cagayan, Apayao, Kalinga, Quezon, at Rehiyon ng Bicol	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hangang sa malakas mula hilagang silangan	23 – 32	19 – 28	60 – 98	4 – 8



Metro Manila, at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag- ulan o pagkidlat- pagkulong	Natitirang bahagi ng Dulong Hilagang Luzon – Katamtaman hangang sa malakas mula hilagang silangan; Naitirang bahagi ng Luzon – Katamtaman hangang sa malakas mula hilagang silangan hanggang silangan; Natitirang bahagi ng bansa– Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	23 – 35	13 – 31	55 – 98	0 – 6
--	---	--	---------	---------	---------	-------

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


STS MARCE, PAGKIDLAT-PAGKULOG, AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Ang tuluy-tuloy na pag-ulan ay maaaring magpalaganap ng fungi sa mga nakaimbak na ani, makaapekto sa kalidad ng mga butil, pagkabulok at maaring magresulta sa mababang bentahan sa merkado. Kaya pinapayuhang ayusin at siyasatin ang mga imbakan at sigaruduhing tuyo, malinis, at maaliwalas ang mga ito.
- Ang mulching ay nakakatulong na protektahan ang lupa mula sa erosyon na dulot ng hangin at ulan. Pinapababa nito ang epekto ng patak ng ulan sa ibabaw ng lupa at pinapabagal ang pag-agos ng tubig, na nagpapahintulot na mas maraming tubig ang makapasok sa lupa.

PAYONG PANSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 21 – 31, 2024)

ENSO ALERT SYSTEM STATUS
(simula 23 Oktubre 2024)



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas na Gale Warning sa baybayin ng Hilagang Luzon (Batanes, Isabela, at Cagayan kasama ang Isla ng Babuyan.

Katamtamang hanggang sa maalon na karagatan ang mararanasan sa baybayin ng Luzon samantalang ang **natitirang bahagi ng kapuluan** ay magkakaroon ng mahina hanggang sa katamtamang maalon na karagatan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

RED TIDE ALERT (Courtesy of BFAR, Shellfish Bulletin No. 27 Inilabas 23 Oktubre 2024)

Lahat ng uri ng kabibe at alamang na mahuhuli sa baybayin ng Dumanquillas sa Zamboanga del Sur; baybayin ng Daram Island, Zumarraga Island, Irong-Irong Bay, Carigara Bay sa Leyte; Biliran Island sa Biliran Province at baybayin ng Tungawan sa probinsya ng Zamboanga Sibugay; Lianga Bay sa Surigao Del Sur, at Cambatutay Bay sa Samar at baybayin ng Leyte sa Leyte ay hindi ligtas kainin at positibo sa red tide.

Paalala sa mga mangingisda na umiwas muna na kumuha, bumili, magtinda, at kumain ng anumang uri ng kabibe at alamang sa mga nabanggit na lugar. Ang mga isda, pusit, hipon, at alimasag ay pwedeng kainin kapag ang mga ito ay sariwa, nahugasan nang mabuti, at ang mga laman-loob kagaya ng hasang at bituka ay natanggal bago iluto.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na	36.3 °C (Maasin, 1997)	Maximum	38.5 °C (NAIA, 2005)



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Temperatura		Temperature	
Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)	Minimum Temperature	9.2 °C (Baguio City; 1989)
Pinakamaraming Ulan	698.7 mm (Baguio City, 1980)	Rainfall	698.7 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / JOT		BINIGYANG PANSIN NI: MEVT	