



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 232

Issued: 7:00 AM, Friday, 09 October 2026

Valid until: 7:00 AM, Saturday, 10 October 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting Visayas, Mindanao, and Palawan. Northeastly Windflow affecting the eastern section of Northern and Central Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Eastern Visayas, Quezon, Marinduque, and Romblon	Cloudy skies with scattered rains and thunderstorms	Bicol Region, Quezon, Marinduque, and Romblon – Light to moderate from northeast to east; Eastern Visayas – Light to moderate from northeast to northwest;	23 – 34	20 – 32	65 – 99	4 – 8
Mindanao, the rest of Visayas, and Palawan	Cloudy skies with scattered rains and thunderstorms	Palawan – Light to moderate from northeast to east; Rest of Visayas – Light to moderate from northeast to northwest; Mindanao – Light to moderate from northwest to southwest;	23 – 35	20 – 32	60 – 98	4 – 8
Cagayan Valley, Apayao, Kalinga, Mountain Province, Ifugao, and Aurora	Cloudy skies with light rains	Moderate to strong from northeast;	22 – 33	17 – 31	55 – 98	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of the Northern Luzon and eastern sections of Central Luzon – Moderate to strong from northeast; Rest of Luzon – Light to moderate from northeast to east	22 – 34	16 – 31	45 – 96	0 – 4




AREAS AFFECTED BY THE WEATHER SYSTEMS

TROUGH OF LPA, ITCZ, NORTHEASTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Use mulch or other soil-covering materials to reduce soil erosion and nutrient loss during heavy rainfall.
 - Check harvested crops for excess moisture, bruising, or contamination before storage or marketing.
 - Schedule fertilizer and pesticide application during suitable weather conditions and follow recommended application practices.
- Maintain and clean irrigation canals, pumps, and water storage facilities.
- Harvest mature crops on time and properly dry and store produce to maintain quality.
 - Regularly monitor crops for pests, diseases, and signs of moisture stress.
 - Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION (September 21 – 30, 2026)




Wet – Pangasinan, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Tayabas, Ambulong, Rizal, Oriental Mindoro, most parts of Palawan, Camarines Sur, Leyte, Bukidnon, Davao del Norte, and Lanao del Sur

Moist – Most of Ilocos Region, Extreme Northern Luzon, Cavite, Alabat, Occidental Mindoro, Albay, Catanduanes, Iloilo

City, Negros Occidental, Samar, Eastern Samar, Davao del Sur, General Santos, and Surigao del Sur

Dry – Quirino, rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 23 September 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026.

Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate to rough seas will be experienced over the seaboard of the **Northern Luzon and eastern section of Central Luzon**, while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	38.0 °C (Tuguegarao, 1987)	Maximum Temperature	38.5 °C (Tuguegarao, 1987)
Minimum Temperature	12.2 °C (Baguio City, 1959)	Minimum Temperature	11.3 °C (Baguio City, 1913)
Rainfall	350.4 mm (Baguio City, 1936)	Rainfall	994.6 mm (Baguio City, 1998)
PREPARED/UPLOADED BY: MGA / JAE		VERIFIED BY: MEVT	

"tracking the sky...helping the country"



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 232

Inilabas ng: 7:00 AM Biyernes, 09 Oktubre 2026 May bisa hanggang: 7:00 AM Sabado, 10 Oktubre 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa Kabisayaan, Mindanao, at Palawan. Northeasterly Windflow ang nakakaapekto sa silangang bahagi ng Hilaga at Gitnang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, Silangang Kabisayaan, Quezon, Marinduque, at Romblon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Rehiyon ng Bicol, Quezon, Marinduque, at Romblon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan; Silangang Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;	23 – 34	20 – 32	65 – 99	4 – 8
Mindanao, natitirang bahagi ng Kabisayaan, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	Palawan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan; Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran; Mindanao – Mahina hanggang sa katamtaman mula hilagang silangan hanggang timog-kanluran;	23 – 35	20 – 32	60 – 98	4 – 8
Lambak ng Cagayan, Apayao, Kalinga, Mountain Province, Ifugao, at Aurora	Maulap na kalangitan na may mahinang pag-ulan	Katamtaman hanggang sa malakas mula hilagang silangan;	22 – 33	17 – 31	55 – 98	0 – 6
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Natitirang bahagi ng Hilagang Luzon at silangang bahagi ng Gitnang Luzon – Katamtaman hanggang sa malakas mula hilagang silangan; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang silangan;	22 – 34	16 – 31	45 – 96	0 – 4




SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

TROUGH NG LPA, ITCZ, NORTHEASTERLY WINDFLOW, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Gumamit ng mulch o iba pang pantakip sa lupa upang mabawasan ang pagguho ng lupa at pagkawala ng sustansiya tuwing malakas ang pag-ulan.
- Suriin ang mga naaning produkto para sa sobrang moisture, pagkakabugbog, o kontaminasyon bago itago o ibenta.
- Iskedyul ang paglalagay ng pataba at pestisidyo sa angkop na kondisyon ng panahon at sundin ang mga inirerekomendang paraan ng paggamit.
- Linisin at panatilihin maayos ang mga kanal, bomba, at pasilidad sa imbakan ng tubig para sa maayos na patubig at paggamit ng tubig.
- Aniin sa tamang panahon ang mga hinog na pananim at patuyuin at itago nang maayos upang mapanatili ang kalidad ng ani.
- Regular na bantayan ang mga pananim para sa mga peste, sakit, at mga senyales ng kakulangan sa tubig.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Setyembre 21 – 30, 2026)



Legend

- DRY (0-75mm)
- MOIST (76mm-150mm)
- WET (>150mm)


Basa – Pangasinan, Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Tayabas, Ambulong, Rizal, Oriental Mindoro, malaking bahagi ng Palawan, Camarines Sur, Leyte, Bukidnon, Davao del Norte, at Lanao del Sur

Katamtaman – malaking bahagi ng Rehiyon ng Ilocos, dulong Hilagang Luzon, Cavite, Alabat, Occidental

Mindoro, Albay, Catanduanes, Iloilo City, Negros Occidental, Samar, Eastern Samar, Davao del Sur, General Santos, at Surigao del Sur

Tuyo – Quirini at sa natitirang bahagi bahagi

ENSO ALERT SYSTEM STATUS (mula noong 23 Setyembre 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/oulook.pdf>

Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026.

Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.



PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang saa maalon na karagatan ang mararanasan sa baybayin ng **Hilagang Luzon at silangang bahagi ng Gitnang Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	38.0 °C (Tuguegarao, 1987)	Pinakamataas na Temperatura	38.5 °C (Tuguegarao, 1987)
Pinakamababang Temperatura	12.2 °C (Baguio City, 1959)	Pinakamababang Temperatura	11.3 °C (Baguio City, 1913)
Pinakamaraming Ulan	350.4 mm (Baguio City, 1936)	Pinakamaraming Ulan	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: MGA / JAE

BINIGYANG PANSIN NI: MEVT