



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 213

Issued: 7:00 AM, Wednesday, 16 September 2026

Valid until: 7:00 AM, Thursday, 17 September 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting Visayas and Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 2,970 KM EAST OF SOUTHEASTERN LUZON (15.0°N, 149.3°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER



GUSTINESS: UP TO 70 KM/H

MOVEMENT: WEST NORTHWESTWARD SLOWLY

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Negros Island Region, Central Visayas, Eastern Visayas, Zamboanga Peninsula, Northern Mindanao, Caraga, Masbate, Lanao del Sur, and Davao Oriental	Cloudy skies with scattered rains and thunderstorms	Zamboanga Peninsula, Northern Mindanao, Caraga, Lanao del Sur, and Davao Oriental – Light to moderate from south to southwest; Negros Island Region, Central Visayas, Eastern Visayas – Light to moderate from northwest to southwest; Masbate – Light to moderate from northeast to northwest	23 – 34	20 – 29	65 – 98	4 – 8
The rest of Visayas and Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Mindanao – Light to moderate from south to southwest; Rest of Visayas – Light to moderate from northwest to southwest	24 – 34	20 – 30	55 – 97	0 – 6
Metro Manila and the rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Palawan – Light to moderate from northwest to southwest; Rest of Luzon – Light to moderate from northeast to	24 – 34	17 – 32	45 – 97	0 – 6



		northwest				
--	--	-----------	--	--	--	--

FARM ADVISORY	
SOIL MOISTURE CONDITION (September 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 07 September 2026)
 Wet – Ilocos Region, Aparri, Itbayat, most of Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, most part of CALABARZON and MIMAROPA, Iloilo, and Catarman Moist – Basco, Cagayan, some parts of Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, and South Cotabato Dry – Casiguran, Alabat Puerto Princesa, and the rest of the country	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.p df Moderate to strong El Niño is present in the Tropical Pacific. Climate models predict that El Niño will continue until the first half of 2027 and may reach a very strong state before the end of 2026. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

AREAS AFFECTED BY THE WEATHER SYSTEMS
ITCZ, THUNDERSTORMS AND MODERATE TO HEAVY RAINS - Adjust planting, spraying, and harvesting schedules based on expected rainfall. - Ensure proper field drainage to prevent waterlogging and root rot. - Store harvested crops and farm inputs in elevated, dry, and covered areas. - Apply mulch to reduce soil erosion and maintain soil moisture balance. - Conduct regular field inspections for lodging, stem rot, and nutrient deficiencies. - Remove and destroy infected plant parts to limit disease spread. - Apply pest and disease control measures during dry windows. - Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised. Slight to moderate seas will be experienced over the whole archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.4 °C (Cagayan de Oro, 1976)	Maximum Temperature	38.9 °C (Tuguegarao, 1963)
Minimum Temperature	14.4 °C (Baguio City, 1959)	Minimum Temperature	12.6 °C (Baguio City, 1990)
Rainfall	173.6 mm (Subic Bay, 1995)	Rainfall	799.8 mm (Baguio City, 1911)
PREPARED/UPLOADED BY: RAMF / ARL		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 213

Inilabas ng: 7:00 AM Miyerkules, 16 Setyembre 2026 May bisa hanggang: 7:00 AM Huwebes, 17 Setyembre 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa Kabisayaan at Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 2,970 KM SILANGAN NG TIMOG-SILANGANG LUZON (15.0°N, 149.3°E)

TAGLAY NA LAKAS NG HANGIN: 55 KM/H MALAPIT SA GITNA



PAGBUGSO: UMAABOT SA 70 KM/H

PAGKILOS: MABAGAL PA-KANLURAN HILAGANG KANLURAN

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Negros Island Region, Gitnang Kabisayaan, Silangang Kabisayaan, Zamboanga Peninsula, Hilagang Mindanao, Caraga, Masbate, Lanao del Sur, at Davao Oriental	Maulap na kalangitan na may kalat-kalat na pagulan at pagkidlat-pagkulog	Zamboanga Peninsula, Hilagang Mindanao, Caraga, Lanao del Sur, at Davao Oriental – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran; Negros Island Region, Gitnang Kabisayaan, at Silangang Kabisayaan – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Masbate – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	23 – 34	20 – 29	65 – 98	4 – 8
Natitirang bahagi ng Kabisayaan at Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pagulan o pagkidlat-pagkulog	Natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran; Natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-	24 – 34	20 – 30	55 – 97	0 – 6



		kanluran				
Metro Manila at natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Palawan – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang timog-kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran	24 – 34	17 – 32	45 – 97	0 – 6

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Setyembre 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 07 Setyembre 2026)
 Legend - DRY (0-75mm) - MOIST (76mm-150mm) - WET (>150mm) Basa – Rehiyon ng Aparri, Itbayat, malaking bahagi ng Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, malaking bahagi ng CALABARZON, at MIMAROPA, Iloilo, at Catarman Moist – Basco, Cagayan, some ilang bahagi ng Cavite, Mulanay, Romblon, Albay, Catanduanes, Southern Leyte, Negros Occidental, Davao, at South Cotabato Tuyo – Casiguran, Alabat Puerto Princesa at natitirang bahagi bahagi	 EL NIÑO https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf Kasalukuyang umiiral ang katamtamang hanggang sa malakas na El Niño sa Tropical Pacific. Ayon sa mga forecast, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at may posibilidad na maging mas malakas bago matapos ang 2026. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin maayos ang irigasyon, at mag-apon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS
ITCZ, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN - layon ang iskedyul ng pagtanim, pag-iispra, at pag-aani batay sa inaasahang dami ng ulan. - Siguraduhing maayos ang daluyan ng tubig sa bukid upang maiwasan ang pagbabara ng tubig at pagkabulok ng ugat. - Itago ang mga naaning pananim at farm inputs sa mataas, tuyo, at may bubong na lugar. - Maglagay ng mulch upang mabawasan ang pagguho ng lupa at mapanatili ang tamang halumigmig ng lupa. - Magsagawa ng regular na pag-iinspeksyon sa bukid para sa pagkadapa ng pananim, pagkabulok ng tangkay, at kakulangan sa sustansya.



- Tanggalin at sirain ang mga apektadong bahagi ng halaman upang maiwasan ang pagkalat ng sakit.
- Isagawa ang pest at disease control sa mga panahong tuyo o walang ulan.
- Laging makinig sa mga payo ng awtoridad at lokal na pamahalaan para sa mga ulat panahon. Maging updated sa DOST-PAGASA website, social media, at PANaHON App.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.4 °C (Cagayan de Oro, 1976)	Pinakamataas na Temperatura	38.9 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.4 °C (Baguio City, 1959)	Pinakamababang Temperatura	12.6 °C (Baguio City, 1990)
Pinakamaraming Ulan	173.6 mm (Subic Bay, 1995)	Pinakamaraming Ulan	799.8 mm (Baguio City, 1911)

INIHANDA HANDA/INI-UPLOAD NINA: **RAMF / ARL**

BINIGYANG PANSIN NI: **MEVT**