



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 113

Issued: 7:00 AM, Thursday, 21 May 2026



Valid until: 7:00 AM, Friday, 22 May 2026

SYNOPSIS: Easterlies affecting Luzon and Visayas.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Metro Manila, the rest of Luzon, and Visayas	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern Luzon – Light to moderate from east to southeast; Visayas and rest of Luzon – Light to moderate from east	23 – 39	17 – 35	55 – 98	0 – 6
Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from northeast to north	23 – 36	20 – 34	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
EASTERLIES, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Mulch around plants to retain soil moisture, suppress weeds, and regulate temperature. • Use soil moisture monitoring to avoid unnecessary irrigation. • Inspect irrigation systems regularly to ensure even water distribution and prevent waterlogging. • Ensure farm equipment is stored in dry, sheltered locations to prevent rusting or malfunction. • Heavy rains increase the risk of soil erosion. Take preventive measures like reinforcing embankments, creating terraces, or planting ground cover to stabilize the soil and prevent it from washing away. • Document weather impacts on crops to improve future planning and climate-resilient practices. • Keep updated with local advisories from LGUs and DOST-PAGASA for early warnings.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



FARM ADVISORY			
SOIL MOISTURE CONDITION (May 1 – 10, 2026)		ENSO ALERT SYSTEM STATUS (Updated as of 07 May 2026)	
		 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.	
FISHING ADVISORY			
GALE WARNING AND SEA CONDITION			
No Gale Warning was raised. Slight to moderate seas will prevail over the entire archipelago. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.			
ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.4 °C (Tuguegarao City, 1955)	Maximum Temperature	42.2 °C (Tuguegarao, 1969)
Minimum Temperature	13.6 °C (Baguio City, 1954)	Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	557.7 mm (Tayabas, 1976)	Rainfall	730.3 mm (Baguio City, 1980)
PREPARED/UPLOADED BY: RAMF / ARL		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 113

Inilabas ng: 7:00 AM, Huwebes, 21 Mayo 2026



May bisa hanggang: 7:00 AM, Biyernes, 22 Mayo 2026

SYNOPSIS: Easterlies ang nakakaapekto sa Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Metro Manila, natitirang bahagi ng Luzon, at Kabisayaan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilagang Luzon – Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan Kabisayaan at natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula silangan	23 – 39	17 – 35	55 – 98	0 – 6
Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilaga	23 – 36	20 – 34	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
EASTERLIES, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN - Maglagay ng dayami o mulch sa paligid ng mga halaman upang mapanatili ang halumigmig ng lupa, mapigilan ang damo, at magregulate ang temperatura. - Gumamit ng soil moisture monitoring upang maiwasan ang hindi kailangang patubig. - Regular na inspeksyunin ang sistema ng irigasyon upang matiyak ang pantay na distribusyon ng tubig at maiwasan ang sobrang pagbaha. - Panatilihin malinis ang mga kagamitang pangsakahan upang maiwasan ang pagkalat ng sakit sa pagitan ng mga pananim. - Ang malalakas na ulan ay maaaring magdulot ng pagguho ng lupa. Gumawa ng mga hakbang tulad ng pagpapalakas ng mga dike, paggawa ng mga terrace, o pagtatanim ng mga halamang makakatulong upang maiwasan ang pagkawala ng lupa at mapigilan ang erosion. - Idokumento ang epekto ng panahon sa mga pananim upang mapabuti ang pagpapalano at mga climate-resilient na gawain sa hinaharap. - Makinig at sumunod sa mga lokal na abiso mula sa LGUs at DOST-PAGASA para sa maagang babala.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index



PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Mayo 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 07 Mayo 2026)
 Basa – Sorsogon, Borongan, Masbate North Cotabato, Surigao del Sur at Davao del Norte Katamtaman – Capiz, katimugang bahagi ng Palawan, Leyte, Sourthern Leyte, Guiuan, Bohol, Zamboanga Peninsula, Misamis Occidental, Lanao del Norte, South Cotabato, Maguindanao, at Agusan del Norte Tuyo – Natitirang bahagi	 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.4 °C (Tuguegarao City, 1955)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao, 1969)
Pinakamababang Temperatura	13.6 °C (Baguio City, 1954)	Pinakamababang Temperatura	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	557.7 mm (Tayabas, 1976)	Pinakamaraming Ulan	730.3 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: RAMF / ARL		BINIGYANG PANSIN NI: MEVT	

SSS