



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 120

Issued: 6:00 PM, Thursday, 28 May 2026

Valid until: 4:00 PM, Friday, 29 May 2026

SYNOPSIS: Southwesterly Windflow affecting Palawan and the western sections of Visayas and Mindanao. Trough of Tropical Storm (TS) affecting the rest of Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 PM TODAY

TROPICAL STORM JANGMI (2606)

LOCATION: 1,235 KM EAST OF SOUTHEASTERN LUZON (13.1°N, 135.6°E)

MAXIMUM SUSTAINED WINDS: 75 KM/H NEAR THE CENTER

GUSTINESS: UP TO 90 KM/H

MOVEMENT: NORTH NORTHWESTWARD SLOWLY

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Western Visayas, Negros Island Region, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, and Palawan	Cloudy skies with scattered rains and thunderstorms	Light to moderate from southwest to west	23 – 33	20 – 31	70– 98	4 – 8
The rest of Mindanao	Cloudy skies with scattered rains and thunderstorms	Eastern section of Mindanao – Light to moderate from west to northwest; Rest of Mindanao – Light to moderate from southwest to west;	24 – 33	22 – 31	65 – 98	4 – 8
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Eastern section of Visayas – Light to moderate from west to northwest; Extreme Northern Luzon – Light to moderate from northwest; The western section of Southern Luzon, the rest of Visayas – Light to moderate from southwest to west; Rest of Luzon – Light to moderate from northwest to west	24 – 40	18 – 34	50 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
TROUGH OF TS, SOUTHWESTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Avoid applying fertilizer (especially nitrogen-heavy or foliar fertilizers) during heavy rains to prevent nutrient leaching and waste.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High



- Strengthen protection of young crops by providing temporary windbreaks or staking to prevent lodging due to strong winds and rain.
- Harvest mature and ready-to-harvest crops early if continuous heavy rains are expected to reduce postharvest losses.
- Ensure proper postharvest drying areas are covered or relocated indoors to prevent spoilage and mold development.
- Protect stored grains and farm inputs by elevating them from the ground and using waterproof coverings to avoid moisture damage.
- Maintain good soil structure through regular weeding and organic matter application to improve moisture retention.
- Expect increased incidence of insect pests (aphids, mites, whiteflies) due to warm conditions—conduct regular field inspection.
- Practice safety first: avoid fieldwork during thunderstorms due to lightning hazards, especially in open fields and under tall trees.


air temperature and high relative humidity results to high apparent temperature.

<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>

FARM ADVISORY

SOIL MOISTURE CONDITION


(May 11 – 20, 2026)



Wet – Davao del Norte, North Cotabato, and Surigao del Sur
Moist – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, and Lanao del Sur
Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 26 May 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning was raised.

Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	40.5 °C (Tuguegarao City, 1916)
Minimum Temperature	14.2 °C (Baguio City, 1909)
Rainfall	287.9 mm (Subic Bay, 1998)

MONTHLY EXTREMES

Maximum Temperature	42.2 °C (Tuguegarao, 1969)
Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	730.3 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MTR/ ARL**

VERIFIED BY: **NRE**



TAYA NG PANAHAON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 120

Inilabas ng: 6:00 PM, Huwebes, 28 Mayo 2026

May bisa hanggang: 4:00 PM, Biyernes, 29 Mayo 2026

SYNOPSIS: Southwesterly Windflow ang nakakaapekto sa kanlurang bahagi ng Kabisayaan at Mindanao. Trough ng Tropical Storm (TS) ang nakakaapekto sa natitirang bahagi ng Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 PM

TROPICAL STORM JANGMI (2606)

LOKASYON: 1,235 KM SILANGAN NG TIMOG-SILANGANG LUZON (13.1°N, 135.6°E)

MALAKAS NA HANGIN: 75 KM/H MALAPIT SA GITNA

PAGBUGSO NG HANGIN: AABOT SA 90 KM/H

PAGKILOS: PATUNGONG HILAGA HILAGANG KANLURAN NG MABAGAL

LUGAR NG PAGTAYA	LAGAY NG PANAHAON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kanlurang Kabisayaan, Negros Island Region, Zamboanga Peninsula, SOCCSKSARGEN, BARMM, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 33	20 – 31	70– 98	4 – 8
Natitirang bahagi ng Mindanao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Silangang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula kanluran hanggang hilagang kanluran; Natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	24 – 33	22 – 31	65 – 98	4 – 8
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Silangang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula kanluran hanggang hilagang kanluran; Dulong Hilagang Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran; Kanlurang bahagi ng Katimugang Luzon, natitirang bahagi ng Kabisayaan - Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula hilagang kanluran hanggang kanluran	24 – 40	18 – 34	50 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
SOUTHWESTERLY WINDFLOW, TROUGH NG TS, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Maglagay ng dayami o mulch sa paligid ng mga halaman upang mapanatili ang halumigmig ng lupa, mapigilan ang damo, at magregulate ang temperatura. • Gumamit ng soil moisture monitoring upang maiwasan ang hindi kailangang patubig. • Regular na inspeksyunin ang sistema ng irigasyon upang matiyak ang pantay na distribusyon ng tubig at maiwasan ang sobrang pagbaha. • Panatilihin malinis ang mga kagamitang pangsakahan upang maiwasan ang pagkalat ng sakit sa pagitan ng mga pananim. • Ang malalakas na ulan ay maaaring magdulot ng pagguho ng lupa. Gumawa ng mga hakbang tulad ng pagpapalakas ng mga dike, paggawa ng mga terrace, o pagtatanim ng mga halamang makakatulong upang maiwasan ang pagkawala ng lupa at mapigilan ang erosion. • Idokumento ang epekto ng panahon sa mga pananim upang mapabuti ang pagpapalano at mga climate-resilient na gawain sa hinaharap. • Makinig at sumunod sa mga lokal na abiso mula sa LGUs at DOST-PAGASA para sa maagang babala.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Mayo 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Mayo 2026)
Basa – Davao del Norte, North Cotabato, at Surigao del Sur Katamtaman – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, at Lanao del Sur Tuyo – Natitirang bahagi	EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.5 °C (Tuguegarao City, 1916)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao, 1969)
Pinakamababang Temperatura	14.2 °C (Baguio City, 1909)	Pinakamababang Temperatura	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	287.9 mm (Subic Bay, 1998)	Pinakamaraming Ulan	730.3 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: NRE / ARL		BINIGYANG PANSIN NI: MTR	