



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 126

Issued: 6:00 PM, Thursday, 04 June 2026

Valid until: 4:00 PM, Friday, 05 June 2026

SYNOPSIS: Southwest Monsoon affecting Northern Luzon and Central Luzon.

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Region, Zambales, and Bataan	Occasional rains	Moderate to strong from southwest	23 – 30	21 – 29	70 – 98	>12
Metro Manila, Cagayan Valley, Cordillera Administrative Region, Cavite, and Batangas	Cloudy skies with scattered rains and thunderstorms	Cagayan Valley, Cordillera Administrative Region – Moderate to strong from southwest Metro Manila, Cavite, and Batangas – Light to moderate from south to southwest	25 – 33	17 – 32	60 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Rest of Central Luzon – Moderate to strong from southwest The rest of the country – Light to moderate from south to southwest	23 – 35	20 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Take advantage of rain-free periods to carry out planting, harvesting, irrigation, and other farm activities. • Ensure canals, drainage systems, and waterways are clear and functioning properly to prevent water accumulation in fields and gardens. • Monitor crops regularly for pests and diseases that may increase under humid and wet conditions. • Provide adequate plant supports, such as stakes and trellises, to protect crops from damage caused by rain and gusty winds. • Store fertilizers, seeds, animal feeds, and farm equipment in dry and secure areas to prevent spoilage and deterioration. • Handle, store, and transport harvested produce properly to maintain quality and minimize losses due to moisture	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index




exposure.

- Stay informed through weather advisories and forecasts issued by local government units (LGUs) and DOST-PAGASA to prepare for possible changes in weather conditions.

FARM ADVISORY

SOIL MOISTURE CONDITION (May 21 – 31, 2026)




Wet – Davao del Norte, North Cotabato, and Surigao del Sur

Moist – Bulacan, Aurora, Infanta, Alabat, Sorsogon, Capiz, Northern Samar, Samar, Leyte, Eastern Samar, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, and Lanao del Sur

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS (Updated as of 26 May 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning was raised.

Moderate to rough seas will prevail over the **seaboards of Northern Luzon and Central Luzon** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES

Maximum Temperature	39.7 °C (Tuguegarao City, 1983)
Minimum Temperature	14.0 °C (Baguio City, 1988)
Rainfall	392.4 mm (Laoag city, 1953)

MONTHLY EXTREMES

Maximum Temperature	41.7 °C (Tuguegarao, 1963)
Minimum Temperature	13.0 °C (Malaybalay, 1962)
Rainfall	533.6 mm (Baguio City, 1993)

PREPARED/UPLOADED BY: **MTR / JOT**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 126

Inilabas ng: 6:00 PM, Huwebes, 04 Hunyo 2026 May bisa hanggang: 4:00 PM, Biyernes, 05 Hunyo 2026

SYNOPSIS: Habagat ang nakakaapekto sa Hilagang Luzon at Gitnang Luzon.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASANG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Ilocos Region, Zambales, at Bataan	Paminsan-minsang pag-ulan	Katamtaman hanggang sa malakas mula timog-kanluran	23 – 30	21 – 29	70 – 98	>12
Metro Manila, Cagayan Valley, Rehiyon ng Cordillera, Cavite, at Batangas	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Cagayan Valley at Rehiyon ng Cordillera – Katamtaman hanggang sa malakas mula timog-kanluran; Metro Manila, Cavite, at Batangas – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	25 – 33	17 – 32	60 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Natitirang bahagi ng Gitnang Luzon – Katamtaman hanggang sa malakas mula timog-kanluran;; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	23 – 35	20 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)



HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Samantalain ang mga panahong walang ulan upang maisagawa ang pagtatanim, pag-aani, pagdidilig, at iba pang gawaing pangsakahan.
- Tiyaking maayos ang mga kanal at daluyan ng tubig upang maiwasan ang pag-ipon ng tubig sa mga taniman.
- Bantayan ang mga pananim laban sa mga peste at sakit na maaaring dumami dahil sa mataas na halumigmig at basang kondisyon.
- Maglagay ng suporta sa mga halaman at gulay na madaling matumba o masira dahil sa hangin at ulan.
- Takpan at itago sa tuyo at ligtas na lugar ang mga pataba, binhi, pakain sa hayop, at mga kagamitang pangsakahan upang maiwasan ang pagkasira.
- Siguraduhing maayos ang pag-iimbak at pagdadala ng mga inaning produkto upang mapanatili ang kalidad at maiwasan ang pagkapanis.
- Patuloy na subaybayan ang mga weather advisory at forecast mula sa mga lokal na pamahalaan at sa DOST-PAGASA upang makapaghanda sa anumang pagbabago ng panahon.


Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma nang nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart.

<https://www.pagasa.dost.gov.ph/climate/climate-heat-index>

PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Mayo 21 – 31, 2026)




Basa – Davao del Norte, North Cotabato, at Surigao del Sur

Katamtaman – Bulacan, Aurora, Infanta, Alabat, Sorsogon, Capiz, Northern Samar, Samar, Leyte, Eastern Samar, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, at Lanao del Sur

Tuyo – Natitirang bahagi

ENSO ALERT SYSTEM STATUS

(mula noong 26 Mayo 2026)



EL NIÑO ALERT

<https://pagasa.dost.gov.ph/climate/climate-advisories#>

Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



S
Katamtamang hanggang sa maalon ang iiral sa **mga baybayin ng Hilagang Luzon at Gitnang Luzon**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang baybayin ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.7 °C (Tuguegarao City, 1983)	Pinakamataas na Temperatura	41.7 °C (Tuguegarao, 1963)
Pinakamababang Temperatura	14.0 °C (Baguio City, 1988)	Pinakamababang Temperatura	13.0 °C (Malaybalay, 1962)
Pinakamaraming Ulan	392.4 mm (Laoag city, 1953)	Pinakamaraming Ulan	533.6 mm (Baguio City, 1993)
INIHANDA HANDA/INI-UPLOAD NINA: MTR / JOT		BINIGYANG PANSIN NI: MEVT	