



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 165

Issued: 7:00 AM, Tuesday, 21 July 2026

Valid until: 7:00 AM, Wednesday, 22 July 2026

SYNOPSIS: Southwest Monsoon affecting Mindanao and the western sections of Luzon and Visayas.



FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Western Visayas, Negros Island Region, Zamboanga Peninsula, and BARMM	Cloudy skies with scattered rainshowers and thunderstorms	Light to moderate from southwest to west	23 – 34	20 – 32	60 – 98	4 – 8
Metro Manila, Ilocos Region, Cordillera Administrative Region, MIMAROPA, Batanes, Babuyan Islands, Zambales, Bataan, Cavite, Batangas, and the rest of Mindanao	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Metro Manila, Ilocos Region, Cordillera Administrative Region, Batanes, Babuyan Islands, Zambales, and Bataan – Light to moderate from south to southwest; MIMAROPA, Cavite, Batangas, and the rest of Mindanao – Light to moderate from southwest to west	23 – 34	17 – 34	55 – 97	0 – 6
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Bicol Region, Laguna, Rizal, Quezon, and the rest of Visayas – Light to moderate from south to southwest; Rest of Luzon – Light to moderate from southwest to west	24 – 34	22 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Clear canals, ditches, and drainage channels to prevent waterlogging and flooding.
- Reinforce dikes, embankments, and pond walls to minimize erosion and structural damage.
- Implement soil conservation practices, such as mulching or contour barriers, to reduce erosion during heavy rainfall.
- Collect and store rainwater for future irrigation once weather conditions improve.
- Secure farm machinery, tools, fertilizers, chemicals, and harvested produce in safe, elevated storage areas.
- Keep farm records of weather impacts, crop losses, and management actions to improve future preparedness.
- Assess field conditions before allowing workers to return, ensuring the area is free from hazards such as unstable trees, damaged electrical lines, or deep floodwaters.
- Follow official advisories from DOST-PAGASA, the Department of Agriculture, and local government units.



FARM ADVISORY	
SOIL MOISTURE CONDITION (July 1 – 10, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 06 July 2026)
 Wet – Zambales, Bataan, most parts of Cordillera Administrative Region, some portions of National Capital Region, most parts of Palawan, Romblon, Occidental Mindoro, Marinduque, some portions of Capiz, Negros Occidental, and BARM Moist – Ilocos Sur, La Union, Pangasinan, Nueva Ecija, Batangas, Rizal, Laguna, some portions of Cavite, Oriental Mindoro, some portions of Iloilo, Siquijor, Southern Leyte, some portions of Eastern Samar, and Davao del Sur Dry – Rest of the country	 EL NIÑO https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring A weak to moderate El Niño continues to persist in the tropical Pacific. Climate models suggest that it will continue to intensify, becoming very strong by the October–November–December 2026 season. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale warning was raised
Slight to moderate seas will prevail over the whole archipelago . Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST-PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.2 °C (Tuguegarao City, 1960)	Maximum Temperature	41.0 °C (Tuguegarao, 1915)
Minimum Temperature	14.4 °C (Baguio City, 2012)	Minimum Temperature	12.2 °C (Baguio City, 1907)
Rainfall	195.1 mm (Sinait, 1971)	Rainfall	1,085.8 mm (Baguio City, 2001)
PREPARED/UPLOADED BY: RAMF / JOT		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 165

Inilabas ng: 7:00 AM Martes, 21 Hulyo 2026

May bisa hanggang: 7:00 AM Miyerkules, 22 Hulyo 2026

SYNOPSIS: Habagat ang nakakaapekto sa Mindanao at kanlurang bahagi ng Luzon at Kabisayaan.

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Kanlurang Kabisayaan, Negros Island Region, Zamboanga Peninsula, at BARMM	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 34	20 – 32	60 – 98	4 – 8
Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, MIMAROPA, Batanes, Babuyan Islands, Zambales, Bataan, Cavite, Batangas, at natitirang bahagi ng Mindanao	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, Batanes, Babuyan Islands, Zambales, at Bataan – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran; MIMAROPA, Cavite, Batangas, at natitirang bahagi ng Mindanao – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran	23 – 34	17 – 34	55 – 97	0 – 6
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Rehiyon ng Bicol, Laguna, Rizal, Quezon, natitirang bahagi ng Kabisayaan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran; Natitirang bahagi ng Luzon – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran	24 – 34	22 – 32	45 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Linisin ang mga kanal, estero, at daluyan ng tubig upang maiwasan ang pagbabara, pagbaha, at pananatili ng tubig sa sakahan.
- Patibayin ang mga pilapil, dike, at pader ng palaisdaan upang mabawasan ang pagguho ng lupa at pagkasira ng mga estruktura.
- Gumamit ng mga pamamaraang pangangalaga sa lupa, tulad ng pagmumulch at paggawa ng contour barriers, upang mabawasan ang pagguho ng lupa dulot ng malalakas na pag-ulan.
- Mag-ipon at mag-imbak ng tubig-ulan para magamit sa irigasyon kapag bumuti na ang kondisyon ng panahon.
- Ilagay sa ligtas at mataas na lugar ang mga makinarya, kagamitan, pataba, kemikal, at mga inaning ani upang maiwasan ang pagkasira dulot ng pagbaha.
- Panatilihin ang talaan ng mga epekto ng panahon, pinsala sa pananim, at mga isinagawang hakbang sa pamamahala upang mapabuti ang paghahanda sa mga susunod na kalamidad.
- Suriing mabuti ang kondisyon ng sakahan bago pahintulatang makabalik ang mga manggagawa, at tiyaking wala nang panganib tulad ng mga punong maaaring bumagsak, naputol na linya ng kuryente, o malalim na baha.
- Sundin ang mga opisyal na babala at abiso mula sa DOST-PAGASA, Department of Agriculture (DA), at mga lokal na pamahalaan (LGUs) upang makagawa ng angkop na hakbang para sa kaligtasan at pamamahala ng sakahan.


PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN

(Hulyo 1 – 10, 2026)

ENSO ALERT SYSTEM STATUS


(mula noong 06 Hulyo 2026)



Basa – Zambales, Bataan, malaking bahagi ng Cordillera Administrative Region, ilang bahagi ng National Capital Region, malaking bahagi ng Palawan, Romblon, Occidental Mindoro, Marinduque, ilang bahagi ng Capiz, Negros Occidental, at BARMM

Katamtaman – Ilocos Sur, La Union, Pangasinan, Nueva Ecija, Batangas, Rizal, Laguna, ilang bahagi ng Cavite, Oriental

Mindoro, ilang bahagi ng Iloilo, Siquijor, Southern Leyte, ilang bahagi ng Eastern Samar, at Davao del Sur
Tuyo – Natitirang bahagi bahagi



EL NIÑO

<https://www.pagasa.dost.gov.ph/climate/el-nino-la-nina/monitoring>

Patuloy na umiiral ang mahina hanggang sa katamtamang El Niño sa tropikal na Karagatang Pasipiko. Ayon sa mga climate model, inaasahang patuloy pa itong lalakas at magiging napakalakas sa panahon ng Oktubre–Nobyembre–Disyembre 2026. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning

Banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **buong kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	39.2 °C (Tuguegarao City, 1960)	Pinakamataas na Temperatura	41.0 °C (Tuguegarao, 1915)
Pinakamababang Temperatura	14.4 °C (Baguio City, 2012)	Pinakamababang Temperatura	12.2 °C (Baguio City, 1907)
Pinakamaraming Ulan	195.1 mm (Sinait, 1971)	Pinakamaraming Ulan	1,085.8 mm (Baguio City, 2001)
INIHANDA HANDA/INI-UPLOAD NINA: RAMF / JOT		BINIGYANG PANSIN NI: MEVT	

"tracking the sky...helping the country"

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: <http://bagong.pagasa.dost.gov.ph>