



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 179

Issued: 7:00 AM, Wednesday, 05 August 2026 Valid until: 7:00 AM, Thursday, 06 August 2026

SYNOPSIS: At 3:00 AM today, the center of Tropical Storm "MAYMAY" {KUJIRA} was estimated based on all available data at 170 km West of Bacnotan, La Union (16.7°N, 118.8°E) with maximum sustained winds of 65 km/h near the center and gustiness of up to 80 km/h. It is moving Southeastward slowly. Southwest Monsoon affecting Southern Luzon and the western section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TYPHOON DOLPHIN (2613)

LOCATION: 1,845 KM EAST NORTHEAST OF EXTREME NORTHERN LUZON (25.3°N, 139.2°E)

MAXIMUM SUSTAINED WINDS: 165 KM/H NEAR THE CENTER

GUSTINESS: UP TO 205 KM/H

MOVEMENT: WESTWARD AT 20 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Ilocos Sur, La Union, Pangasinan, Benguet, Mountain Province, and Abra	Stormy	Stormy	24 – 29	18 – 28	70 – 99	8 – 12
Cagayan Valley, the rest of Ilocos Region, the rest of Cordillera Administrative Region, Zambales, Tarlac, and Nueva Ecija	Rains with gusty winds	Gusty winds	23 – 32	17 – 29	65 – 99	8 – 12
The rest of Central Luzon	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from northwest to southwest	24 – 30	22 – 28	60 – 98	6 – 10
Metro Manila, CALABARZON, Occidental Mindoro, Oriental Mindoro, Marinduque, Antique, Iloilo, and Guimaras	Cloudy skies with scattered rains and thunderstorms	Moderate to strong from south to southwest;	23 – 32	21 – 30	55 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Extreme Northern Luzon – Moderate to strong from northeast to northwest; Rest of Southern Luzon and Visayas – Moderate to strong from southwest; Mindanao – Light to moderate from south to southwest;	24 – 36	22 – 34	45 – 96	0 – 4



AREAS AFFECTED BY THE WEATHER SYSTEMS


TC MAYMAY, SOUTHWEST MONSOON, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Inspect crops regularly for signs of flooding, waterlogging, pest infestations, and disease outbreaks, and implement appropriate control measures as soon as conditions permit.
- Secure greenhouses, nurseries, seedbeds, storage facilities, and other farm structures by reinforcing roofs, coverings, and loose materials against strong winds.
- Avoid field operations during thunderstorms to protect farmers and workers from lightning, strong winds, and other weather-related hazards.
- Check irrigation systems, pumps, and drainage facilities after heavy rains, and repair any damaged or blocked sections to restore efficient water management.
- Prepare contingency plans for harvesting, post-harvest handling, transportation, and marketing to minimize production and economic losses during prolonged adverse weather conditions.
- Remove fallen branches, lodged plants, and other debris from fields to improve drainage, reduce disease risks, and facilitate recovery after adverse weather.
- Maintain communication with local agricultural offices and disaster risk reduction authorities for updates, technical assistance, and emergency response support.
- Continue monitoring weather forecasts, rainfall advisories, and tropical cyclone bulletins issued by DOST-PAGASA and local authorities to guide timely agricultural decision-making and risk reduction.

FARM ADVISORY

SOIL MOISTURE CONDITION

(July 21 – 31, 2026)



Wet – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, northern part of National Capital Region, Quezon, Rizal, some portions of Cavite, northern parts of Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, West Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del Norte, Bukidnon, Davao del Norte,


Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, and some parts of BARMM

Moist – Cagayan, Aurora, Batangas, some parts of Palawan, Albay, Catanduanes, East Panay, Eastern Samar, Negros Oriental, and Zamboanga del Sur

Dry – Rest of the country

ENSO ALERT SYSTEM STATUS

(Updated as of 22 July 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

A weak to moderate El Niño is currently present in the tropical Pacific. Climate models indicate that it is likely to intensify and persist through the first half of 2027 (97% probability). There is a 57% probability of El Niño strengthening to a strong event during the July–August–September (JAS) 2026 season, while a very strong El Niño is favored during the October–November–December (OND) 2026 and November–December–January (NDJ) 2026–2027 seasons, with an estimated 81% probability.

Farmers are advised to conserve water, maintain irrigation systems, and establish rainwater harvesting facilities to maximize available water during dry periods. The use of drought-tolerant crops and soil moisture conservation practices is encouraged to reduce the impacts of El Niño. Farmers should monitor daily DOST-PAGASA weather updates, as localized thunderstorms may still bring heavy rainfall, strong winds, lightning, and possible flash flooding. Secure farm structures, clear drainage canals, and adjust farm activities based on weather conditions to minimize risks.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

Gale warning was raised over the **western seaboard of Northern Luzon** (Ilocos Sur, La Union, and Pangasinan).



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Moderate to rough seas will prevail over the **seaboards of Extreme Northern Luzon, rest of Central Luzon, Southern Luzon and Visayas** while the **rest of the archipelago** will have slight to moderate seas. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	39.0 °C (Tuguegarao City, 1990)	Maximum Temperature	39.4 °C (Tuguegarao, 1960)
Minimum Temperature	13.6 °C (Baguio City, 1908)	Minimum Temperature	12.8 °C (Baguio City, 1923)
Rainfall	376 mm (Itbayat; 1972)	Rainfall	969.8 mm (Baguio City, 2008)
PREPARED/UPLOADED BY: MGA / JAE		VERIFIED BY: MEVT	



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 179

Inilabas ng: 7:00 AM Miyerkules, 05 Agosto 2026 May bisa hanggang: 7:00 AM Huwebes, 06 Agosto 2026

SYNOPSIS: Kaninang 3:00 AM, ang sentro ng Tropical Storm "MAYMAY" {KUJIRA} ay tinatayang nasa 170 km silangan ng Bacnotan, La Union (16.7°N, 118.8°E) na may taglay na lakas ng hangin na 65 km/h malapit sa gitna at pagbugso na umaabot sa 80 km/h. Ito ay mabagal na kumikilos pa-timog-silangan. Habagat ang nakakaapekto sa Katimugang Luzon at kanlurang bahagi ng Kabisayaan.

BAGYO SA LABAS NG PAR KANINANG 3:00 AM

TYPHOON DOLPHIN (2613)

LOKASYON: 1,845 KM SILANGAN HILAGANG SILANGANG NG DULONG HILAGANG LUZON (25.3°N, 139.2°E)

TAGLAY NA LAKAS NG HANGIN: 165 KM/H

PAGBUGSO: HANGGANG 205 KM/H

PAGKILOS: PA-KANLURAN SA BILIS NA 20 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Ilocos Sur, La Union, Pangasinan, Benguet, Mountain Province, at Abra	Masungit na panahon	Masungit na panahon	24 – 29	18 – 28	70 – 99	8 – 12
Lambak ng Cagayan, natitirang bahagi ng Rehiyon ng Ilocos natitirang bahagi ng Cordillera Administrative Region, Zambales, Tarlac, at Nueva Ecija	Maulan na may pagbugso ng hangin	Pabugso-bugsong hangin	23 – 32	17 – 29	65 – 99	8 – 12
Natitirang bahagi ng Gitnang Luzon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula hilagang kanluran hanggang timog kanluran;	24 – 30	22 – 28	60 – 98	6 – 10
Metro Manila, CALABARZON, Occidental Mindoro, Oriental Mindoro, Marinduque, Antique, Iloilo, at Guimaras	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Katamtaman hanggang sa malakas mula timog kanluran;	23 – 32	21 – 30	55 – 98	4 – 8
Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Dulong Hilagang Luzon Katamtaman hanggang sa malakas mula hilagang silangan hanggang hilagang kanluran; Natitirang bahagi ng Katimugang Luzon at	24 – 36	22 – 34	45 – 96	0 – 4



		Kabisayaan – Katamtaman hanggang sa malakas mula timog kanluran; Mindanao – Mahina hanggang sa katamtaman mula timog hanggang timog-kanluran				
--	--	--	--	--	--	--


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

BAGYONG MAYMAY, HABAGAT, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Regular na suriin ang mga pananim upang matukoy ang mga palatandaan ng pagbaha, waterlogging, pagdami ng peste, at pagkalat ng mga sakit, at agad na magsagawa ng angkop na mga hakbang sa pagkontrol kapag ligtas na ang kalagayan.
- Patibayin ang mga greenhouse, nursery, punlaan, imbakan, at iba pang estruktura sa sakahan sa pamamagitan ng pagsasaayos at pagpapatatag ng mga bubong, takip, at maluluwag na bahagi upang mabawasan ang pinsala dulot ng malalakas na hangin.
- Iwasan ang pagsasagawa ng mga gawaing pangbukid habang may pagkulong at pagkidlat upang maprotektahan ang mga magsasaka at manggagawa laban sa kidlat, malalakas na hangin, at iba pang panganib na dulot ng masamang panahon.
- Suriin ang mga sistema ng irigasyon, mga bomba ng tubig, at mga pasilidad ng paagusan pagkatapos ng malalakas na pag-ulan, at agad na kumpunihin o alisin ang anumang bara o sira upang maibalik ang maayos na pamamahala ng tubig.
- Maghanda ng contingency plan para sa pag-aani, pangangasiwa pagkatapos ng anihan, transportasyon, at pagbebenta ng ani upang mabawasan ang pagkalugi sa produksyon at kabuhayan sa panahon ng matagal na masamang lagay ng panahon.
- Alisin ang mga natumbang sanga, nakahigang pananim, at iba pang mga kalat sa bukirin upang mapabuti ang daloy ng tubig, mabawasan ang panganib ng sakit sa pananim, at mapabilis ang pagbangon ng sakahan matapos ang masamang panahon.
- Panatilihin ang pakikipag-ugnayan sa mga lokal na tanggapan ng agrikultura at mga awtoridad sa disaster risk reduction upang makatanggap ng mga pinakabagong abiso, teknikal na suporta, at agarang tulong kung kinakailangan.
- Patuloy na subaybayan ang mga weather forecast, rainfall advisories, at tropical cyclone bulletins na inilalabas ng DOST-PAGASA at mga lokal na awtoridad upang makatulong sa maagap na pagpapasya sa mga gawaing pang-agrikultura at pagbawas ng panganib.


PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN (Hulyo 21 – 31, 2026)



Basa – Ilocos Norte, Ilocos Sur, Pangasinan, Isabela, Zambales, Bataan, Pampanga, Nueva Ecija, Bulacan, Tarlac, Cordillera Administrative Region, hilagang bahagi ng National Capital Region, Quezon, Rizal, ilang bahagi ng Cavite, hilagang bahagi ng Palawan, Romblon, Occidental Mindoro, Oriental Mindoro, kanlurang bahagi ng Panay, Samar, Southern Leyte, Negros Occidental, Zamboanga del

ENSO ALERT SYSTEM STATUS (mula noong 22 Hulyo 2026)



EL NIÑO

<https://pubfiles.pagasa.dost.gov.ph/climps/climateforum/outlook.pdf>

Kasalukuyang umiiral ang mahina hanggang katamtamang El Niño sa tropical Pacific. Inaasahang lalakas ito at magpapatuloy hanggang unang kalahati ng 2027 (97% posibilidad). May 57% posibilidad na maging strong El Niño sa Hulyo–Agosto–Setyembre (JAS) 2026 at 81% posibilidad na maging very strong El Niño sa Oktubre–Nobyembre–Disyembre (OND) 2026 at Nobyembre–Disyembre–Enero (NDJ) 2026–2027.

Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihin ang irigasyon, maghanda ng imbakan ng tubig-ulan, at gumamit ng mga barayting matibay sa tagtuyot. Subaybayan ang mga ulat ng DOST-PAGASA dahil maaari pa ring magkaroon ng



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



Norte, Bukidnon, Davao del Norte, Davao del Sur, South Cotabato, Surigao del Norte, Surigao del Sur, at ilang bahagi ng BARMM

Katamtaman – *Cagayan, Aurora, Batangas, ilang bahagi ng Palawan, Albay, Catanduanes, silangang bahagi ng Panay, Eastern Samar, Negros Oriental, at Zamboanga del Sur*

Tuyo – *Natitirang bahagi bahagi*

mga pagkulong at pagkidlat na may kasamang malakas na ulan, bugso ng hangin, at posibleng pagbaha. Panatilihin ligtas ang mga pasilidad sa bukid at iangkop ang mga gawaing pangsakahan batay sa lagay ng panahon.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Nakataas ang Gale warning sa **kanlurang baybayin ng Hilagang Luzon** (Ilocos Sur, La Union, at Pangasinan).

Katamtaman hanggang sa maalon na karagatan ang iiral sa **mga baybayin ng Dulong Hilagang Luzon, natitirang bahagi ng Gitnang Luzon, Katimugang Luzon at Kabisayaan**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang iiral sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES

MONTHLY EXTREMES

Pinakamataas na Temperatura 39.0 °C (Tuguegarao City, 1990)

Pinakamataas na Temperatura 39.4 °C (Tuguegarao, 1960)

Pinakamababang Temperatura 13.6 °C (Baguio City, 1908)

Pinakamababang Temperatura 12.8 °C (Baguio City, 1923)

Pinakamaraming Ulan 376 mm (Itbayat, 1972)

Pinakamaraming Ulan 969.8 mm (Baguio City, 2008)

INIHANDA HANDA/INI-UPLOAD NINA: **MGA / JAE**

BINIGYANG PANSIN NI: **MEVT**