Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 235

Issued: 7:00 AM, Tuesday, 13 October 2026 **Valid until: 7:00 AM, Wednesday,14 October 2026**

SYNOPSIS: Northeasterly Windflow affecting Extreme Northern Luzon. Easterlies affecting the rest of Luzon and the eastern section of Visayas.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
TROPICAL DEPRESSION
LOCATION: 2,790 KM EAST OF CENTRAL LUZON (17.7°N, 148.1°E)
MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER
GUSTINESS: UP TO 70 KM/H
MOVEMENT: WEST NORTHWESTWARD AT 15 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, Western Visayas, Eastern Visayas, Aurora, Quezon, Oriental Mindoro, Occidental Mindoro, Marinduque, and Romblon	Cloudy skies with scattered rains and thunderstorms	**Bicol Region, Eastern Visayas, Aurora, and Quezon** – Moderate from northeast to east; **Western Visayas, Oriental Mindoro, Occidental Mindoro, Marinduque, and Romblon** – Light to moderate from southeast to east;	24 – 34	22 – 31	65 – 98	4 – 8
Batanes and Babuyan Islands	Partly cloudy to cloudy skies with isolated light rains	Moderate from northeast to east	23 – 31	21 – 30	60 – 98	4 – 8
Metro Manila, Ilocos Region, Cordillera Administrative Region, the rest of Cagayan Valley, the rest of Central Luzon, and the rest of CALABARZON	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	**Ilocos Region, Cordillera Administrative Region, the rest of Cagayan Valley, the rest of Central Luzon** – Moderate from northeast to east; **Metro Manila and the rest of CALABARZON** – Light to moderate from southeast to east;	23 – 34	16 – 32	55 – 98	4 – 8
The rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from southeast to east;	23 – 35	20 – 32	45 – 96	0 – 4

AREAS AFFECTED BY THE WEATHER SYSTEMS

EASTERLIES, NORTHEASTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Use mulch or other soil-covering materials to reduce soil erosion and nutrient loss during heavy rainfall.
- Check harvested crops for excess moisture, bruising, or contamination before storage or marketing.


Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

- Schedule fertilizer and pesticide application during suitable weather conditions and follow recommended application practices.
  Maintain and clean irrigation canals, pumps, and water storage facilities.
- Harvest mature crops on time and properly dry and store produce to maintain quality.
- Regularly monitor crops for pests, diseases, and signs of moisture stress.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.

FARM ADVISORY

SOIL MOISTURE CONDITION
(October 1 – 10, 2026)




Wet – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Batangas, Rizal, most parts of Quezon, Occidental Mindoro, Oriental Mindoro, northern part of Palawan, most parts of Bicol Region, most parts of Western Visayas, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, and Lanao del Sur

Moist – Most of Ilocos Region, Laguna, Alabat, Infanta, some parts of Oriental Mindoro, Marinduque, Romblon, some parts of Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, and Maguindanao

Dry – Sorsogon, Masbate, Rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 07 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Forecasts predict that El Niño will continue until the first half of 2027 and may reach its peak before the end of 2026.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

FISHING ADVISORY

GALE WARNING AND SEA CONDITION

No Gale Warning is raised.

Moderate seas will be experienced over the seaboards of t**he Northern Luzon, Central Luzon and the eastern sections of Southern Luzon and Visayas,** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	37.2 ºC (Tuguegarao, 1962)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	13.3 ºC (Baguio City, 1991)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)

Rainfall	568.4 mm (Baguio City, 1908)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: MGA/ ARL **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 235

Inilabas ng: 7:00 AM Martes, 13 Oktubre 2026 May bisa hanggang: 7:00 AM Miyerkules, 14 Oktubre 2026

SYNOPSIS: Northeasterly Windflow ang nakakaapekto sa Dulong Hilagang Luzon. Easterlies ang nakakaapekto sa natitirang bahagi ng Luzon at silangang bahagi ng Kabisayaan

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM
TROPICAL DEPRESSION
LOKASYON: 2,790 KM SILANGAN NG CENTRAL LUZON (17.7°N, 148.1°E)
TAGLAY NA LAKAS NG HANGIN: 55 KM/H MALAPIT SA GITNA
PAGBUGSO: UMAABOT SA 70 KM/H
PAGKILOS: PA-KANLURAN HILAGANG KANLURAN SA BILIS NA 15 KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, Kanlurang Kabisayaan, Silangang Kabisayaan, Aurora, Quezon, Oriental Mindoro, Occidental Mindoro, Marinduque, at Romblon	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Rehiyon ng Bicol, Silangang Kabisayaan, Aurora, at Quezon –** Katamtaman mula hilagang silangan hanggang silangan; **Kanlurang Kabisayaan, Oriental Mindoro, Occidental Mindoro, Marinduque, at Romblon –** Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan;	24 – 34	22 – 31	65 – 98	4 – 8
Batanes at mga Isla ng Babuyan	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong mahinang pag-ulan	Katamtaman mula hilagang silangan hanggang silangan;	23 – 31	21 – 30	60 – 98	4 – 8
Metro Manila, Rehiyon ng Ilocos, Cordillera Administrative Region, natitirang bahagi ng Lambak ng Cagayan, natitirang bahagi ng Gitnang Luzon, at natitirang bahagi ng CALABARZON	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Rehiyon ng Ilocos, Cordillera Administrative Region, natitirang bahagi ng Lambak ng Cagayan, at natitirang bahagi ng Gitnang Luzon –** Katamtaman mula hilagang silangan hanggang silangan; **Metro Manila at natitirang bahagi ng CALABARZON –** Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan;	23 – 34	16 – 32	55 – 98	4 – 8

Natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula timog-silangan hanggang silangan	23 – 35	20 – 32	45 – 96	0 – 4


SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS

EASTERLIES, NORTHEASTERLY WINDFLOW, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Gumamit ng mulch o iba pang pantakip sa lupa upang mabawasan ang pagguho ng lupa at pagkawala ng sustansiya tuwing malakas ang pag-ulan.
- Suriin ang mga naaning produkto para sa sobrang moisture, pagkakabugbog, o kontaminasyon bago itago o ibenta.
- Iskedyul ang paglalagay ng pataba at pestisidyo sa angkop na kondisyon ng panahon at sundin ang mga inirerekomendang paraan ng paggamit.
- Linisin at panatilihing maayos ang mga kanal, bomba, at pasilidad sa imbakan ng tubig para sa maayos na patubig at paggamit ng tubig.
- Aniin sa tamang panahon ang mga hinog na pananim at patuyuin at itago nang maayos upang mapanatili ang kalidad ng ani.
- Regular na bantayan ang mga pananim para sa mga peste, sakit, at mga senyales ng kakulangan sa tubig.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.


PAYONG PANGSAKAHAN

KALAGAYAN NG LUPANG SAKAHAN
(Oktubre 1 – 10, 2026)



Basa – Pangasinan, La Union, Cagayan Valley, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Batangas, Rizal, malaking bahagi ng Quezon, Occidental Mindoro, Oriental Mindoro, hilagang bahagi ng Palawan, malaking bahagi ng Rehiyon ng Bicol, malaking bahagi ng Kanlurang Kabisayaan, Eastern Samar, Leyte, Bukidnon, Davao del Norte, Surigao del Sur, at Lanao del Sur

ENSO ALERT SYSTEM STATUS
(mula noong 07 Oktubre 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa mga pagtataya, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026. Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang

Katamtaman – malaking bahagi ng Rehiyon ng Ilocos, Laguna, Alabat, Infanta, ilang bahagi ng Oriental Mindoro, Marinduque, Romblon, ilang bahagi ng Capiz, Samar, Southern Leyte, Negros Occidental, Zamboanga del Sur, Davao del Sur, South Cotabato, Surigao del Norte, at Maguindanao **Tuyo** – Sorsogon, Masbate, at natitirang bahagi bahagi ng bansaa	mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Katamtaman hanggang saa maalon na karagatan ang mararanasan sa baybayin ng **Hilagang Luzon, Gitnang Luzon, at silangang bahagi ng Katimugang Luzon at Kabisayaan**, samantalang banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Pinakamataas na Temperatura	37.2 ºC (Tuguegarao, 1962)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	13.3 ºC (Baguio City, 1991)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	568.4 mm (Baguio City, 1908)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

INIHANDA HANDA/INI-UPLOAD NINA: MGA / ARL **BINIGYANG PANSIN NI: MEVT**