Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 234

Issued: 7:00 AM, Monday, 12 October 2026 **Valid until: 7:00 AM, Tuesday,13 October 2026**

SYNOPSIS: Intertropical Convergence Zone (ITCZ) affecting Southern Luzon, Visayas, and Mindanao. Easterlies affecting the eastern sections of Northern and Central Luzon. Northeasterly Windflow affecting Extreme Northern Luzon.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY
TROPICAL DEPRESSION
LOCATION: 3,030 KM EAST OF CENTRAL LUZON (16.6°N, 150.5°E)
MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER
GUSTINESS: UP TO 70 KM/H
MOVEMENT: NORTH NORTHWESTWARD SLOWLY

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Bicol Region, MIMAROPA, Western Visayas, Negros Island Region, Central Visayas, Caraga, Northern Mindanao, Zamboanga Peninsula, Leyte, and Southern Leyte	Cloudy skies with scattered rains and thunderstorms	**Palawan and Mindoro** – Moderate from northeast to east; **Bicol Region, Marinduque, Romblon, Western Visayas, Negros Island Region, Central Visayas, Leyte, and Southern Leyte** – Light to moderate from east to southeast; **Caraga, Northern Mindanao, Zamboanga Peninsula, Leyte** – Light to moderate from southwest to southeast	24 – 35	22 – 33	60 – 98	4 – 8
Batanes and Babuyan Islands	Cloudy skies with rains	Moderate from northeast to east	24 – 30	21 – 29	60 – 98	4 – 8
Metro Manila, CALABARZON, Central Luzon, Isabela, Quirino, Nueva Vizcaya, Benguet, and Pangasinan	Cloudy skies with scattered rains and thunderstorms	**Metro Manila, Central Luzon, Isabela, Quirino, Nueva Vizcaya, Benguet, and Pangasinan** – Moderate from northeast to east; **CALABARZON** – Light to moderate from east to southeast	23 – 33	16 – 32	60 – 98	4 – 8
The rest of Visayas	Partly cloudy to	**The rest of Visayas**	22 – 34	20 – 32	45 – 96	0 – 4

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

and Mindanao	cloudy skies with isolated rainshowers or thunderstorms	– Light to moderate from east to southeast; **Rest of Mindanao** – Light to moderate from southwest to southeast				
The rest of Luzon	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Light to moderate from east to southeast	24 – 34	17 – 32	45 – 96	0 – 4


AREAS AFFECTED BY THE WEATHER SYSTEMS

ITCZ, EASTERLIES, NORTHEASTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS

- Use mulch or other soil-covering materials to reduce soil erosion and nutrient loss during heavy rainfall.
- Check harvested crops for excess moisture, bruising, or contamination before storage or marketing.
- Schedule fertilizer and pesticide application during suitable weather conditions and follow recommended application practices.
  Maintain and clean irrigation canals, pumps, and water storage facilities.
- Harvest mature crops on time and properly dry and store produce to maintain quality.
- Regularly monitor crops for pests, diseases, and signs of moisture stress.
- Harvest mature crops on time and properly dry and store produce.
- Stay alert and informed! Always follow the latest weather advisories from local authorities and your local government. Keep updated through the official DOST-PAGASA website, social media accounts, and PANaHON App for timely weather information, warnings, and safety updates.


FARM ADVISORY

SOIL MOISTURE CONDITION
(September 21 – 30, 2026)



Wet – Pangasinan, Cagayan Valley, Cordillera Administrative Region, Central Luzon, National Capital Region, Cavite, Tayabas, Ambulong, Rizal, Oriental Mindoro, most parts of Palawan, Camarines Sur, Leyte, Bukidnon, Davao del Norte, and Lanao del Sur
Moist – Most of Ilocos Region, Extreme Northern Luzon, Cavite, Alabat, Occidental Mindoro, Albay, Catanduanes, Iloilo City, Negros Occidental, Samar, Eastern Samar, Davao del Sur, General Santos, and Surigao del Sur
Dry – Quirino, rest of the country

ENSO ALERT SYSTEM STATUS
(Updated as of 07 October 2026)



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

A strong to very strong El Niño is present in the Tropical Pacific. Forecasts predict that El Niño will continue until the first half of 2027 and may reach its peak before the end of 2026.

El Niño increases the likelihood of below-normal rainfall, which may lead to adverse impacts, including dry spells and droughts in some areas of the country. However, above-normal rainfall conditions may still occur during the passage of tropical cyclones and other rain-bearing weather systems. Farmers are advised to conserve water, maintain irrigation systems, and harvest rainwater to ensure adequate water supply during El Niño. Use drought-tolerant crops and soil moisture conservation practices. Regularly monitor DOST-PAGASA weather updates and adjust farm activities accordingly. Despite generally drier conditions, localized thunderstorms may still bring heavy rain, strong winds, lightning, and possible flash flooding.

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

FISHING ADVISORY
GALE WARNING AND SEA CONDITION
No Gale Warning is raised. Moderate seas will be experienced over the seaboards of t**he Northern Luzon, Central Luzon and the western section of Southern Luzon,** while slight to moderate seas will be experienced over the **rest of the archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION			
DAILY EXTREMES		**MONTHLY EXTREMES**	
Maximum Temperature	37.5 ºC (Tuguegarao, 1987)	**Maximum Temperature**	38.5 ºC (Tuguegarao, 1987)
Minimum Temperature	13.9 ºC (Baguio City, 1931)	**Minimum Temperature**	11.3 ºC (Baguio City, 1913)
Rainfall	482.6 mm (Itbayat, 1972)	**Rainfall**	994.6 mm (Baguio City, 1998)

PREPARED/UPLOADED BY: MTR/ JAE **VERIFIED BY: MEVT**

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)

BAGONG PILIPINAS

TAYA NG PANAHON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 234

Inilabas ng: 7:00 AM Lunes, 12 Oktubre 2026 May bisa hanggang: 7:00 AM Martes, 13 Oktubre 2026

SYNOPSIS: Intertropical Convergence Zone (ITCZ) ang nakakaapekto sa Katimugang Luzon, Kabisayaan at Mindanao. Easterlies ang nakakaapekto sa Hilaga at Gitnang Luzon. Northeasterly Windflow ang nakakaapekto sa Dulong Hilagang Luzon.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM
TROPICAL DEPRESSION
LOKASYON: 3,030 KM SILANGAN NG CENTRAL LUZON (16.6°N, 150.5°E)
TAGLAY NA LAKAS NG HANGIN: 55 KM/H MALAPIT SA GITNA
PAGBUGSO: UMAABOT SA 70 KM/H
PAGKILOS: HILAGA- HILAGANG KANLURAN NG MABAGAL

LUGAR NG PAGTAYA	LAGAY NG PANAHON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (^{0}C)		RH%	PAGKABASA NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Rehiyon ng Bicol, MIMAROPA, Kanlurang Kabisayaan, Rehiyon ng Pulo ng Negros, Gitnang Kabisayaan, Caraga, Hilagang Mindanao, Tangway ng Zamboanga, Leyte, at Katimugang Leyte	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Palawan at Mindoro –** Katamtaman mula hilagang silangan hanggang silangan; **Rehiyon ng Bicol, Marinduque, Romblon, Kanlurang Kabisayaan, Rehiyon ng Pulo ng Negros, Gitnang Kabisayaan, Leyte, at Katimugang Leyte –** Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan; **Caraga, Hilagang Mindanao, at Tangway ng Zamboanga –** Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan ;	24 – 35	22 – 33	60 – 98	4 – 8
Batanes at mga Isla ng Babuyan	Maulap na kalangitan na may pag-ulan	Katamtaman mula hilagang silangan hanggang silangan;	24 – 30	21 – 29	60 – 98	4 – 8
Metro Manila, CALABARZON, Gitnang Luzon, Isabela, Quirino, Nueva Vizcaya, Benguet, at Pangasinan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulog	**Metro Manila, Gitnang Luzon, Isabela, Quirino, Nueva Vizcaya, Benguet, at Pangasinan –** Katamtaman mula hilagang silangan hanggang silangan; **CALABARZON –** Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	23 – 33	16 – 32	60 – 98	4 – 8
Natitirang	Bahagyang maulap	**Natitirang bahagi ng**	22 – 34	20 – 32	45 – 96	0 – 4

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100
Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

bahagi ng Kabisayaan at Mindanao	hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	**Kabisayaan –** Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan; **Natitirang bahagi ng Mindanao –** Mahina hanggang sa katamtaman mula timog-kanluran hanggang timog-silangan				
Natitirang bahagi ng Luzon	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulog	Mahina hanggang sa katamtaman mula silangan hanggang timog-silangan	24 – 34	17 – 32	45 – 96	0 – 4

SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS


ITCZ, EASTERLIES, NORTHEASTERLY WINDFLOW, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN

- Gumamit ng mulch o iba pang pantakip sa lupa upang mabawasan ang pagguho ng lupa at pagkawala ng sustansiya tuwing malakas ang pag-ulan.
- Suriin ang mga naaning produkto para sa sobrang moisture, pagkakabugbog, o kontaminasyon bago itago o ibenta.
- Iskedyul ang paglalagay ng pataba at pestisidyo sa angkop na kondisyon ng panahon at sundin ang mga inirerekomendang paraan ng paggamit.
- Linisin at panatilihing maayos ang mga kanal, bomba, at pasilidad sa imbakan ng tubig para sa maayos na patubig at paggamit ng tubig.
- Aniin sa tamang panahon ang mga hinog na pananim at patuyuin at itago nang maayos upang mapanatili ang kalidad ng ani.
- Regular na bantayan ang mga pananim para sa mga peste, sakit, at mga senyales ng kakulangan sa tubig.
- Laging makinig sa mga payo ng mga awtoridad at lokal na pamahalaan tungkol sa mga kondisyon ng panahon. Manatiling updated sa mga ulat at abiso mula sa DOST-PAGASA website, social media accounts, at PANaHON App.

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN ***(Setyembre 21 – 30, 2026)***	**ENSO ALERT SYSTEM STATUS** ***(mula noong 07 Oktubre 2026)***

Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA)


BAGONG PILIPINAS



Basa – Pangasinan, Lambak ng Cagayan, Cordillera Administrative Region, Gitnang Luzon, National Capital Region, Cavite, Tayabas, Ambulong, Rizal, Oriental Mindoro, malaking bahagi ng Palawan, Camarines Sur, Leyte, Bukidnon, Davao del Norte, at Lanao del Sur

Katamtaman – malaking bahagi ng Rehiyon ng Ilocos, dulong Hilagang Luzon, Cavite, Alabat, Occidental Mindoro, Albay, Catanduanes, Iloilo City, Negros Occidental, Samar, Eastern Samar, Davao del Sur, General Santos, at Surigao del Sur

Tuyo – Quirini at sa natitirang bahagi bahagi



EL NIÑO

https://pubfiles.pagasa.dost.gov.ph/pagasaweb/files/climate/monthlyclimateassessment/EN_Advisory_5.pdf

Ang malakas hanggang sa napakalakas na El Niño ay umiiral sa Tropical Pacific. Batay sa mga pagtataya, inaasahang magpapatuloy ang El Niño hanggang sa unang kalahati ng 2027 at maaaring umabot sa pinakamalakas nitong antas bago matapos ang 2026.

Ang El Niño ay nagpapataas ng posibilidad na magkaroon ng mas mababa sa karaniwang dami ng ulan, na maaaring magdulot ng mga negatibong epekto tulad ng dry spell at tagtuyot sa ilang bahagi ng bansa. Gayunpaman, maaari pa ring magkaroon ng mas mataas sa karaniwang dami ng ulan kapag may pagdaan ng mga tropical cyclone at iba pang weather systems na nagdadala ng ulan. Pinapayuhan ang mga magsasaka na magtipid sa tubig, panatilihing maayos ang irigasyon, at mag-ipon ng tubig-ulan upang matiyak ang suplay ng tubig sa panahon ng El Niño. Gumamit ng mga pananim na matibay sa tagtuyot at mga pamamaraan sa pagpapanatili ng halumigmig ng lupa. Regular na subaybayan ang mga update ng DOST-PAGASA at iangkop ang mga gawaing pansaka ayon sa kondisyon ng panahon. Bagama't mas tuyo ang karaniwang kondisyon, maaari pa ring magkaroon ng localized thunderstorms na may malakas na ulan, hangin, pagkidlat, at posibleng biglaang pagbaha.

PAYO SA MGA MANGINGISDA

GALE WARNING AT KONDISYON NG KARAGATAN

Walang nakataas na Gale Warning.

Katamtaman hanggang saa maalon na karagatan ang mararanasan sa baybayin ng **Hilagang Luzon, Gitnang Luzon, at kanlurang bahagi ng Katimugang Luzon**, samantalngbanayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa **natitirang bahagi ng kapuluan**. Ang mga mangingisda ay pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN

DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	37.5 ºC (Tuguegarao, 1987)	**Pinakamataas na Temperatura**	38.5 ºC (Tuguegarao, 1987)
Pinakamababang Temperatura	13.9 ºC (Baguio City, 1931)	**Pinakamababang Temperatura**	11.3 ºC (Baguio City, 1913)
Pinakamaraming Ulan	482.6 mm (Itbayat, 1972)	**Pinakamaraming Ulan**	994.6 mm (Baguio City, 1998)

Science Garden Compound, Senator Miriam P. Defensor-Santiago Avenue,
Brgy. Central, Quezon City, Metro Manila, Philippines 1100

Tel. No.: 8284 -0800 local 4915
Website: http://bagong.pagasa.dost.gov.ph

INIHANDA HANDA/INI-UPLOAD NINA: MTR / JAE	BINIGYANG PANSIN NI: MEVT