



FARM WEATHER FORECAST AND ADVISORIES
FWFA: NO. 26 – 118

Issued: 7:00 AM, Wednesday, 27 May 2026

Valid until: 7:00 AM, Thursday, 28 May 2026

SYNOPSIS: Southwesterly Windflow affecting Palawan and the western section of Mindanao. Trough of Tropical Depression (TD) affecting the rest of Mindanao.

TROPICAL CYCLONE OUTSIDE PAR AS OF 3:00 AM TODAY

TROPICAL DEPRESSION

LOCATION: 1,230 KM EAST OF NORTHEASTERN MINDANAO (8.6°N, 137.5°E)

MAXIMUM SUSTAINED WINDS: 55 KM/H NEAR THE CENTER



GUSTINESS: UP TO 70 KM/H

MOVEMENT: WEST NORTHWESTWARD AT 10 KM/H

FORECAST AREA	AGRI-WEATHER	WINDS	TEMPERATURE (0C)		RH%	LEAF WETNESS (HRS)
			LOWLAND	UPLAND		
Zamboanga Peninsula, BARMM, SOCCSKSARGE N, Lanao del Norte, Misamis Occidental, and Palawan	Cloudy skies with scattered rains and thunderstorms	Zamboanga Peninsula, BARMM, Lanao del Norte, Misamis Occidental, and Palawan – Light to moderate from southwest to west; SOCCSKSARGEN – Light to moderate from northeast to northwest;	23 – 33	21 – 31	65 – 98	2 – 6
The rest of Mindanao	Cloudy skies with scattered rains and thunderstorms	Light to moderate from northeast to northwest;	24 – 35	22 – 33	55 – 98	0 – 6
Metro Manila and the rest of the country	Partly cloudy to cloudy skies with isolated rainshowers or thunderstorms	Northern Luzon, Central Luzon, and the eastern section of Southern Luzon – Light to moderate from southeast to southwest; Rest of the country – Light to moderate with variable direction;	22 – 40	18 – 35	45 – 96	0 – 4



AREAS AFFECTED BY THE WEATHER SYSTEMS	HEAT INDEX MONITORING AND FORECASTING (OBSERVED AND 2-DAY FORECAST)
TROUGH OF TD, SOUTHWESTERLY WINDFLOW, THUNDERSTORMS AND MODERATE TO HEAVY RAINS • Mulch around plants to retain soil moisture, suppress weeds, and regulate temperature. • Use soil moisture monitoring to avoid unnecessary irrigation. • Inspect irrigation systems regularly to ensure even water distribution and prevent waterlogging. • Ensure farm equipment is stored in dry, sheltered locations to prevent rusting or malfunction. • Heavy rains increase the risk of soil erosion. Take preventive measures like reinforcing embankments, creating terraces, or planting ground cover to stabilize the soil and prevent it from washing away. • Document weather impacts on crops to improve future planning and climate-resilient practices. • Keep updated with local advisories from LGUs and DOST-PAGASA for early warnings.	The Heat Index is a human discomfort index that gives the apparent temperature on what humans perceive or feel as the temperature (from the surroundings) affecting the body. High air temperature and high relative humidity results to high apparent temperature. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

FARM ADVISORY	
SOIL MOISTURE CONDITION (May 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (Updated as of 26 May 2026)
 Wet – Davao del Norte, North Cotabato, and Surigao del Sur Moist – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, and Lanao del Sur Dry – Rest of the country	 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# El Niño is expected to develop by mid-2026, increasing the possibility of below-normal rainfall, dry spells, and drought. Farmers are advised to maintain irrigation systems, use drought-tolerant crops, and harvest mature crops early when needed. Localized thunderstorms may still occur, especially in the afternoon or evening, bringing heavy rain, strong winds, lightning, and possible flash flooding in low-lying areas. Farmers should stay alert to daily weather updates, secure farm structures, and avoid field activities during thunderstorms, and adjust planting schedules based on DOST-PAGASA forecasts.
FISHING ADVISORY	
GALE WARNING AND SEA CONDITION	
No Gale Warning was raised.	



Slight to moderate seas will prevail over the **entire archipelago**. Still be reminded to be very careful in fishing, especially those using small seacraft. Always bring an emergency kit. Be updated for the latest weather updates and farm advisories from DOST- PAGASA.

ADDITIONAL INFORMATION

DAILY EXTREMES		MONTHLY EXTREMES	
Maximum Temperature	40.6 °C (Tuguegarao City, 1914)	Maximum Temperature	42.2 °C (Tuguegarao, 1969)
Minimum Temperature	12.9 °C (Baguio City, 1930)	Minimum Temperature	11.0 °C (Baguio City, 1907)
Rainfall	722.6 mm (Dagupan City, 2003)	Rainfall	730.3 mm (Baguio City, 1980)

PREPARED/UPLOADED BY: **MGA / HGDE**

VERIFIED BY: **MEVT**



TAYA NG PANAHOON AT MGA PAYONG PANSAKAHAN
FWFA: NO. 26 – 118

Inilabas ng: 7:00 AM, Miyerkules, 27 Mayo 2026

May bisa hanggang: 7:00 AM, Huwebes, 28 Mayo 2026

SYNOPSIS: Southwesterly Windflow ang nakakaapekto sa Palawan at kanlurang bahagi ng Mindanao. Trough ng Tropical Depression (TD) ang nakakaapekto sa natitirang bahagi ng Mindanao.

TROPICAL CYCLONE SA LABAS NG PAR KANINANG 3:00 AM

TROPICAL DEPRESSION

LOKASYON: 1,230 KM SILANGAN NG HILAGANG SILANGAN NG MINDANAO (8.6°N, 137.5°E)

MALAKAS NA HANGIN: 55 KM/H MALAPIT SA GITNA



PAGBUGSO NG HANGIN: AABOT SA 70 KM/H

PAGKILOS: PATUNGONG KANLURAN HILAGANG KANLURAN SA BILIS NA 10KM/H

LUGAR NG PAGTAYA	LAGAY NG PANAHOON PANG-AGRIKULTURA	HANGIN	TEMPERATURA (°C)		RH%	PAGKABAS A NG DAHON (ORAS)
			Mababang Bukirin	Mataas na Bukirin		
Zamboanga Peninsula, BARMM, SOCCSKSARGEN, Lanao del Norte, Misamis Occidental, at Palawan	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Zamboanga Peninsula, BARMM, Lanao del Norte, Misamis Occidental, at Palawan – Mahina hanggang sa katamtaman mula timog-kanluran hanggang kanluran; SOCCSKSARGEN – Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;	23 – 33	21 – 31	65 – 98	2 – 6
Natitirang bahagi ng Mindanao	Maulap na kalangitan na may kalat-kalat na pag-ulan at pagkidlat-pagkulong	Mahina hanggang sa katamtaman mula hilagang silangan hanggang hilagang kanluran;	24 – 35	22 – 33	55 – 98	0 – 6
Metro Manila at natitirang bahagi ng bansa	Bahagyang maulap hanggang sa maulap na kalangitan na may pulu-pulong pag-ulan o pagkidlat-pagkulong	Hilagang Luzon, Gitnang Luzon, at silangang bahagi ng Katimugang Luzon – Mahina hanggang sa katamtaman mula timog-silangan hanggang timog-kanluran; Natitirang bahagi ng bansa – Mahina hanggang sa katamtaman na may pabagu-bagong direksyon	22 – 40	18 – 35	45 – 96	0 – 4



SA MGA LUGAR NA APEKTADO NG WEATHER SYSTEMS	PAGSUBAYBAY AT PAGTATAYA NG HEAT INDEX (NAOBSERBAHAN AT 2-ARAW NA PAGTATAYA)
SOUTHWESTERLY WINDFLOW, TROUGH NG TD, PAGKIDLAT-PAGKULOG AT KATAMTAMAN HANGGANG MALAKAS NA PAG-ULAN • Maglagay ng dayami o mulch sa paligid ng mga halaman upang mapanatili ang halumigmig ng lupa, mapigilan ang damo, at magregulate ang temperatura. • Gumamit ng soil moisture monitoring upang maiwasan ang hindi kailangang patubig. • Regular na inspeksyunin ang sistema ng irigasyon upang matiyak ang pantay na distribusyon ng tubig at maiwasan ang sobrang pagbaha. • Panatilihin malinis ang mga kagamitang pangsakahan upang maiwasan ang pagkalat ng sakit sa pagitan ng mga pananim. • Ang malalakas na ulan ay maaaring magdulot ng pagguho ng lupa. Gumawa ng mga hakbang tulad ng pagpapalakas ng mga dike, paggawa ng mga terrace, o pagtatanim ng mga halamang makakatulong upang maiwasan ang pagkawala ng lupa at mapigilan ang erosion. • Idokumento ang epekto ng panahon sa mga pananim upang mapabuti ang pagpapalano at mga climate-resilient na gawain sa hinaharap. • Makinig at sumunod sa mga lokal na abiso mula sa LGUs at DOST-PAGASA para sa maagang babala.	Ang init na nararamdaman ng katawan ng tao (apparent temperature) ay hindi akma ng nasusukat gamit lamang ang temperature ng hangin (air temperature). Ito ay mas tamang naitataya kung isasama ang datos ng alinsangan o halumigmig (relative humidity). Ang impormasyon na ito ay tinatawag na Heat Index at ito ay matutukoy gamit ang Heat Index Chart. https://www.pagasa.dost.gov.ph/climate/climate-heat-index

PAYONG PANGSAKAHAN	
KALAGAYAN NG LUPANG SAKAHAN (Mayo 11 – 20, 2026)	ENSO ALERT SYSTEM STATUS (mula noong 26 Mayo 2026)
 Basa – Davao del Norte, North Cotabato, at Surigao del Sur Katamtaman – Aurora, Infanta, Alabat, Sorsogon, Samar, Leyte, Zamboanga del Norte, Bukidnon, Davao del Sur, Surigao del Norte, Agusan del Norte, Maguindanao, at Lanao del Sur Tuyo – Natitirang bahagi	 EL NIÑO ALERT https://pagasa.dost.gov.ph/climate/climate-advisories# Inaasahang ang El Niño sa kalagitnaan ng 2026, na magdudulot ng tagtuyot at posibleng kakulangan sa tubig. Pinapayuhan ang mga magsasaka na panatilihin ang maayos na irigasyon, gumamit ng drought-tolerant na pananim, at anihin agad ang mga hinog na tanim kung kinakailangan. Maaari pa ring magkaroon ng localized thunderstorms, lalo na sa hapon o gabi, na may kasamang malakas na ulan, hangin, kidlat, at posibleng flash flood sa mabababang lugar. Panatiling updated sa araw-araw na lagay ng panahon, tiyakin ang kaligtasan ng mga pasilidad sa bukid, iwasan ang trabaho sa bukid tuwing may thunderstorm, at iangkop ang taniman ayon sa forecast ng DOST-PAGASA.

PAYO SA MGA MANGINGISDA
GALE WARNING AT KONDISYON NG KARAGATAN
Walang nakataas na Gale Warning. Banayad hanggang sa katamtamang pag-alon ng karagatan ang mararanasan sa buong kapuluan. Ang mga mangingisda ay



Republic of the Philippines
DEPARTMENT OF SCIENCE AND TECHNOLOGY
Philippine Atmospheric, Geophysical and
Astronomical Services Administration
(PAGASA)



pinapaalalahanan na palaging mag-ingat, ugaliing magdala ng mga gamit pangkagipitan, magbantay at makinig sa mga paalala at patalastas mula sa DOST-PAGASA.

DAGDAG KAALAMAN			
DAILY EXTREMES		MONTHLY EXTREMES	
Pinakamataas na Temperatura	40.6 °C (Tuguegarao City, 1914)	Pinakamataas na Temperatura	42.2 °C (Tuguegarao, 1969)
Pinakamababang Temperatura	12.9 °C (Baguio City, 1930)	Pinakamababang Temperatura	11.0 °C (Baguio City, 1907)
Pinakamaraming Ulan	722.6 mm (Dagupan City, 2003)	Pinakamaraming Ulan	730.3 mm (Baguio City, 1980)
INIHANDA HANDA/INI-UPLOAD NINA: MGA / HGDE		BINIGYANG PANSIN NI: MEVT	